Detection of CD79a in Formalin-Fixed, Paraffin-Embedded Rat Tissue

Reagent and Antibody Information

1X Wash Buffer
3% Hydrogen Peroxide
1% BSA Diluent
1X Citrate Buffer
DAB Chromogen
Hematoxylin

Blocking Serum: Normal Horse Serum
Jackson Immunoresearch Laboratories, Inc.
West Grove, PA 19390
www.jacksonimmuno.com
1-800-367-5296
Catalog # 008-000-001

Avidin / Biotin Blocking Kit Vector Laboratories, Inc. Burlingame, CA 94010 www.vectorlabs.com 1-800-227-6666 Catalog # SP-2001

Primary Antibody: Mouse Monoclonal to CD79a

Abcam Inc Cambridge, MA 02139 www.abcam.com 1-888-772-2226 Catalog # ab3121

Negative Control Serum: Purified Mouse IgG1 Isotype Control Serum

BD Biosciences San Jose, CA 95131 www.bdbiosciences.com 1-855-236-2772 Catalog # 557273

Secondary Antibody: Biotinylated Horse Anti-Mouse IgG (H+L)

Vector Laboratories, Inc. Burlingame, CA 94010 www.vectorlabs.com 1-800-227-6666 Catalog # BA-2001 Label Complex: R.T.U. Vectastain Elite ABC Reagent

Vector Laboratories, Inc. Burlingame, CA 94010 www.vectorlabs.com 1-800-227-6666 Catalog # PK-7100

Staining Procedure

Positive Control Tissue: Spleen and thymus – B-cells

Stain Localization: Cell membrane

1. Deparaffinize and hydrate slides through the following solutions:

Solution	Repetitions	Time
Xylene	2 times	5 minutes
100% Ethanol	2 times	3 minutes
95% Ethanol	2 times	3 minutes
1X Wash Buffer	2 times	5 minutes

- 2. Quench endogenous peroxidase by placing the slides in 3% hydrogen peroxide for 15 minutes.
- 3. Rinse the slides in 2 changes of 1X wash buffer for 5 minutes each.

1	Heat-Induced Epitope Retrieval Using The Decloaker
ᅻ.	Add 500 ml of distilled water to the pan inside the decloaker.
	Place a full rack of slides into a Tissue Tek® container with 200 ml of 1X citrate buffer
	(Insert blank slides into any empty slots in the rack to ensure even heating of slides)
	Place the container stably inside the pan and decloak for 5 minutes. <i>Maximum Pressure</i>
	Depressurize for 10 minutes.
	Remove pan top and cool for 10 minutes. <i>Temperature Before Cooling Slides</i>
	Rinse the slides in 2 changes of distilled water for 3 minutes each time.
5.	Rinse the slides in 2 changes of 1X wash buffer for 5 minutes each time.
6.	Block with 10% normal horse serum for 20 minutes at room temperature.
	Lot # Date Reconstituted

DO NOT RINSE SLIDES. CONTINUE TO AVIDIN-BIOTIN BLOCK.

7. Avidin / Bioti	n Blocking Kit		
Lot #	Exp. Date	New Kit:	yes / no
Apply avidin	block for 15 minutes at room ter	mperature.	
Quick rinse in	1X wash buffer.	_	
Apply biotin b	block for 15 minutes at room ter	nperature.	

DO NOT RINSE SECTIONS WITH BUFFER BEFORE ADDING PRIMARY ANTIBODY. ONLY WIPE EXCESS BLOCK.

8. Apply primary antibody at a 1:500 dilution. Incubate for 1 hour at room temperature. Lot # Exp. Date
For negative control slides, dilute mouse IgG1 control serum so that it's IgG1 protein concentration matches that of the primary antibody (if necessary). Then make a 1:500 dilution. If the concentrations can't be matched using this method, the dilution for the negative reagent may need to b adjusted. Apply the negative and incubate for 1 hour at room temperature. Lot # Exp. Date
9. Rinse the slides in 2 changes of 1X wash buffer for 5 minutes each.
10. Apply the horse anti-mouse secondary antibody at a 1:500 dilution. Incubate for 30 minutes at room temperature. Lot # Date Reconstituted
11. Rinse the slides in 2 changes of 1X wash buffer for 5 minutes each.
12. Apply the Vectastain R.T.U. Elite Label and incubate for 30 minutes at room temperature. Exp. Date New Kit: yes / no
13. Rinse the slides in 2 changes of 1X wash buffer for 5 minutes each.
14. Apply the DAB chromogen. Incubate in the dark for 6 minutes at room temperature. (Add 1 drop of DAB per ml of substrate) Lot # Exp Date New Kit: yes / no
15. Rinse the slides in tap water 3 minutes.
16. Counterstain with hematoxylin for 20 seconds.
17. Rinse the slides in tap water until water is clear.
18. Gently agitate slides in 1X wash buffer until the tissues turn blue.
19. Dehydrate through the following solutions:

Solutions	Repetitions	Time
95% Ethanol	1 time	3 minutes
100% Ethanol	3 times	3 minutes
Xylene	2 times	5 minutes

20. Coverslip

Updated 03/18/09