CURRICULUM VITAE

Name: Linda S. Birnbaum

Date and Place of Birth: December 21, 1946; Passaic, New Jersey

Citizenship: United States

Marital Status: Married 1967, three children

Education:

June 1967	B.A. (Biology) University of Rochester, Rochester, NY
June 1969	M.S. (Microbiology) University of Illinois, Urbana, IL
February 1972	Ph.D. (Microbiology, Biochemistry minor) University of Illinois, Urbana, IL. (Thesis:
	Localization, Enrichment, and in vitro Transcription of Ribosomal RNA genes in
	Escherichia coli)
1982	Diplomate, American Board of Toxicology, recertified 1987, 1992, 1997, 2002, 2007

Brief Chronology of Employment

1972	Visiting Assistant Professor of Microbiology at University of Illinnois, Urbana, IL
1973 - 1974	Postdoctoral work at University of Massachusetts, Amherst, MA (Biochemistry)
1974 - 1975	Assistant Professor of Science at Kirkland (Hamilton) College, Clinton, NY
1975 - 1976	Research Associate, Masonic Medical Research Laboratory, Utica, NY
1976 - 1978	Research Fellow, Masonic Medical Research Laboratory, Utica, NY
1978 - 1979	Research Scientist, Masonic Medical Research Laboratory, Utica, NY
1979 - 1980	Senior Staff Fellow, National Toxicology Program, National Cancer Institute,
	Research Triangle Park, NC
1980 - 1987	Research Microbiologist, National Toxicology Program, NIEHS, Research Triangle
	Park, NC
1987 - 1989	Supervisory Research Microbiologist, National Toxicology Program, NIEHS,
	Research Triangle Park, NC
1989 - 1989	Head, Chemical Disposition Group, NIEHS, Research Triangle Park, NC
1989 - 1998	Director, Experimental Toxicology Division, National Health and Environmental
	Effects Research Laboratory, U.S. EPA, Research Triangle Park, NC
1998 - 1998	Acting Associate Director for Health, National Health and Environmental Effects
	Research Laboratory, U.S. EPA, Research Triangle Park, NC
1999 - 2008	Director, Experimental Toxicology Division, National Health and Environmental
	Effects Research Laboratory, U.S. EPA, Research Triangle Park, NC
2001 - 2002	Acting Director, Human Studies Division, National Health and Environmental Effects
	Research Laboratory, U.S. EPA, Chapel Hill, NC
2002 - 2009	Director, Experimental Toxicology Division, National Health and Environmental
	Effects Research Laboratory, U.S. EPA, Research Triangle Park, NC
2006- Present	Fellow, June 2006-June 2011; Board member, July 2007-June 2010, Academy of

	Toxicological Sciences
2008 - 2009	Senior Toxicologist, National Center for Environmental Assessment, U.S. EPA,
	Research Triangle Park, NC
2009 – Present	Director, National Institute of Environmental Health Sciences and National
	Toxicology Program, Research Triangle Park, NC
2009 - Present	Senior Investigator, National Cancer Insitute

Societies:

Society of Toxicology (President 2004-2005)

American Society for Pharmacology and Experimental Therapeutics International Union of Pharmacology, Section on Toxicology North Carolina Chapter, Society of Toxicology American Aging Association Gerontological Society American Association for the Advancement of Science Phi Beta Kappa Phi Kappa Phi Sigma Xi Academy of Toxicological Sciences International Union of Toxicology (President 2010-2013) Society for Risk Analysis Member, Institute of Medicine

Awards:

1967-1972	NIH Predoctoral Traineeship
1971	Sigma Xi Award, University of Illinois
1973-1974	Damon Runyon Foundation Postdoctoral Fellowship
1974-1975	Mellon Foundation Research Grant
1976-1978	National Research Service Award
1978-1979	Career Employment and Training Award
1979	Young Investigator Grant - N.I.A.
1991	Scientific and Technological Achievement Award, Level III, U.S EPA
1992	Scientific and Technological Achievement Award, (2 awards) Level III, U.S. EPA
1993	Scientific and Technological Achievement Award, Level III, U.S. EPA
1994	Scientific and Technological Achievement Award, Level III, U.S. EPA (2 awards)
1996	National Wildlife Federation, Special Edition National Conservation Achievement
	Award
1996	First Ahlborg Memorial Award, Karolinska Institute, Sweden
1998	Scientific and Technological Achievement Award, Level III, U.S. EPA
1999	Best Risk Assessment Paper, SOT, New Orleans, LA
1999	Scientific and Technological Achievement Award, Level II, U.S. EPA
2000	Scientific and Technological Achievement Award, Honorable Mention
2000	Scientific and Technological Achievement Award, Honorable Mention

2001	Diversity Leadership Award, U.S. EPA
2002	Recognized as one of the top 100 cited authors in ISI Pharmacology
2002	U.S. EPA Gold Award for Scientific Achievement in the Health Sciences
2003	Society of Toxicology Risk Assessment Specialty Section (RASS) Blue Ribbon, best
	abstract
2003	Scientific and Technological Achievement Award, Level II, U.S. EPA
2004	U.S. EPA Bronze Medal (Region 5) to Emerging Pollutants Workshop Planning Group
2004	Society of Toxicology Risk Assessment Specialty Section (RASS) Blue Ribbon, best
	abstract
2004	Scientific and Technological Achievement Award, Level III, U.S. EPA
2005	Scientific and Technological Achievement Award, Level III, U.S. EPA
2006	Academy of Toxicological Sciences, Fellow
2006	Mid-Atlantic Chapter of the Society of Toxicology (MASOT) Ambassador Award
2006	Environmental Science & Technology Excellence in Review
2006	Society of Toxicology Public Communications Award
2007 - Date	Society of Toxicology Endowment Board
2007 - 2010	President-Elect/President for International Union of Toxicology (IUTOX)
2007 - Date	Official Advisor to the Endometriosis Association
2007 - Date	Editorial Board, Environmental Health Perspectives
2007	Scientific and Technological Achievement Award, Level I, U.S. EPA
2007	Scientific and Technological Achievement Award, Level III, U.S. EPA
2008	Society of Toxicology (SOT) 2008 Women in Toxicology (WIT) Elsevier Mentoring
	Award
2010	Honorary Degree Recipient from the University of Rochester
2010	College of Liberal Arts & Science Alumni Achievement Award, University of Illinois
2011	National Institutes of Health Director's Award
2011	Scientific and Technological Achievement Award, Level III, U.S. EPA
2012	Breast Cancer Fund Heroes Award
2012	National Research Center for Women's 2012 Health Policy Hero Award

Recent Assistance To Scientific Community

- 1. Chairs the Scientific Advisory Board of the University of Michigan Dioxin Study (UMDES) Present
- 2. External advisor to the University of Illinois, Chicago School of Public Health, grant proposal on the study of occupational exposure to Dioxins
- 3. Served as a member of the subcommittee for review of research at the Interfacultary Institute of Risk Assessment Sciences (IRAS), Utrecht University, the Netherlands (2005)
- 4. Official Advisor to the Endometriosis Association (2007)
- 5. Academy of Toxicological Sciences (ATS) Board of Directors

Other Activities:

1976	Adjunct Professor, Genetics, State University College of Technology, Utica, NY
1977 - 1979	Chairperson, Guest Speaker Program at Masonic Medical Research Laboratory
1978 - 1979	Consultant, Syracuse Research Corporation (detection of carcinogens as mutagens)
1979 - 1983	Member, Executive Board, American Aging Association
1980 - 1981	Vice President, American Aging Association
1980 - 1982	Adjunct Assistant Professor, Department of Environmental Science, School of Public Health, University of North Carolina
1982-1988	Adjunct Associate Professor, Department of Environmental Science, School of Public
1702 1700	Health, and Curriculum in Toxicology, University of North Carolina
1983 – Date	Curriculum in Toxicology, University of North Carolina
1985 – Date	Editorial Board, AGE
1988 – Date	Editorial Board, Environmental Health Perspectives
1988 – Date	Adjunct Professor, Department of Environmental Science, School of Public Health,
	and Curriculum in Toxicology, University of North Carolina
1989 – Date	Editorial Board, Toxicology and Applied Pharmacology
1989 – Date	Executive Committee, Curriculum in Toxicology, University of North Carolina
1992 – 1996	Member of the Chemical Manufacturers Association Butadiene Panel
1993 – 1998	Editorial Board, Environmental Health Perspectives
1993 – 1995) Committee for NIEHS Planning Grant for an EHS Center
1993 – 2009	Editorial Board, Human and Experimental Toxicology
1994 – 1997	Elected to serve a three year term on the Executive Committee of the Division of
	Toxicology, ASPET
1994 – Date	Reviewer for Medical Research Council of Canada Grants
1995 – 1998	CIIT Scientific Advisory Panel
1995 – Date	Adjunct Faculty Member of Toxicology, Integrated Toxicology Program, Duke
	University
1999 – 2000	Chair, DOT, ASPET
1999 – 2009	Editorial Board, Chemosphere
2000 - 2007	Executive Committee, Research Triangle Park Drug Metabolism Discussion Group
2000 - 2004	U.S. Delegate to AMAP/Health Effects Group
2002	Reviewer for Environmental Science & Technology
2002 - 2006	Board of Directors of SOT as Vice President Elect, Vice President, President, and Past
	President

Invited Speaker:

Duke University (1982); University of Buffalo (1983); Rutgers University (1984); EPA (Washington, DC, 1985); University of Arizona (1985); Duke VA (1986); University of Nebraska (1986); CIIT (1987). Texas A&M University (1987); St. Johns University (1987); Veterans Administration Medical Center, St. Louis (1987); NTP Executive Committee (1988); Senate Committee on Environment and Public Works (Staffers) (1989); Health Effects Research Laboratory (Research Triangle Park, NC, 1989); USEPA (Washington, 1989); NIEHS Research Day (1989); Duke University (1990); University of North Carolina (1990); Virginia Polytechnic Institute and State University (1990); EOHSI; Panelist at the GLO 9 Graduation Program, Rutgers University (1991); Cornell University (1991); Colorado State University (1991); Health Effects Institute (1991); Toxicology Forum (1991); Harvard School of Public Health (1991); Symposium on the Health Effects of Gasoline (1991); The Toxicology Forum

(1992); University of Connecticut (1992); World Wildlife Fund (1992); Genetic Toxicology Association Spring Meeting (1992); North Carolina's Environmental Management Commission (EMC) Water Quality Committee 1992); SEGH International Conference on Lead and Other Trace Substances (1992); Harvard School of Public Health (1992); University of Kansas Medical Center (1992); Association for Governmental Toxicologist, Society for Environmental Geochemistry and Health (1992); University of Texas (1992); American Association for the Advancement of Science (1993) Society of Toxicology (1993); Air and Waste Management Association (1993); NIEHS (1993); International Congress on Health Effects of Hazardous Waste (1993); National Conference on Dioxin (1993): Committee to Coordinate Environmental Health and Related Programs (1993): Duke University School for the Environment (1993); NIEHS (1993); Great Lakes Water Quality Board Meeting (1993); NC State University Graduate Student Professional Development Workshop (1993); Environmental Defense Fund (1993); American College of Toxicology (1993); Health Protection Branch, Health and Welfare Canada (1993); Illinois Environmental Health Association (1993); University of Illinois (1993); Environmental Health Protectorate, Canada (1994); University of Pittsburgh (1994); Chlorine Chemistry Council (1994); NIEHS Second Annual Environmental Careers Symposium (1994); Dioxin Reassessment Press Conference - Washington, D.C. (1994); Dioxin Reassessment Press Conference - Chicago, Illinois (1994); EPA Region 5 Dioxin Reassessment Press Conference; (1994); University of California, Davis (1994); Durham-Chapel Dietetic Association (1994); NCSU Workshop (1994); Duke University Occupational Medicine Seminar Series (1994); University of Kentucky, Graduate Center for Toxicology & Sigma Xi (1994); NCSOT (1994); National Academy of Sciences (1994); Southern Illinois University (1994); Air & Waste Management Association (1994); North Carolina Bar Association (1995); Cornell University (1995); North American Commission for Environmental Cooperation (1995); Tribal Council - St. Reigs Mohawk Tribe Environment Division (1996); National Wildlife Conservation (1996); American Chemical Soceity (1996); West Virginia University, Department of Pharmacology & Toxicology (1996); University of Illinois (1996); Cincinnati Medical Center - Institute of Environmental Health (1996); Internatinal Symposium Dioxins and Furans - Heidelberg, Germany (1996); University of Michigan -Consultant Program (1997); NC State University - SCI-LINK Teachers Day (1997); Washington, DC - dosimetry for Persistent Chemicals (1997); University of Buffalo - Buffalo environmental health Sciences Conference (1997); Montreal, Canada - Health Conference `97 (1997); Indianapolis, IN -Dioxin '97 Symposium on Chlorinated Dioxins and Related Compunds (1997); Southern Illinois University - Betram W. Carnow Memorial Symposia (1997); Seoul, Korea - 50th Anniversary of the Korean Society of Pharmacology; The Dioxin conference; Pohang University (1997); Lineberger Cancer Center, University of NC at Chapel Hill (1998); Endocrine Disruptor Workshop, Raleigh, NC (1998); Chemical Mixtures Colloquium, Washington, DC (1998); University of NC Research Integrity Conference (1998); Butadiene Annual Research Review Meeting, Houston, TX (1998); Cell Signaling Workshop, RTP, NC (1998); Workshop on Ah Receptor-Controlled Responses in Tumor Promotion. Germany; University of Maine, Orono, ME (1998); Risk Characterization of Dioxin, EPA, RTP, NC (1998); NIEHS/NTA Science Fair (1998); AMSA National Convention, Chicago, IL (1999); Graduate Student Convocation, ASPET Meeting, Washington, DC (1999); Washington State University, Pullman, WA (1999); Environmental Mutagen Society (2000) Bowman Gray School of Medicine (2000); Endometroisis 2000, London (2000); University of Wisconsin, Madison (2000); Physicians for Social Responsibility, Washington, DC (2000); Ecology and Health Conference, Raleigh, NC (2000); Dioxin 2000 (Monterey and Berkley, California); American Public Health Association Annual Meeting (2000); University of New Mexico Toxicology Program (2000); Cornell University (2001); University of Zurich (2001); Karolinska Institute (2001); LocalMotion, Detroit, MI (2001); Michigan Department of Environmental Quality (2002); University of Illinois, Chicago (2002); North Carolina State University (2003); Loma Linda University, CA (2003); Boston City Council, Boston, MA (2003); Boston City Council on Dioxin, Boston, MA (2003); Research Triangle Park Career Evaluation, Research Triangle Park, NC (2003); University of California at Los Angeles, (2004); Harvard Seminar, Boston, MA (2004); EMS Panel Debate, Washington, DC (2004); Duke University Integrated Toxicology Program, Durham, NC (2004): Lone Tree Council, Saginaw Bay Watershed, Saginaw, MI (2005); Porter School of Environmental Studies and Haifa University, Israel (2005); Michigan Department of Environmental Quality, Midland, Michigan (2005); University of Southern

Maine, Portland, Maine (2005); North Carolina State University, Dept. of Environmental and Molecular Toxicology 2006 Seminar, Raleigh, NC (2006); Southwestern Medical University, Dallas, TX (2006); University of Wisconsin, Madison, WI (2006): DECA, Washington, DC (2006), University of Michigan, Ann Arbor, Michigan (2006); Brominated Flame Retardants (BFR), Washington, DC (2006); Environmental Partnership Summit, Research Triangle Park, NC (2006); 232nd American Chemical Society Meeting & Exposition, San Francisco, CA (2006); Weybridge + 10 Workshop, Helsinki, Finland (2006); International Conference on Food Contaminants and Neurodevelopmental Disorders, Valencia, Spain (2006); PALs Meeting, Crystal City, Arlington, VA (2006), East Carolina University (2007); U.S. EPA Region 8, Denver, CO (2007); NIEHS Meeting, Research Triangle Park, NC (2007); P.O.P. Culture, Santa Monica, CA (2007); Evaluation of the human relevance of modes of action in animals, University of North Carolina, Chapel Hill, North Carolina (2008); Evaluating the human relevance of modes of action in animals workshop, ILSI Research Foundation University of North Carolina, Chapel Hill, NC (2008); Duke ITP, Duke University, Durham, North Carolina (2008);. Indiana University, Bloomington, Indiana (2008); Women Taking the Lead to Save Our Planet, Washington, DC (2009); National Public Radio (2009); Frontline (2009); CNN (2009); NIEHS Earthday, RTP, NC (2009); Summers of Discovery Seminar Series, RTP, NC (2009); Computational Toxicology Webinar Series, RTP, NC (2009); NIEHS Town Hall Meeting, RTP, NC (2009); NIEHS Friends & Family Day, RTP, NC (2009); National Conversation on Chemical Exposures, Washington, DC (2009); NIEHS Distinguished Lecture Series, RTP, NC (2009); Research Triangle Institute, RTP, NC (2010); James L. Whittenburg Lecture, Boston, MA (2010); Great Lakes Green Chemistry Seminar, RTP, NC (2010); UNC Institute of the Environment, Chapel Hill, NC (2010); NIEHS Spririt Lecture, RTP, NC (2010); University of Virginia Plastic Project, Charlottesville, VA (2010); Congressman Price Science Panel, RTP, NC (2011); Los Angeles Community Forum, CA (2011); Parkinson's Action Network Panel, Washington, DC (2012); Texas Women's University Annual Celebration of Science, Denton, TX (2012); Medical University of South Carolina, Charleston, SC (2012); UNC Women in Science Series, Chapel Hill, NC (2012); Environmental Health Sciences Seminar, UC-Davis, CA (2012); University of Rochester, Rochester, NY (2012).

Invited Symposium/Workshop Speaker:

Liver and Aging, II (Japan, 1982); SOT (Atlanta, 1984); Organizer, Annual symposium, American Aging Association (1984); Butadiene ISSRP workshop (1985); Toxicity and Aging Workshop (EPA/NIA, 1985); Gerontology Society (New Orleans, 1985); Strain Selection for Carcinogenesis (NIEHS, 1985); Gerontology Society (Chicago, 1986). Dioxin '87 (Las Vegas, 1987); Pharmacokinetics Modeling and Risk Assessment (Asheville, NC, 1988); ASPET (Montreal, 1988); WHO Workshop on Chemical Toxicity and Aging (Leningrad, 1988); SOT Atlanta, 1988); FASEB (New Orleans, 1989); North Carolina Academy of Sciences (Raleigh, 1989); Human Health Effects of Pollution in the Great Lakes (Ontario, 1989); NCASI Dioxin Research Needs Expert Panel (Rockville, MD,1989); 15th Symposium Environmental Pollutants and Toxicology (Japan, 1989); PCB Workshop, Health Protection Branch, Health and Welfare Canada, Ottawa (June, 1990); International Cancer Congress (Hamburg, West Germany, 1990); TEFs for PCBs (Washington, DC, 1990); Women Administrators in North Carolina Higher Education Spring Forum meeting on "Women in Science" (Durham, NC, 1992); State of North Carolina, Department of Environment, Health and Natural Resources, Division of Environmental Management Commission's Water Quality Committee (Raleigh, NC, 1992); SEGH International Conference on Lead and Other Trace Substances (1992); Rifkin and Associates "Mechanisms of Dioxin Toxicity: Implications for Risk Assessment (Washington, D.C. 1993); California Department of Health Services, Hazardous Materials Laboratory (Berkeley,

California 1993); Gordon Research Conference, "Dioxin toxicity and Risk Assessment" (Meriden, New Hampshire, 1993); American College of Toxicology (1993); Health Protection Branch, Health and Welfare, Canada (1993); Butadiene Peer Review Panel (1993); HERL First Annual Symposium (1993); Waste Technologies Incorporated Peer Review Workshop (1993); North Carolina State Graduate Student Professional Development Workshop (1993); HERL Symposium (1993); NIEHS Sponsored Estrogens in the Environment III: Global Health Implications (1994); National Symposium on Health Research and Needs to Ensure Environmental Justice (1994); AEERL/ASME Seminar on PIC Formation and Control (1994); Children's Environmental Health Network (1994); EPA Colloquium on Environmental Hormones (1994); NIEHS Second Annual Environmental Careers Symposium (1994); Chemical Manufacturers Association, Chlorine Chemistry Council (1994); University of Pittsburgh (1994); Regional Risk Assessment Meeting (1994); Great Lakes Human Health Effects Research Symposium (1994); European Environmental Research Organization (1994); Pennsylvania State 13th Summer Symposium in Molecular Biology (1994); Rifkin & Associates (1994); 6th North American ISSX Meeting (1994); HERL Second Annual Symposium (1994): American Zoological Society (1995); Mechanistic Studies - National Toxicology Program (1995); Chlorination and Drinking Water; Dioxin Roundtable - SOT (1995); International Joint Commission -Great Lake's Science Advisory Board (1995); WHO (1995); Freie University of Berlin (1995); International Institute of Synthetic Rubber Producers, Inc. (1995); International Congress of Toxicology (1995); Working Group on the Assessment of Health Risk for Infants from Exposure to PCDDs, PCDFs, and PCBs (1995); International Neurotoxicology Conference (1995); Endometriosis Association (1995); PCB Assessment Panel (1996), Dioxin Risk Characterization Working Team (1996); International Symposium of the Society of Toxicologic Pathologists (1996); Ulf G. Ahlborg Memorial Lecture at Karolinska Institute=s Nobel Forum (1996). Russian-American Project with scientists, policy-makers and citizen Stakeholder AUniting to Reduce dioxin levels in the Environment and Human Beings, Russia (1996); Dioxins in the Middle East Workshop, Israel (1996); 69th Meeting of the IARC Monographs Programme on the Evaluation of Carcinogenic Risks to Humans, France (1997); WHO Workshop on Revision of I-TEFs, Sweden (1997); Pellston/SETAC Workshop on Chemical Effects on Reproduction, Montana (1997); ISSX Meeting, SC (1997); WHO Workshop on TDI for Dioxins (1998); CIIT Workshop on PBPK Modeling of 1,3-Butadiene (1998); Dioxin >98, Sweden (1998); Autoimmune Disease Workshop (1998); FQPA Meeting (1999), Workshop on Steriod Hormones & Brain Function, Breckenridge, CO (1999); Drinking Water Research Needs Expert Workshop, Leesburgh, VA (1999); Human Exposure Assessment Workshop, Rockville, MD (1999), College of Pharmacy, Washington State University, Pullman, WA (1999), Symposium on Man-Made Chemicals/Hormones in the Environmental on Human Health, Mt. Holyoke College, South Hadley, MA (1999); IPCS Planning Group Meeting on Integrated Risk Assessment, Philadelphia, PA (1999); 13th Working Group Meeting of the Arctic Monitoring and Assessment Program, Toronto, Canada (1999); Workshop on Criteria for Phasing Out Persistent and Bioaccumulating Organic Chemicals, Stockholm, Sweden (1999); Workshop on Diversity 2000: Managing the Third Wave (1999); Endocrine Disruptors and Children=s Health, MT. Sinai School of Medicine, New York (2000); Living Safely with Chemicals in the New Millennium (2000); AMAP Workshop, Rovaniemi, Finland (2000); PAS Proteins/ASPET, Boston, MA (2000); CMA Workshop Biomarkers, RTP, NC (2000); ASPET Program Committee (2000); WHO Integrated Risk Assessment Workshop, Ispra, Italy (2001);Brominated Flame Retardants (BFR) 2001, Stockholm, Sweden; WHO Expert Meeting on Rapid Assays, Brussels, Belgium (2001); Conference on Endocrine Disrupters and Human Health, Universidade Independente, Lisbon, Portugal (2001); Vietnam-United States Scientific Conference on

Human Health and Environmental Effects of Agent Orange/Dioxin, Hanoi, Vietnam (2002); Federal-State Toxicology and Risk Analysis Committee, Washington, DC (2002); European Commission Nondioxin-like PCBs Workshop, Brussels, Belgium (2002); Brominated Flame Retardants Roundtables, San Francisco, CA (2002); Federal Women's Program, Women's History Month Event, Research Triangle Park, NC (2003); Society of Toxicology Annual Meeting, Salt Lake City, Utah (2003); Federal Women=s Program, Women=s History Month Event, Research Triangle Park, NC (2003); Brominated Flame Retardants, Conference & Workshop, San Francisco, CA (2003); SAIC Conference on Dioxin Threat Assessment, McLean, VA (2003); Star Progress Review Workshop, Washington, D.C., (2003); Senior Executive Service Meeting, Washington, D.C., (2003); Emerging Pollutants Workshop, Boston, MA (2003); Dioxin Workshop, Boston, MA (2003); Dioxin Workshop, Boston, MA (2003); Cocktail Effect in Risk Assessment (CeiRA), Stresa, Italy (2003); PBDE Workgroup, Washington, DC (2004); 19th Annual Regional Risk Assessors Meeting, Boston, MA (2004); U.S. EPA Region I Risk Assessors, Boston, MA (2004); PCB Workshop, University of Illinois, Urbana-Champaign, Illinois (2004); EPSA Science Colloquium, Brussels, Belgium (2004); ICTX Satellite & ICTX Meeting, Porvoo, Finland (2004); Dioxin 2004, Berlin, Germany (2004); HEI Biomonitoring, Research Triangle Park, NC (2004); Bear Mountain Superfund, Bear Mountain, NY (2004); Region IV ERS, Atlanta, GA (2004); NRP 50 Bern, Switzerland (2004); Environmental Influences on the Induction and Incidence of Asthma, Research Triangle Park, NC (2004); CHPAC Washington, DC (2004); APHA, Washington, DC (2004); University of Michigan Dioxin Exposure Study (UMDES) SAB, Ann Arbor, MI (2004); CASCADE, Orvieto, Italy (2005); Society of Toxicology Annual Meeting, New Orleans, Louisiana (2005); Credo Workshop on Endocrine Disrupters, Prague, Czech Republic (2005); TEFs Re-Evaluation, World Health Organization, Geneva, Switzerland, (2005); 1st International Workshop on Modifiers of Chemical Toxicity, Poros/Athens, Greece (2005); Children's Environmental Health Research, Research Triangle Park, NC (2005); Dioxin 2005, Toronto, Canada, (2005); 42nd Congress of the Federation of European Toxicologists & European Societies of Toxicologists (Eurotox 05), Krakow, Poland (2005); National Forum on Contaminants in Fish, Baltimore, MD (2005); Nicholas Institute for Environmental Policy Solutions, Inaugural, Duke University, Durham, NC (2005); U.S. EPA Region II Science Day, New York, New York (2005); 40th Annual Meeting, American Academy of Environmental Medicine, Tucson, AZ (2005); North Carolina Society of Toxicology Spring Meeting, 25th Anniversary Celebration, Research Triangle Park, NC (2006); Cascade 2nd Annual Meeting, St. Malo, France (2006); Mid-Atlantic Society of Toxicology (MASOT) Meeting, Scotch Plains, New Jersey (2006); Gordon Research Conferences, Environmental Endocrine Disruptors, Il Ciocco Barga, Italy (2006); 28th International Congress on Occupational Health, Milan, Italy (2006); International Brominated Flame Retardants (BFR) Meeting, Toronto, Canada (2006); Bisphenol A: An Examination of the Relevance of Ecological, In Vitro and Laboratory Animal Studies for Assessing Risks to Human Health – An Expert Panel, Chapel Hill, NC, (2006); Environmental Challenges Meeting, San Francisco, CA (2007); UCSF-CHE Summit on Environmental Challenges to Reproductive Health and Fertility, San Francisco, CA (2007); State-of-the-Science Workshop: Issues and Approaches in Low Dose-Response Extrapolation for Environmental Health Risk Assessment, Baltimore, MD (2007); NERC Knowledge Transfer Network, 2nd Conference on Persistent Organic Pollutants: Legacy and Current-Use Pops, The University of Birmingham, Birmingham, UK (2007); LTIG Meeting, Chicago, IL (2007); Moving Upstream Workshop, Berkeley, CA (2007); International Congress of Toxicology, Montreal, Quebec, Canada (2007); Dioxin 2007 Satellite Symposium, Shibuya-ku, Tokyo, Japan (2007); Dioxin 2007 International Symposium, Tokyo, Japan (2007); International Congress of Toxicology XI, Montreal, Ontario, Canada (2007);

Future Research on Endocrine Disruption, Durham, NC (2007); NHEERL/OSWER Libby Action Plan Toxicology Studies, OU4 Technical Subgroup Meeting, Libby, MT (2007); SETAC North America 28th Annual Meeting, Milwaukee, WI (2007); Society of Risk Analysis 2007 Annual Meeting, San Antonio, TX (2007); Meeting of the HESI Subcommittee on Risk Assessment for Sensitive Populations, Washington, DC (2007); 47th Annual Society Of Toxicology & ToxExpo, Seattle, Washington (2008); 6th Expert Consultation Panel Meeting for Provisional Advisory Levels, Research Triangle Park, NC (2008); 5th PCB Workshop, Iowa City, IA (2008); 10th GRC on EED, PFAA Days, Research Triangle Park, NC (2008); Woman Taking the Lead to Save our Planet, NIH, Washington, D.C. (2009); Annual Society Of Toxicology Conference, Baltimore, MD (2009); Columbia Center for Children's Environmental Health Conference, New York, NY (2009); Brominated Flame Retardants (BFR), Annual Meeting, Ottawa, Canada (2009); Institute of Medicine Environmental Roundtable Meeting (2009); Green Chemistry Conference (2009); National Conversation on Public Health and Chemical Exposures Kick-Off Meeting (2009); Toxicology Forum (2009); Developmental Basis for Disease Workshop (2009); 29th International Symposium on Halogenated Persistent Organic Pollutants (Dioxin 2009); Keynote at the 2009 Rachel Carson Legacy Conference, Pittsburgh, PA (2009); Plenary at 2009 ISES Conference, Minneapolis, MN (2009); Annual NIEHS-NCI BCERC Conference, Oakland, CA (2009); Thyroid Biomarkers Workshop, San Fransico, CA (2009); Joint Workshop on Environmental Pollution and Cancer in China and the U.S., Guangzhou, China (2010); University Research Corridor Conference (2010); Annual Society Of Toxicology Conference, Salt Lake City, UT (2010); UVA Plastic Project Workshop (2010); Children's Environmental Health Task Force Workshop (2010); Teratology Society Annual Meeting (2010); Workshop on Cutting Edge Research in Environmental Health, Haifa, Israel (2011); Society of Toxicology Annual Conference, Washington, DC (2011); Spring meeting for Genetics and Environmental Mutagenesis Society on Genomics Era, Research Triangle Park, NC (2011); Natl Med Association, Environmental Hlth Plenary Session, Washington, DC (2011); Gordon Research Conferenc - Cellular & Molecular Mechanisms of Toxicity, New Hampshire (2011); FDA/NCTR 40th Anniversary - Global Summit on Regulatory Science Research and Innovation, Little Rock, AR (2011); Dioxin 2011 Conference, Brussells, Belgium (2011); ISEE Conference, Barcelona, Spain (2011); NTP Mixtures Workshop, RTP, NC (2011); Keynote at Women in Science Scholars Meeting, RTP, NC (2011); Erionite Workshop, RTP, NC (2011); Superfund Research Program Meeting, Lexington, KY (2011); PAHO EHS Grantees Meeting, RTP, NC (2011); APHA, Washington, DC (2011); Parkinson's Action Network Panel, Washington, DC (2012); NIEHS/EPA Children's Environmental Health and Disease Prvention, Bethesda, MD (2012); Partnership for Environmental Public Health Program Meeting, Bethesda, MD (2012); Society of Toxicology Annual Meeting, San Francisco, CA (2012) European Union Conference on Endocrine Disruptors, Brussels, Belgium (2012); Endocrine Society, Houston, TX (2012); APHA Meeting, Charlotte, NC (2012).

Major Committee Responsibilities:

TRTP Promotion Committee (1984-1989), Chairman (1987-1989) NIEHS Radiation Safety Committee (1985-1989) Mouse Strains for Carcinogenesis Studies (1985) NIEHS Research Support Subcommittee (1986) NIEHS Laboratory Casework Committee (1986-1989) Judge, SOT Mechanism Section Graduate Student Awards (1985, 1986) Treasurer, NC SOT (1986-1988); Vice President, NC SOT (1988-1989); President (1989-1990) NAS Committee on Chemical Toxicity and Aging (1986-1988) U.S. EPA Science Advisory Board - Halogenated Solvents Subcommittee (1987-1989) N.J. EPA Science Advisory Board (1987-1989) SOT Mechanism Section, Nominations Committee (1987-1989) WHO, IPCS, Cochair - Aging and Toxicity (1988-1993) US EPA, Science Advisory Board - Dioxin Review (1988-1989) DTRT, AdHoc Group on Future Research Priorities, Facilitator (1988-1989) Education Committee, SOT (1989-1992) NIOSH Peer Review Board on Dioxin Studies (1989-1994) CIIT, Dioxin Review Panel (1990-1994); Scientific Advisory Panel (1990) USEPA/ORD - Committee on Scientific Ethics (1990-1995) ILSI Committee on Pharmacokinetics (1992-1996) SOT, Nominating Committee (1993-1994) SOT, Mechanisms Section (V.P. 1992-1993; Pres. 1993-1994) HERL Symposium Committee (1992-present) U.S. EPA Laboratory Implementation Committee, Science and Scientific Subcommittee, Co-Chair of the Scientific and Scientific Career Subcommittee – Fellowship Committee Chair Fellowship Committee (1994-1999) Member - ORD Human Resources Committee (1999) Member of the Chemical Manufacturers Association Butadiene Panel (1992-1996) External Advisory Committee for the NIEHS Planning Grant for an EHS Center (1993-1995) Executive Committee of the Division of Toxicology, ASPET (1994-1997) SOT Council (1996-1999) ORD/OW Arsenic External RFA Committee (1996-1998) Executive Committee, International Society for the Study of Xenobiotics (1996-1999) International Organizing Committee, Dioxin 1992-2007 Awards Committee, SOT (1998-2000) Liaison - NERL/NHEERL Interaction Workgroup (1998-2007) Chair, Division of Toxicology, ASPET (1998-2000) Executive Committee of the RTP Drug Metabolism Discussion Group (2003) Agency Wide PBT Initiative (1998-2005) Society of Toxicology – Presidential Chain (2002-2006) HESI Biomonitoring Technical Committee (2006)

Research Advisor for:

- Dennis Darcey, MS, University of North Carolina, Department of Environmental Sciences and Engineering, 1982
- Susan Borghoff, MS, Ph.D., University of North Carolina, Department of Environmental Sciences and Engineering, 1987
- Chris Miller, MS, University of North Carolina, Department of Environmental Sciences and Engineering, 1985

Charles Hebert, Ph.D., University of North Carolina, Toxicology Curriculum, 1990 Laurie Couture-Haws, MS, Ph.D., University of North Carolina, Department of Environmental Sciences and Engineering and Toxicology Curriculum (MS 1987; Ph.D. 1991) Yolanda Banks Anderson, Ph.D., University of North Carolina, Department of Environmental Sciences and Engineering, 1990 Lorrene Kedderis, Ph.D., University of North Carolina, Toxicology Curriculum, 1992 Mary K. McKinley, MS, Duke University, School of the Environment, 1992 Renu Batra, Ph.D., University of North Carolina, Department of Environmental Sciences and Engineering (deceased) Krista Little Johnson, MS, University of North Carolina, Department of Environmental Sciences and Engineering, 1996 Christopher Hurst, Ph.D., University of North Carolina, Curriculum in Toxicology, 1999. Deborah Burgin, Ph.D., University of North Carolina, Curriculum in Toxicology, 2005 Daniele Staskal, Ph.D., University of North Carolina, Curriculum in Toxicology, 2005 Daniel Bauer, Ph.D., University of North Carolina, Curriculum in Toxicology, withdrew Michele La Merrill, University of North Carolina, Curriculum in Toxicology, 2008 David Szabo, Ph.D., University of North Carolina, Curriculum in Toxicology, 2011

Thesis Committee (Ph.D. Students)

Alan Jo Cato, University of North Carolina, School of Pharmacy Charlie Sewall, University of North Carolina, Toxicology Curriculum Joost DeJongh, University of Utrecht, The Netherlands Angelique Van Birgelen, University of Utrecht, The Netherlands George Monteverdi, Duke University, School of the Environment Chia-Yang Chen, University of North Carolina, School of Public Health Coralie Groenveld, Agricultural University of Wageningen, Wageningen, The Netherlands Irene Kampen, Agricultural University of Wageningen, Wageningen, The Netherlands Michael Wyde, UNC, Curriculum in Toxicology Jie (Jane) Dong, Duke University, School of the Environment Yo Chan Jeong, University of North Carolina, School of Public Health, 2005 Lieke Peters, University of Utrecht, The Netherlands, 2006 Oliver Hamblett, Harvard School of Public Health, in progress Pamela Noyes, Duke School of the Environment, in progress

Postdoc Advisor:

L.R. (Mark) Kao, 1984-1985 Dave Brewster, 1985-1987 Usha Gundimeda, 1986-1988 Barbara Abbott, 1987-1989 Tim McMahon, 1988-1990 Mike DeVito, 1991-1994 Angelique Van Birgelen, 1994-1997 Xiaofeng Wang, 1995-1997 Michael Santostefano, 1994-1999 Brian Slezak, 1997-1999 Jonathan Hamm, 1997-2000 Claude Emond, 2001-2004 Lisa Vinikoor, 2008-2009 Sally White, 2008-2009

BIBLIOGRAPHY

JOURNAL ARTICLES

- 1. Birnbaum, L.S. and S. Kaplan, Localization of a portion of the ribosomal RNA genes in Escherichia coli. Proc Natl Acad Sci U S A, 1971. 68(5): p. 925-9.
- 2. Unger, M., et al., Location of the ribosomal RNA cistron of Escherichia coli: a second site. Mol Gen Genet, 1972. 119(4): p. 377-80.
- 3. Birnbaum, L.S. and S. Kaplan, In vitro synthesis of Escherichia coli ribosomal RNA. J Mol Biol, 1973. 75(1): p. 73-81.
- 4. Baird, M.B., et al., Allylisopropylacetamide preferentially interacts with the phenobarbitalinducible form of rat hepatic microsomal P-450. Biochem Pharmacol, 1976. 25(21): p. 2415-7.
- 5. Birnbaum, L.S., M.B. Baird, and H.R. Massie, Pregnenolone-16alpha-carbonitrile-inducible cytochrome P450 in rat liver. Res Commun Chem Pathol Pharmacol, 1976. 15(3): p. 553-62.
- 6. Baird, M.B., H.R. Massie, and L.S. Birnbaum, Presence of a high-molecular-weight form of catalse in enzyme purified from mouse liver. Biochem J, 1977. 163(3): p. 449-53.
- 7. Birnbaum, L.S. and M.B. Baird, Induction of hepatic mixed function oxidases in senescent rodents--II. Effect of polychlorinated biphenyls. Exp Gerontol, 1978. 13(6): p. 469-77.
- 8. Birnbaum, L.S. and M.B. Baird, Induction of hepatic mixed function oxidases in senescent rodents. Exp Gerontol, 1978. 13(5): p. 299-303.
- 9. Armbrecht, H.J., et al., Renal cytochrome P-450's-electrophoretic and electron paramagnetic resonance studies. Arch Biochem Biophys, 1979. 197(1): p. 277-84.
- 10. Baird, M.B. and L.S. Birnbaum, Increased production of mutagenic metabolites of carcinogens by tissues from senescent rodents. Cancer Res, 1979. 39(11): p. 4752-5.
- 11. 1Baird, M.B. and L.S. Birnbaum, Inhibition of 2-fluorenamine-induced mutagenesis in Salmonella typhimurium by vitamin A. J Natl Cancer Inst, 1979. 63(4): p. 1093-6.
- 12. Birnbaum, L.S. and M.B. Baird, Senescent changes in rodent hepatic epoxide metabolism. Chem Biol Interact, 1979. 26(3): p. 245-56.
- 13. Baird, M.B., L.S. Birnbaum, and G.T. Sfeir, NADPH-driven lipid peroxidation in rat liver nuclei and nuclear membranes. Arch Biochem Biophys, 1980. 200(1): p. 108-15.
- Birnbaum, L.S., Altered hepatic drug metabolism in senescent mice. Exp Gerontol, 1980. 15(4): p. 259-67.
- 15. Birnbaum, L.S., G.M. Decad, and H.B. Matthews, Disposition and excretion of 2,3,7,8-tetrachlorodibenzofuran in the rat. Toxicol Appl Pharmacol, 1980. 55(2): p. 342-52.
- 16. Birnbaum, L.S., et al., Fate of 2,3,7,8-tetrachlorodibenzofuran in the monkey. Toxicol Appl Pharmacol, 1981. 57(2): p. 189-96.

- 17. Decad, G.M. and L.S. Birnbaum, Noninvasive technique for intravenous injection of guinea pigs. Lab Anim Sci, 1981. 31(1): p. 85-6.
- Decad, G.M., L.S. Birnbaum, and H.B. Matthews, Distribution and excretion of 2,3,7,8tetrachlorodibenzofuran in C57BL/6J and DBA/2J mice. Toxicol Appl Pharmacol, 1981. 59(3): p. 564-73.
- 19. Decad, G.M., L.S. Birnbaum, and H.B. Matthews, 2,3,7,8-Tetrachlorodibenzofuran tissue distribution and excretion in guinea pig. Toxicol Appl Pharmacol, 1981. 57(2): p. 231-40.
- 20. Armbrecht, H.J., et al., Changes in hepatic microsomal membrane fluidity with age. Exp Gerontol, 1982. 17(1): p. 41-8.
- 21. Robertson, I.G. and L.S. Birnbaum, Age-related changes in mutagen activation by rat tissues. Chem Biol Interact, 1982. 38(2): p. 243-52.
- 22. Birnbaum, L.S., Distribution and excretion of 2,3,6,2',3',6'- and 2,4,5,2',4',5'-hexachlorobiphenyl in senescent rats. Toxicol Appl Pharmacol, 1983. 70(2): p. 262-72.
- 23. Birnbaum, L.S., D.J. Darcey, and J.D. McKinney, Hexabromonaphthalene contaminants of polybrominated biphenyls: chemical composition and disposition in the rat. J Toxicol Environ Health, 1983. 12(4-6): p. 555-73.
- 24. Birnbaum, L.S., et al., Disposition of 4,4'-thiobis(6-t-butyl-m-cresol) in rats. Drug Metab Dispos, 1983. 11(6): p. 537-43.
- 25. Ioannou, Y.M., L.S. Birnbaum, and H.B. Matthews, Toxicity and distribution of 2,3,7,8-tetrachlorodibenzofuran in male guinea pigs. J Toxicol Environ Health, 1983. 12(4-6): p. 541-53.
- 26. King, F.G., et al., Physiological model for the pharmacokinetics of 2,3,7,8tetrachlorodibenzofuran in several species. Toxicol Appl Pharmacol, 1983. 67(3): p. 390-400.
- Dieter, M.P., R. Wilson, and L.S. Birnbaum, Age-related changes in glucose metabolizing enzymes in spleen, thymus, and pulmonary lavage cells from F344 rats. Mech Ageing Dev, 1984. 26(2-3): p. 253-63.
- 28. Medinsky, M.A., et al., Disposition of [14C]2,3-dichloropropene in Fischer-344 rats after oral or intraperitoneal administration. Toxicol Lett, 1984. 23(1): p. 119-25.
- 29. Medinsky, M.A., et al., Disposition of [14C]methyl bromide in Fischer-344 rats after oral or intraperitoneal administration. Toxicology, 1984. 32(3): p. 187-96.
- 30. Birnbaum, L.S., The role of structure in the disposition of halogenated aromatic xenobiotics. Environ Health Perspect, 1985. 61: p. 11-20.
- 31. Birnbaum, L.S. and L. Johnson, Disposition of benzo(f)quinoline in male rats. Drug Metab Dispos, 1985. 13(1): p. 18-24.
- 32. Birnbaum, L.S. and J.D. McKinney, A persistent hexabromonaphthalene isomer is 2,3,4,5,6,7-hexabromonaphthalene. J Toxicol Environ Health, 1985. 16(2): p. 219-27.
- 33. Birnbaum, L.S., et al., Toxic interaction of specific polychlorinated biphenyls and 2,3,7,8-tetrachlorodibenzo-p-dioxin: increased incidence of cleft palate in mice. Toxicol Appl Pharmacol, 1985. 77(2): p. 292-302.
- 34. Bond, J.A., et al., Disposition of [14C]methyl bromide in rats after inhalation. Toxicol Appl Pharmacol, 1985. 78(2): p. 259-67.
- 35. Bond, J.A., et al., Disposition and metabolism of 2,3-[14C]dichloropropene in rats after inhalation. Toxicol Appl Pharmacol, 1985. 78(1): p. 47-54.
- Borghoff, S.J. and L.S. Birnbaum, Age-related changes in glucuronidation and deglucuronidation in liver, small intestine, lung, and kidney of male Fischer rats. Drug Metab Dispos, 1985. 13(1): p. 62-7.

- 37. Dutcher, J.S., et al., Effect of vapor concentration on the disposition of inhaled 2,3dichloropropene in Fischer-344 rats. Fundam Appl Toxicol, 1985. 5(5): p. 997-1005.
- McKinney, J.D., et al., Structure-induction versus structure-toxicity relationships for polychlorinated biphenyls and related aromatic hydrocarbons. Environ Health Perspect, 1985. 60: p. 57-68.
- 39. Medinsky, M.A., et al., Uptake and excretion of [14C]methyl bromide as influenced by exposure concentration. Toxicol Appl Pharmacol, 1985. 78(2): p. 215-25.
- 40. Weber, H. and L.S. Birnbaum, 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) and 2,3,7,8-tetrachlorodibenzofuran (TCDF) in pregnant C57BL/6N mice: distribution to the embryo and excretion. Arch Toxicol, 1985. 57(3): p. 159-62.
- 41. Weber, H., et al., Teratogenic potency of TCDD, TCDF and TCDD-TCDF combinations in C57BL/6N mice. Toxicol Lett, 1985. 26(2-3): p. 159-67.
- 42. Birnbaum, L.S., Distribution and excretion of 2,3,7,8-tetrachlorodibenzo-p-dioxin in congenic strains of mice which differ at the Ah locus. Drug Metab Dispos, 1986. 14(1): p. 34-40.
- 43. Birnbaum, L.S., et al., Prechronic toxicity of o-benzyl-p-chlorophenol in rats and mice. Fundam Appl Toxicol, 1986. 7(4): p. 615-25.
- 44. Birnbaum, L.S., et al., Synergistic interaction of 2,3,7,8,-tetrachlorodibenzo-p-dioxin and hydrocortisone in the induction of cleft palate in mice. Teratology, 1986. 33(1): p. 29-35.
- 45. Bond, J.A., et al., Species differences in the disposition of inhaled butadiene. Toxicol Appl Pharmacol, 1986. 84(3): p. 617-27.
- 46. Borghoff, S.J. and L.S. Birnbaum, Age-related changes in the metabolism and excretion of allyl isothiocyanate. A model compound for glutathione conjugation. Drug Metab Dispos, 1986. 14(4): p. 417-22.
- 47. Kao, L.R. and L.S. Birnbaum, Disposition of o-benzyl-p-chlorophenol in male rats. J Toxicol Environ Health, 1986. 18(3): p. 441-58.
- 48. Kao, L.R., J.A. Goldstein, and L.S. Birnbaum, Effect of o-benzyl-p-chlorophenol on drugmetabolizing enzymes in rats. Biochem Pharmacol, 1986. 35(4): p. 613-20.
- Lamb, J.C.t., et al., Effects of thyroid hormones on the induction of cleft palate by 2,3,7,8tetrachlorodibenzo-p-dioxin (TCDD) in C57BL/6N mice. Toxicol Appl Pharmacol, 1986. 84(1): p. 115-24.
- 50. Miller, C.P. and L.S. Birnbaum, Teratologic evaluation of hexabrominated naphthalenes in C57BL/6N mice. Fundam Appl Toxicol, 1986. 7(3): p. 398-405.
- 51. Abbott, B.D., L.S. Birnbaum, and R.M. Pratt, TCDD-induced hyperplasia of the ureteral epithelium produces hydronephrosis in murine fetuses. Teratology, 1987. 35(3): p. 329-34.
- 52. Abbott, B.D., et al., TCDD alters the extracellular matrix and basal lamina of the fetal mouse kidney. Teratology, 1987. 35(3): p. 335-44.
- 53. Birnbaum, L.S., Age-related changes in carcinogen metabolism. J Am Geriatr Soc, 1987. 35(1): p. 51-60.
- 54. Birnbaum, L.S., et al., Teratogenicity of three polychlorinated dibenzofurans in C57BL/6N mice. Toxicol Appl Pharmacol, 1987. 90(2): p. 206-16.
- 55. Birnbaum, L.S., et al., Teratogenic effects of polychlorinated dibenzofurans in combination in C57BL/6N mice. Toxicol Appl Pharmacol, 1987. 91(2): p. 246-55.
- 56. Birnbaum, L.S. and S.M. Heaney, Dermal absorption of the antioxidant 4,4'-thiobis(6-tert-butylm-cresol) in Sencar mice and Fischer rats. Toxicol Lett, 1987. 37(1): p. 13-9.

- 57. Bond, J.A., et al., Species differences in the distribution of inhaled butadiene in tissues. Am Ind Hyg Assoc J, 1987. 48(10): p. 867-72.
- 58. Brewster, D.W. and L.S. Birnbaum, Disposition and excretion of 2,3,4,7,8pentachlorodibenzofuran in the rat. Toxicol Appl Pharmacol, 1987. 90(2): p. 243-52.
- 59. Dahl, A.R., et al., The fate of isoprene inhaled by rats: comparison to butadiene. Toxicol Appl Pharmacol, 1987. 89(2): p. 237-48.
- 60. Eastin, W.C., Jr. and L.S. Birnbaum, Intestinal absorption of two glucose analogues in rats of different ages. Exp Gerontol, 1987. 22(5): p. 351-7.
- 61. Hebert, C.D. and L.S. Birnbaum, The influence of aging on intestinal absorption of TCDD in rats. Toxicol Lett, 1987. 37(1): p. 47-55.
- 62. Mewhinney, J.A., et al., The fate of inhaled azodicarbonamide in rats. Fundam Appl Toxicol, 1987. 8(3): p. 372-81.
- 63. Sabourin, P.J., et al., Effect of dose on the absorption and excretion of [14C]benzene administered orally or by inhalation in rats and mice. Toxicol Appl Pharmacol, 1987. 87(2): p. 325-36.
- 64. Shopp, G.M., et al., Acute inhalation exposure of azodicarbonamide in the guinea pig. Am Ind Hyg Assoc J, 1987. 48(2): p. 127-32.
- 65. Birnbaum, L.S. and L.A. Couture, Disposition of octachlorodibenzo-p-dioxin (OCDD) in male rats. Toxicol Appl Pharmacol, 1988. 93(1): p. 22-30.
- 66. Bond, J.A., et al., Disposition of inhaled 1-chloro-2-propanol in F344/N rats. Toxicol Appl Pharmacol, 1988. 95(3): p. 444-55.
- 67. Bond, J.A., et al., Metabolism of 1,3-butadiene by lung and liver microsomes of rats and mice repeatedly exposed by inhalation to 1,3-butadiene. Toxicol Lett, 1988. 44(1-2): p. 143-51.
- 68. Borghoff, S.J., S.A. Stefanski, and L.S. Birnbaum, The effect of age on the glucuronidation and toxicity of 4,4'-thiobis(6-t-butyl-m-cresol). Toxicol Appl Pharmacol, 1988. 92(3): p. 453-66.
- 69. Brewster, D.W. and L.S. Birnbaum, Disposition of 1,2,3,7,8-pentachlorodibenzofuran in the rat. Toxicol Appl Pharmacol, 1988. 95(3): p. 490-8.
- 70. Brewster, D.W., M.R. Elwell, and L.S. Birnbaum, Toxicity and disposition of 2,3,4,7,8pentachlorodibenzofuran (4PeCDF) in the rhesus monkey (Macaca mulatta). Toxicol Appl Pharmacol, 1988. 93(2): p. 231-46.
- Brewster, D.W., L.C. Uraih, and L.S. Birnbaum, The acute toxicity of 2,3,4,7,8pentachlorodibenzofuran (4PeCDF) in the male Fischer rat. Fundam Appl Toxicol, 1988. 11(2): p. 236-49.
- 72. Couture, L.A., M.R. Elwell, and L.S. Birnbaum, Dioxin-like effects observed in male rats following exposure to octachlorodibenzo-p-dioxin (OCDD) during a 13-week study. Toxicol Appl Pharmacol, 1988. 93(1): p. 31-46.
- 73. Diliberto, J.J., G. Usha, and L.S. Birnbaum, Disposition of citral in male Fischer rats. Drug Metab Dispos, 1988. 16(5): p. 721-7.
- 74. Medinsky, M.A., et al., Uptake of vinylidene fluoride in rats simulated by a physiological model. Fundam Appl Toxicol, 1988. 11(2): p. 250-60.
- 75. Rao, G.N., et al., Mouse strains for chemical carcinogenicity studies: overview of a workshop. Fundam Appl Toxicol, 1988. 10(3): p. 385-94.
- 76. Sabourin, P.J., et al., Differences in the metabolism and disposition of inhaled [3H]benzene by F344/N rats and B6C3F1 mice. Toxicol Appl Pharmacol, 1988. 94(1): p. 128-40.

- 77. Abbott, B.D. and L.S. Birnbaum, Cellular alterations and enhanced induction of cleft palate after coadministration of retinoic acid and TCDD. Toxicol Appl Pharmacol, 1989. 99(2): p. 287-301.
- 78. Abbott, B.D. and L.S. Birnbaum, TCDD alters medial epithelial cell differentiation during palatogenesis. Toxicol Appl Pharmacol, 1989. 99(2): p. 276-86.
- Abbott, B.D., J.J. Diliberto, and L.S. Birnbaum, 2,3,7,8-Tetrachlorodibenzo-p-dioxin alters embryonic palatal medial epithelial cell differentiation in vitro. Toxicol Appl Pharmacol, 1989. 100(1): p. 119-31.
- 80. Abbott, B.D., M.W. Harris, and L.S. Birnbaum, Etiology of retinoic acid-induced cleft palate varies with the embryonic stage. Teratology, 1989. 40(6): p. 533-53.
- 81. Birnbaum, L.S., L.A. Couture, and M.R. Elwell, Subchronic Effects of Exposure to Octachlorodibenzodioxin (Ocdd). Chemosphere, 1989. 18(1-6): p. 389-390.
- 82. Birnbaum, L.S., et al., Retinoic acid and 2,3,7,8-tetrachlorodibenzo-p-dioxin selectively enhance teratogenesis in C57BL/6N mice. Toxicol Appl Pharmacol, 1989. 98(3): p. 487-500.
- 83. Brewster, D.W., et al., Comparative dermal absorption of 2,3,7,8-tetrachlorodibenzo-p-dioxin and three polychlorinated dibenzofurans. Toxicol Appl Pharmacol, 1989. 97(1): p. 156-66.
- 84. Brewster, D.W. and L.S. Birnbaum, The biochemical toxicity of perfluorodecanoic acid in the mouse is different from that of 2,3,7,8-tetrachlorodibenzo-p-dioxin. Toxicol Appl Pharmacol, 1989. 99(3): p. 544-54.
- 85. Couture, L.A., M.W. Harris, and L.S. Birnbaum, Developmental toxicity of 2,3,4,7,8pentachlorodibenzofuran in the Fischer 344 rat. Fundam Appl Toxicol, 1989. 12(2): p. 358-66.
- 86. George, J.D., et al., Developmental toxicity of 1,1,1-trichloroethane in CD rats. Fundam Appl Toxicol, 1989. 13(4): p. 641-51.
- 87. Gerlach, R.F., et al., Effect of four-week repeated inhalation exposure to unconjugated azodicarbonamide on specific and non-specific airway sensitivity of the guinea pig. J Appl Toxicol, 1989. 9(3): p. 145-53.
- 88. Harris, M.W. and L.S. Birnbaum, Developmental toxicity of perfluorodecanoic acid in C57BL/6N mice. Fundam Appl Toxicol, 1989. 12(3): p. 442-8.
- Harris, M.W., L.C. Uraih, and L.S. Birnbaum, Acute toxicity of perfluorodecanoic acid in C57BL/6 mice differs from 2,3,7,8-tetrachlorodibenzo-p-dioxin. Fundam Appl Toxicol, 1989. 13(4): p. 723-36.
- 90. Hebert, C.D. and L.S. Birnbaum, Lack of correlation between sensitivity to growth inhibition and receptor number for transforming growth factor beta in human squamous carcinoma cell lines. Cancer Res, 1989. 49(12): p. 3196-202.
- 91. Henderson, R.F., et al., The effect of dose, dose rate, route of administration, and species on tissue and blood levels of benzene metabolites. Environ Health Perspect, 1989. 82: p. 9-17.
- McMahon, T.F., J.J. Diliberto, and L.S. Birnbaum, Age-related changes in the disposition of benzyl acetate. A model compound for glycine conjugation. Drug Metab Dispos, 1989. 17(5): p. 506-12.
- 93. Medinsky, M.A., et al., Differences in the pathways for metabolism of benzene in rats and mice simulated by a physiological model. Environ Health Perspect, 1989. 82: p. 43-9.
- 94. Medinsky, M.A., et al., A physiological model for simulation of benzene metabolism by rats and mice. Toxicol Appl Pharmacol, 1989. 99(2): p. 193-206.
- 95. Medinsky, M.A., et al., A toxikinetic model for simulation of benzene metabolism. Exp Pathol, 1989. 37(1-4): p. 150-4.

- 96. Ryan, R.P., et al., Decreased ligand binding to the hepatic glucocorticoid and epidermal growth factor receptors after 2,3,4,7,8-pentachlorodibenzofuran and 1,2,3,4,7,8-hexachlorodibenzofuran treatment of pregnant mice. Toxicol Appl Pharmacol, 1989. 98(3): p. 454-64.
- 97. Sabourin, P.J., et al., Effect of exposure concentration, exposure rate, and route of administration on metabolism of benzene by F344 rats and B6C3F1 mice. Toxicol Appl Pharmacol, 1989. 99(3): p. 421-44.
- 98. Sabourin, P.J., et al., Effect of repeated benzene inhalation exposures on subsequent metabolism of benzene. Exp Pathol, 1989. 37(1-4): p. 155-7.
- 99. Sun, J.D., et al., Characterization of hemoglobin adduct formation in mice and rats after administration of [14C]butadiene or [14C]isoprene. Toxicol Appl Pharmacol, 1989. 100(1): p. 86-95.
- 100. Sun, J.D., et al., Metabolism of inhaled butadiene to monkeys: comparison to rodents. Exp Pathol, 1989. 37(1-4): p. 133-5.
- 101. Abbott, B.D. and L.S. Birnbaum, TCDD-induced altered expression of growth factors may have a role in producing cleft palate and enhancing the incidence of clefts after coadministration of retinoic acid and TCDD. Toxicol Appl Pharmacol, 1990. 106(3): p. 418-32.
- 102. Abbott, B.D. and L.S. Birnbaum, Retinoic acid-induced alterations in the expression of growth factors in embryonic mouse palatal shelves. Teratology, 1990. 42(6): p. 597-610.
- 103. Abbott, B.D. and L.S. Birnbaum, Rat embryonic palatal shelves respond to TCDD in organ culture. Toxicol Appl Pharmacol, 1990. 103(3): p. 441-51.
- 104. Abbott, B.D. and L.S. Birnbaum, Effects of TCDD on embryonic ureteric epithelial EGF receptor expression and cell proliferation. Teratology, 1990. 41(1): p. 71-84.
- 105. Abbott, B.D., L.G. Hill, and L.S. Birnbaum, Processes involved in retinoic acid production of small embryonic palatal shelves and limb defects. Teratology, 1990. 41(3): p. 299-310.
- 106. Banks, Y.B., D.W. Brewster, and L.S. Birnbaum, Age-related changes in dermal absorption of 2,3,7, 8-tetrachlorodibenzo-p-dioxin and 2,3,4,7,8-pentachlorodibenzofuran. Fundam Appl Toxicol, 1990. 15(1): p. 163-73.
- 107. Birnbaum, L.S., et al., Differential toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in C57BL/6J mice congenic at the Ah Locus. Fundam Appl Toxicol, 1990. 15(1): p. 186-200.
- 108. Couture, L.A., B.D. Abbott, and L.S. Birnbaum, A critical review of the developmental toxicity and teratogenicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin: recent advances toward understanding the mechanism. Teratology, 1990. 42(6): p. 619-27.
- 109. Couture, L.A., M.W. Harris, and L.S. Birnbaum, Characterization of the peak period of sensitivity for the induction of hydronephrosis in C57BL/6N mice following exposure to 2,3,7, 8tetrachlorodibenzo-p-dioxin. Fundam Appl Toxicol, 1990. 15(1): p. 142-50.
- 110. Dahl, A.R., et al., Species differences in the metabolism and disposition of inhaled 1,3-butadiene and isoprene. Environ Health Perspect, 1990. 86: p. 65-9.
- 111. Diliberto, J.J., et al., Metabolism of citral, an alpha,beta-unsaturated aldehyde, in male F344 rats. Drug Metab Dispos, 1990. 18(6): p. 866-75.
- 112. Hebert, C.D., Q.L. Cao, and L.S. Birnbaum, Role of transforming growth factor beta in the proliferative effect of 2,3,7,8-tetrachlorodibenzo-p-dioxin on human squamous carcinoma cells. Cancer Res, 1990. 50(22): p. 7190-7.
- 113. Hebert, C.D., Q.L. Cao, and L.S. Birnbaum, Inhibition of high-density growth arrest in human squamous carcinoma cells by 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Carcinogenesis, 1990. 11(8): p. 1335-42.

- 114. Hebert, C.D., et al., Relative toxicity and tumor-promoting ability of 2,3,7,8-tetrachlorodibenzop-dioxin (TCDD), 2,3,4,7,8-pentachlorodibenzofuran (PCDF), and 1,2,3,4,7,8hexachlorodibenzofuran (HCDF) in hairless mice. Toxicol Appl Pharmacol, 1990. 102(2): p. 362-77.
- 115. Goldstein JA, Lin FH, Stohs SJ, Graham M, Clarke G, Birnbaum L, Lucier G. The effects of TCDD on receptors for epidermal growth factor, glucocorticoid, and estrogen in ah-responsive and -nonresponsive congenic mice and the effects of TCDD on estradiol metabolism in a liver tumor promotion model in female rats. Prog Clin Biol Res. 1990:331:187-202.
- 116. McMahon, T.F. and L.S. Birnbaum, Age-related changes in toxicity and biotransformation of potassium cyanide in male C57BL/6N mice. Toxicol Appl Pharmacol, 1990. 105(2): p. 305-14.
- 117. McMahon, T.F., J.J. Diliberto, and L.S. Birnbaum, Effects of age and dose on disposition and metabolism of salicylic acid in male Fischer 344 rats. Drug Metab Dispos, 1990. 18(4): p. 494-503.
- 118. Medinsky, M.A., et al., Effect of inhaled azodicarbonamide on F344/N rats and B6C3F1 mice with 2-week and 13-week inhalation exposures. Fundam Appl Toxicol, 1990. 15(2): p. 308-19.
- 119. Medinsky, M.A., et al., Measurement of steady-state blood concentrations in B6C3F1 mice exposed by inhalation to vinylidene fluoride. Toxicology, 1990. 64(3): p. 255-63.
- 120. Medinsky, M.A., et al., Disposition of three glycol ethers administered in drinking water to male F344/N rats. Toxicol Appl Pharmacol, 1990. 102(3): p. 443-55.
- 121. Sabourin, P.J., et al., Effect of repeated benzene inhalation exposures on benzene metabolism, binding to hemoglobin, and induction of micronuclei. Toxicol Appl Pharmacol, 1990. 103(3): p. 452-62.
- 122. Stohs, S.J., et al., Induction of ethoxyresorufin-O-deethylase and inhibition of glucocorticoid receptor binding in skin and liver of haired and hairless HRS/J mice by topically applied 2,3,7,8-tetrachlorodibenzo-p-dioxin. Toxicology, 1990. 65(1-2): p. 123-36.
- 123. Sun, J.D., et al., Benzene hemoglobin adducts in mice and rats: characterization of formation and physiological modeling. Fundam Appl Toxicol, 1990. 15(3): p. 468-75.
- 124. Abbott, B.D. and L.S. Birnbaum, TCDD exposure of human embryonic palatal shelves in organ culture alters the differentiation of medial epithelial cells. Teratology, 1991. 43(2): p. 119-32.
- 125. Banks, Y.B. and L.S. Birnbaum, Absorption of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) after low dose dermal exposure. Toxicol Appl Pharmacol, 1991. 107(2): p. 302-10.
- 126. Bechtold, W.E., et al., Muconic acid determinations in urine as a biological exposure index for workers occupationally exposed to benzene. Am Ind Hyg Assoc J, 1991. 52(11): p. 473-8.
- 127. Birnbaum, L.S., Pharmacokinetic basis of age-related changes in sensitivity to toxicants. Annu Rev Pharmacol Toxicol, 1991. 31: p. 101-28.
- 128. Birnbaum, L.S., R.E. Morrissey, and M.W. Harris, Teratogenic effects of 2,3,7,8tetrabromodibenzo-p-dioxin and three polybrominated dibenzofurans in C57BL/6N mice. Toxicol Appl Pharmacol, 1991. 107(1): p. 141-52.
- 129. Bond, J.A., et al., Disposition of inhaled isoprene in B6C3F1 mice. Toxicol Appl Pharmacol, 1991. 107(3): p. 494-503.
- 130. Couture-Haws, L., et al., Evaluation of the persistence of hydronephrosis induced in mice following in utero and/or lactational exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. Toxicol Appl Pharmacol, 1991. 107(3): p. 402-12.

- 131. Couture-Haws, L., et al., Hydronephrosis in mice exposed to TCDD-contaminated breast milk: identification of the peak period of sensitivity and assessment of potential recovery. Toxicol Appl Pharmacol, 1991. 107(3): p. 413-28.
- 132. Dahl, A.R., et al., Toxicokinetics of inhaled 1,3-butadiene in monkeys: comparison to toxicokinetics in rats and mice. Toxicol Appl Pharmacol, 1991. 110(1): p. 9-19.
- Kedderis, L.B., J.J. Diliberto, and L.S. Birnbaum, Disposition and excretion of intravenous 2,3,7,8-tetrabromodibenzo-p-dioxin (TBDD) in rats. Toxicol Appl Pharmacol, 1991. 108(3): p. 397-406.
- 134. Kedderis, L.B., et al., Disposition of 2,3,7,8-tetrabromodibenzo-p-dioxin and 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat: biliary excretion and induction of cytochromes CYP1A1 and CYP1A2. Toxicol Appl Pharmacol, 1991. 111(1): p. 163-72.
- 135. Lin, F.H., et al., Influence of the Ah locus on the effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on the hepatic epidermal growth factor receptor. Mol Pharmacol, 1991. 39(3): p. 307-13.
- 136. Barnes D, Alford-Stevens A, Birnbaum LS, Kutz FW, Wood W, Patton D. Toxicity equivalency factors for PCBs? Qual Assur. 1991 Oct:1(1):70-81.
- 137. Lin, F.H., et al., The effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on the hepatic estrogen and glucocorticoid receptors in congenic strains of Ah responsive and Ah nonresponsive C57BL/6J mice. Toxicol Appl Pharmacol, 1991. 108(1): p. 129-39.
- 138. McMahon, T.F. and L.S. Birnbaum, Age-related changes in disposition and metabolism of benzene in male C57BL/6N mice. Drug Metab Dispos, 1991. 19(6): p. 1052-7.
- McMahon, T.F., et al., Comparative acute nephrotoxicity of salicylic acid, 2,3-dihydroxybenzoic acid, and 2,5-dihydroxybenzoic acid in young and middle aged Fischer 344 rats. Toxicology, 1991. 66(3): p. 297-311.
- 140. Monteiro-Riviere, N.A., Y.B. Banks, and L.S. Birnbaum, Laser Doppler measurements of cutaneous blood flow in ageing mice and rats. Toxicol Lett, 1991. 57(3): p. 329-38.
- 141. Abbott, B.D., M.W. Harris, and L.S. Birnbaum, Comparisons of the effects of TCDD and hydrocortisone on growth factor expression provide insight into their interaction in the embryonic mouse palate. Teratology, 1992. 45(1): p. 35-53.
- 142. Bechtold, W.E., et al., S-phenylcysteine formation in hemoglobin as a biological exposure index to benzene. Arch Toxicol, 1992. 66(5): p. 303-9.
- 143. Henderson, R.F., et al., Benzene dosimetry in experimental animals: relevance for risk assessment. Prog Clin Biol Res, 1992. 374: p. 93-105.
- 144. Morrissey, R.E., et al., Limited PCB antagonism of TCDD-induced malformations in mice. Toxicol Lett, 1992. 60(1): p. 19-25.
- 145. Sabourin, P.J., et al., Effect of exposure concentration on the disposition of inhaled butoxyethanol by F344 rats. Toxicol Appl Pharmacol, 1992. 114(2): p. 232-8.
- 146. Sabourin, P.J., et al., Effect of dose on the disposition of methoxyethanol, ethoxyethanol, and butoxyethanol administered dermally to male F344/N rats. Fundam Appl Toxicol, 1992. 19(1): p. 124-32.
- 147. Sabourin, P.J., et al., Metabolism of [14C]benzene by cynomolgus monkeys and chimpanzees. Toxicol Appl Pharmacol, 1992. 114(2): p. 277-84.
- 148. Andersen ME, Mills JJ, Gargas ML, Kedderis L, Birnbaum LS, Neubert D, and Greenlee WF. Modeling recepter-mediated processes with dioxin: Implications for pharmacokinetics and risk assessment. Risk Anal, 1993. 13(1): p. 25-36.

- 149. Anderson, Y.B., J.A. Jackson, and L.S. Birnbaum, Maturational changes in dermal absorption of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in Fischer 344 rats. Toxicol Appl Pharmacol, 1993. 119(2): p. 214-20.
- 150. Birnbaum, L.S., A brief survey of butadiene health effects: a role for metabolic differences. Environ Health Perspect, 1993. 101 Suppl 6: p. 161-7.
- 151. De Vito, M.J., et al., Comparative ability of various PCBs, PCDFs, and TCDD to induce cytochrome P450 1A1 and 1A2 activity following 4 weeks of treatment. Fundam Appl Toxicol, 1993. 20(1): p. 125-30.
- 152. Diliberto, J.J., et al., Effects of dose and routes of exposure on the disposition of 2,3,7,8-[3H]tetrabromodibenzo-p-dioxin (TBDD) in the rat. Toxicol Appl Pharmacol, 1993. 120(2): p. 315-26.
- 153. Jackson, J.A., J.J. Diliberto, and L.S. Birnbaum, Estimation of octanol-water partition coefficients and correlation with dermal absorption for several polyhalogenated aromatic hydrocarbons. Fundam Appl Toxicol, 1993. 21(3): p. 334-44.
- 154. Kedderis, L.B., M.E. Andersen, and L.S. Birnbaum, Effect of dose, time, and pretreatment on the biliary excretion and tissue distribution of 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat. Fundam Appl Toxicol, 1993. 21(4): p. 405-11.
- 155. Kedderis, L.B., et al., A physiologically based pharmacokinetic model for 2,3,7,8tetrabromodibenzo-p-dioxin (TBDD) in the rat: tissue distribution and CYP1A induction. Toxicol Appl Pharmacol, 1993. 121(1): p. 87-98.
- 156. McKinley, M.K., L.B. Kedderis, and L.S. Birnbaum, The effect of pretreatment on the biliary excretion of 2,3,7,8-tetrachlorodibenzo-p-dioxin, 2,3,7,8-tetrachlorodibenzofuran, and 3,3',4,4'-tetrachlorobiphenyl in the rat. Fundam Appl Toxicol, 1993. 21(4): p. 425-32.
- 157. Shyr, L.J., et al., Physiologically based modeling of 2-butoxyethanol disposition in rats following different routes of exposure. Environ Res, 1993. 63(2): p. 202-18.
- 158. Abbott, B.D., G.H. Perdew, and L.S. Birnbaum, Ah receptor in embryonic mouse palate and effects of TCDD on receptor expression. Toxicol Appl Pharmacol, 1994. 126(1): p. 16-25.
- 159. Abbott, B.D., et al., Interactive regulation of Ah and glucocorticoid receptors in the synergistic induction of cleft palate by 2,3,7,8-tetrachlorodibenzo-p-dioxin and hydrocortisone. Toxicol Appl Pharmacol, 1994. 128(1): p. 138-50.
- 160. Andersen, M.E., et al., Receptor-mediated toxicity and implications for risk assessment. Prog Clin Biol Res, 1994. 387: p. 295-310.
- 161. Birnbaum, L.S., The mechanism of dioxin toxicity: relationship to risk assessment. Environ Health Perspect, 1994. 102 Suppl 9: p. 157-67.
- 162. Birnbaum, L.S., Endocrine effects of prenatal exposure to PCBs, dioxins, and other xenobiotics: implications for policy and future research. Environ Health Perspect, 1994. 102(8): p. 676-9.
- 163. Birnbaum, L.S., Evidence for the role of the Ah receptor in response to dioxin. Prog Clin Biol Res, 1994. 387: p. 139-54.
- 164. DeVito, M.J., et al., Dose-response relationships in mice following subchronic exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin: CYP1A1, CYP1A2, estrogen receptor, and protein tyrosine phosphorylation. Toxicol Appl Pharmacol, 1994. 124(1): p. 82-90.
- 165. Hughes, M.F., et al., Effect of age on the in vitro percutaneous absorption of phenols in mice. Toxicol In Vitro, 1994. 8(2): p. 221-7.
- 166. Kedderis, L.B., et al., Chemical characterization and disposition studies with 1,2,7,8-tetrabromodibenzofuran in the rat. J Toxicol Environ Health, 1994. 41(1): p. 53-69.

- 167. Luebke, R.W., et al., Assessment of host resistance to Trichinella spiralis in mice following preinfection exposure to 2,3,7,8-TCDD. Toxicol Appl Pharmacol, 1994. 125(1): p. 7-16.
- 168. Narasimhan TR, Craig A, Arellano L, Harper N, Howie L, Menache M, Birnbaum L, Safe S. Relative sensivities of 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced Cyp1a-1 and Cyp1a-2 gene expression and immunotoxicity in female B6C3F1 mice. Fundam Appl Toxicol. 1994 Nov:23(4):598-607.
- McMahon, T.F., M.A. Medinsky, and L.S. Birnbaum, Age-related changes in benzene disposition in male C57BL/6N mice described by a physiologically based pharmacokinetic model. Toxicol Lett, 1994. 74(3): p. 241-53.
- 170. Abbott, B.D., L.S. Birnbaum, and G.H. Perdew, Developmental expression of two members of a new class of transcription factors: I. Expression of aryl hydrocarbon receptor in the C57BL/6N mouse embryo. Dev Dyn, 1995. 204(2): p. 133-43.
- 171. Birnbaum, L.S., Developmental effects of dioxins and related endocrine disrupting chemicals. Toxicol Lett, 1995. 82-83: p. 743-50.
- 172. Birnbaum, L.S., Developmental effects of dioxins. Environ Health Perspect, 1995. 103 Suppl 7: p. 89-94.
- 173. Birnbaum, L.S., Workshop on perinatal exposure to dioxin-like compounds. V. Immunologic effects. Environ Health Perspect, 1995. 103 Suppl 2: p. 157-60.
- 174. Birnbaum, L.S. and M.J. DeVito, Use of toxic equivalency factors for risk assessment for dioxins and related compounds. Toxicology, 1995. 105(2-3): p. 391-401.
- 175. Brouwer, A., et al., Functional aspects of developmental toxicity of polyhalogenated aromatic hydrocarbons in experimental animals and human infants. Eur J Pharmacol, 1995. 293(1): p. 1-40.
- 176. Bull, R.J., et al., Water chlorination: essential process or cancer hazard? Fundam Appl Toxicol, 1995. 28(2): p. 155-66.
- 177. DeVito, M.J. and L.S. Birnbaum, Dioxins: model chemicals for assessing receptor-mediated toxicity. Toxicology, 1995. 102(1-2): p. 115-23.
- 178. DeVito, M.J. and L.S. Birnbaum, The importance of pharmacokinetics in determining the relative potency of 2,3,7,8-tetrachlorodibenzo-p-dioxin and 2,3,7,8-tetrachlorodibenzofuran. Fundam Appl Toxicol, 1995. 24(1): p. 145-8.
- 179. DeVito, M.J., et al., Comparisons of estimated human body burdens of dioxinlike chemicals and TCDD body burdens in experimentally exposed animals. Environ Health Perspect, 1995. 103(9): p. 820-31.
- 180. Diliberto, J.J., et al., Dose-response relationships of tissue distribution and induction of CYP1A1 and CYP1A2 enzymatic activities following acute exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in mice. Toxicol Appl Pharmacol, 1995. 130(2): p. 197-208.
- 181. De Jongh J, DeVito M, Nieboer R, Birnbaum L, Van den Berg M. Induction of cytochrome P450 isoenzymes after toxicokinetic interactions between 2,3,7,8-tetrachlorodibenzo-p-dioxin and 2,2',4,4',5,5'-hexachlorobiphenyl in the liver of the mouse. Fundam Appl Toxicol. 1995 May:25(2):264-70.
- 182. De Jongh J, DeVito M, Diliberto J, Van den Berg M, Birnbaum L. The effects of 2,2',4,4',5,5'hexachlorobiphenyl cotreatment on the disposition of 2,3,7,8-tetrachlorodibenzo-p-dioxin in mice. Toxicol Lett. 1995 Oct:80(1-3):131-7.
- 183. Gray, L.E., Jr., et al., Exposure to TCDD during development permanently alters reproductive function in male Long Evans rats and hamsters: reduced ejaculated and epididymal sperm

numbers and sex accessory gland weights in offspring with normal androgenic status. Toxicol Appl Pharmacol, 1995. 131(1): p. 108-18.

- 184. Pegram, R.A., et al., 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) distribution and cytochrome P4501A induction in young adult and senescent male mice. Toxicol Lett, 1995. 76(2): p. 119-26.
- 185. Abbott, B.D., L.S. Birnbaum, and J.J. Diliberto, Rapid distribution of 2,3,7,8-tetrachlorodibenzop-dioxin (TCDD) to embryonic tissues in C57BL/6N mice and correlation with palatal uptake in vitro. Toxicol Appl Pharmacol, 1996. 141(1): p. 256-63.
- 186. Burleson, G.R., et al., Effect of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on influenza virus host resistance in mice. Fundam Appl Toxicol, 1996. 29(1): p. 40-7.
- DeVito, M.J., et al., Relationship between CYP1A enzyme activities and protein levels in rats treated with 2,3,7,8-tetrachlorodibenzo-p-dioxin. J Toxicol Environ Health, 1996. 47(4): p. 379-94.
- 188. Cummings AM, Metcalf JL, Birnbaum L. Promotion of endometriosis by 2,3,7,8tetrachlorodibenzo-p-dixoin in rats and mice: time-dose dependence and species comparison. Toxicol Appl Pharmacol. 1996 May:138(1):131-9.
- 189. Diliberto, J.J., J.A. Jackson, and L.S. Birnbaum, Comparison of 2,3,7,8-tetrachlorodibenzo-pdioxin (TCDD) disposition following pulmonary, oral, dermal, and parenteral exposures to rats. Toxicol Appl Pharmacol, 1996. 138(1): p. 158-68.
- 190. Santostefano, M.J., et al., Subcellular localization of TCDD differs between the liver, lungs, and kidneys after acute and subchronic exposure: species/dose comparisons and possible mechanism. Fundam Appl Toxicol, 1996. 34(2): p. 265-75.
- 191. van Birgelen, A.P., et al., Relative potencies of polychlorinated dibenzo-p-dioxins, dibenzofurans, and biphenyls derived from hepatic porphyrin accumulation in mice. Toxicol Appl Pharmacol, 1996. 138(1): p. 98-109.
- 192. van Birgelen, A.P., et al., Interactive effects between 2,3,7,8-tetrachlorodibenzo-p-dioxin and 2,2',4,4',5,5'-hexachlorobiphenyl in female B6C3F1 mice: tissue distribution and tissue-specific enzyme induction. Fundam Appl Toxicol, 1996. 34(1): p. 118-31.
- 193. Fawell J, Robinson D, Bull R, Birnbaum L, Boorman G, Butterworth B, Daniel P, Galal-Gorchev H, Hauchman F, Julkunen P, Klaassen C, Krasner S, Orme-Zavaleta J, Reif J, Tardiff R. Disinfection by-products in drinking water: critical issues in health effects research. Environ Health Perspect. 1997 Jan:105(1):108-9.
- 194. Andersen, M.E., et al., Regional hepatic CYP1A1 and CYP1A2 induction with 2,3,7,8tetrachlorodibenzo-p-dioxin evaluated with a multicompartment geometric model of hepatic zonation. Toxicol Appl Pharmacol, 1997. 144(1): p. 145-55.
- 195. Andersen, M.E., et al., A multicompartment geometric model of the liver in relation to regional induction of cytochrome P450s. Toxicol Appl Pharmacol, 1997. 144(1): p. 135-44.
- 196. DeVito, M.J., et al., Dose-response relationships for polyhalogenated dioxins and dibenzofurans following subchronic treatment in mice. I. CYP1A1 and CYP1A2 enzyme activity in liver, lung, and skin. Toxicol Appl Pharmacol, 1997. 147(2): p. 267-80.
- 197. Diliberto, J.J., D. Burgin, and L.S. Birnbaum, Role of CYP1A2 in hepatic sequestration of dioxin: studies using CYP1A2 knock-out mice. Biochem Biophys Res Commun, 1997. 236(2): p. 431-3.
- 198. Johnson, K.L., A.M. Cummings, and L.S. Birnbaum, Promotion of endometriosis in mice by polychlorinated dibenzo-p-dioxins, dibenzofurans, and biphenyls. Environ Health Perspect, 1997. 105(7): p. 750-5.

- 199. Santostefano, M.J., et al., Differential time-course and dose-response relationships of TCDDinduced CYP1B1, CYP1A1, and CYP1A2 proteins in rats. Biochem Biophys Res Commun, 1997. 233(1): p. 20-4.
- 200. Smialowicz, R.J., et al., Opposite effects of 2,2',4,4',5,5'-hexachlorobiphenyl and 2,3,7,8tetrachlorodibenzo-p-dioxin on the antibody response to sheep erythrocytes in mice. Fundam Appl Toxicol, 1997. 37(2): p. 141-9.
- 201. Viluksela, M., et al., Subchronic/chronic toxicity of 1,2,3,4,6,7,8-heptachlorodibenzo-p-dioxin (HpCDD) in rats. Part II. Biochemical effects. Toxicol Appl Pharmacol, 1997. 146(2): p. 217-26.
- 202. Viluksela, M., et al., Subchronic/chronic toxicity of 1,2,3,4,6,7,8-heptachlorodibenzo-p-dioxin (HpCDD) in rats. Part I. Design, general observations, hematology, and liver concentrations. Toxicol Appl Pharmacol, 1997. 146(2): p. 207-16.
- 203. Wang, X., et al., Determination of parameters responsible for pharmacokinetic behavior of TCDD in female Sprague-Dawley rats. Toxicol Appl Pharmacol, 1997. 147(1): p. 151-68.
- 204. DeVito, M.J., et al., Dose-response relationships for disposition and hepatic sequestration of polyhalogenated dibenzo-p-dioxins, dibenzofurans, and biphenyls following subchronic treatment in mice. Toxicol Sci, 1998. 46(2): p. 223-34.
- 205. Hamm, J.T., et al., Methoxyresorufin: an inappropriate substrate for CYP1A2 in the mouse. Biochem Pharmacol, 1998. 56(12): p. 1657-60.
- 206. Hassoun, E.A., et al., Induction of oxidative stress in brain tissues of mice after subchronic exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. Toxicol Sci, 1998. 42(1): p. 23-7.
- 207. Hurst, C.H., et al., 2,3,7,8-Tetrachlorodibenzo-p-dioxin in pregnant Long Evans rats: disposition to maternal and embryo/fetal tissues. Toxicol Sci, 1998. 45(2): p. 129-36.
- 208. Jackson, J.A., L.S. Birnbaum, and J.J. Diliberto, Effects of age, sex, and pharmacologic agents on the biliary elimination of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in F344 rats. Drug Metab Dispos, 1998. 26(7): p. 714-9.
- 209. Pollenz, R.S., et al., Female Sprague-Dawley rats exposed to a single oral dose of 2,3,7,8tetrachlorodibenzo-p-dioxin exhibit sustained depletion of aryl hydrocarbon receptor protein in liver, spleen, thymus, and lung. Toxicol Sci, 1998. 42(2): p. 117-28.
- 210. Richardson, V.M., M.J. Santostefano, and L.S. Birnbaum, Daily cycle of bHLH-PAS proteins, Ah receptor and Arnt, in multiple tissues of female Sprague-Dawley rats. Biochem Biophys Res Commun, 1998. 252(1): p. 225-31.
- 211. Santostefano, M.J., et al., A pharmacodynamic analysis of TCDD-induced cytochrome P450 gene expression in multiple tissues: dose- and time-dependent effects. Toxicol Appl Pharmacol, 1998. 151(2): p. 294-310.
- 212. Viluksela, M., et al., Subchronic/chronic toxicity of a mixture of four chlorinated dibenzo-pdioxins in rats. II. Biochemical effects. Toxicol Appl Pharmacol, 1998. 151(1): p. 70-8.
- 213. Viluksela, M., et al., Subchronic/chronic toxicity of a mixture of four chlorinated dibenzo-pdioxins in rats. I. Design, general observations, hematology, and liver concentrations. Toxicol Appl Pharmacol, 1998. 151(1): p. 57-69.
- 214. Van den Berg M, Birnbaum L, Bosveld AT, Brunström B, Cook P, Feeley M, Giesy JP, Hanberg A, Hasegawa R, Kennedy SW, Kublak T, Larsen JC, van Leeuwen FX, Liem AK, Nolt C, Peterson RE, Poellinger L, Safe S, Schrenk D, Tillitt D, Tysklind M, Younes M, Waern F, Zacharewski T. Toxic equivalency factors (TEFs) for PCBs, PCDDs, PCDFs for humans and wildlife. Environ Health Perspect. 1998 Dec: 106(12):775-92.

- 215. Birnbaum, L.S. and B.T. Culpepper, Research integrity: a government perspective. Qual Assur, 1999. 7(4): p. 217-24.
- 216. Birnbaum, L.S. and B.P. Slezak, Dietary exposure to PCBs and dioxins in children. Environ Health Perspect, 1999. 107(1): p. 1.
- 217. Brouwer, A., et al., Characterization of potential endocrine-related health effects at low-dose levels of exposure to PCBs. Environ Health Perspect, 1999. 107 Suppl 4: p. 639-49.
- 218. Cummings, A.M., J.M. Hedge, and L.S. Birnbaum, Effect of prenatal exposure to TCDD on the promotion of endometriotic lesion growth by TCDD in adult female rats and mice. Toxicol Sci, 1999. 52(1): p. 45-9.
- 219. Diliberto, J.J., D.E. Burgin, and L.S. Birnbaum, Effects of CYP1A2 on disposition of 2,3,7, 8-tetrachlorodibenzo-p-dioxin, 2,3,4,7,8-pentachlorodibenzofuran, and 2,2',4,4',5,5'-hexachlorobiphenyl in CYP1A2 knockout and parental (C57BL/6N and 129/Sv) strains of mice. Toxicol Appl Pharmacol, 1999. 159(1): p. 52-64.
- 220. Santostefano, M.J., et al., Dose-dependent localization of TCDD in isolated centrilobular and periportal hepatocytes. Toxicol Sci, 1999. 52(1): p. 9-19.
- 221. Slezak, B.P., J.J. Diliberto, and L.S. Birnbaum, 2,3,7,8-Tetrachlorodibenzo-p-dioxin-mediated oxidative stress in CYP1A2 knockout (CYP1A2-/-) mice. Biochem Biophys Res Commun, 1999. 264(2): p. 376-9.
- 222. Santostefano MJ, Richardson VM, Walker NJ, Blanton J, Lindros KO, Lucier GW, Alcasey SK, Birnbaum LS. Dose-dependent localization of TCDD in isolated centrilobular and periportal hepatocytes. Toxicol Sci. 1999 Nov;52(1):9-19.
- 223. Cummings AM, Hedge JM, Birnbaum LS. Effect of prenatal exposure to TCDD on the promotion of endometriotic lesion growth by TCDD in adult female rats and mice. Toxicol Sci. 1999 Nov;52(1):45-9
- 224. Hurst CH, DeVito MJ, Setzer RW, Birnbaum LS. Acute administration of 2,3,7,8tetrachlorodibenzo-p-dioxin (TCDD) in pregnant Long Evans rats: association of measured tissue concentrations with developmental effects. Toxicol Sci. 2000 Feb;53(2):411-20
- 225. Slezak BP, Hatch GE, DeVito MJ, Diliberto JJ, Slade R, Crissman K, Hassoun E, Birnbaum LS. Oxidative stress in female B6C3F1 mice following acute and subchronic exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Toxicol Sci. 2000 Apr;54(2):390-8. PubMed PMID: 10774821.
- 226. Hamm JT, Sparrow BR, Wolf D, Birnbaum LS. In utero and lactational exposure to 2,3,7,8tetrachlorodibenzo-p-dioxin alters postnatal development of seminal vesicle epithelium. Toxicol Sci. 2000 Apr;54(2):424-30
- 227. Wang X, Santostefano MJ, DeVito MJ, Birnbaum LS. Extrapolation of a PBPK model for dioxins across dosage regimen, gender, strain, and species. Toxicol Sci. 2000 Jul;56(1):49-60
- 228. Birnbaum LS, Tuomisto J. Non-carcinogenic effects of TCDD in animals. FoodAddit Contam. 2000 Apr;17(4):275-88.
- 229. DeVito MJ, Ménache MG, Diliberto JJ, Ross DG, Birnbaum LS. Dose-response relationships for induction of CYP1A1 and CYP1A2 enzyme activity in liver, lung, and skin in female mice following subchronic exposure to polychlorinated biphenyls. Toxicol Appl Pharmacol. 2000 Sep 15;167(3):157-72
- 230. Hurst CH, DeVito MJ, Birnbaum LS. Tissue disposition of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in maternal and developing long-evans rats following subchronic exposure. Toxicol Sci. 2000 Oct;57(2):275-83

- 231. Ross PS, Vos JG, Birnbaum LS, Osterhaus AD. PCBs are a health risk for humans and wildlife. Science. 2000 Sep 15;289(5486):1878-9
- 232. Birnbaum LS, Culpepper BT. Research integrity: a government perspective. Qual Assur. 1999 Oct-Dec;7(4):217-24
- 233. Diliberto JJ, DeVito MJ, Ross DG, Birnbaum LS. Subchronic Exposure of [3H]- 2,3,7,8tetrachlorodibenzo-p-dioxin (TCDD) in female B6C3F1 mice: relationship of steady-state levels to disposition and metabolism. Toxicol Sci. 2001 Jun;61(2):241-55
- 234. Chen CY, Hamm JT, Hass JR, Birnbaum LS. Disposition of polychlorinated dibenzo-p-dioxins, dibenzofurans, and non-ortho polychlorinated biphenyls in pregnant long evans rats and the transfer to offspring. Toxicol Appl Pharmacol. 2001 Jun 1;173(2):65-8
- 235. Kodavanti PR, Kannan N, Yamashita N, Derr-Yellin EC, Ward TR, Burgin DE, Tilson HA, Birnbaum LS. Differential effects of two lots of aroclor 1254: congener-specific analysis and neurochemical end points. Environ Health Perspect. 2001 Nov;109(11):1153-61
- 236. Burgin DE, Diliberto JJ, Derr-Yellin EC, Kannan N, Kodavanti PR, Birnbaum LS. Differential effects of two lots of aroclor 1254 on enzyme induction, thyroid hormones, and oxidative stress. Environ Health Perspect. 2001 Nov;109(11):1163-8
- 237. Hurst CH, Abbott B, Schmid JE, Birnbaum LS. 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) disrupts early morphogenetic events that form the lower reproductive tract in female rat fetuses. Toxicol Sci. 2002 Jan;65(1):87-98
- 238. Birnbaum LS, Cummings AM. Dioxins and endometriosis: a plausible hypothesis. Environ Health Perspect. 2002 Jan;110(1):15-21.
- 239. Fenton SE, Hamm JT, Birnbaum LS, Youngblood GL. Persistent abnormalities in the rat mammary gland following gestational and lactational exposure to 2,3,7,8-tetrachlorodibenzo-pdioxin (TCDD). Toxicol Sci. 2002 May;67(1):63-74
- 240. Slezak BP, Hamm JT, Reyna J, Hurst CH, Birnbaum LS. TCDD-mediated oxidative stress in male rat pups following perinatal exposure. J Biochem Mol Toxicol. 2002;16(2):49-5
- 241. Chen CY, Hamm JT, Hass JR, Albro PW, Birnbaum LS. A mixture of polychlorinated dibenzop-dioxins (PCDDs), dibenzofurans (PCDFs), and non-ortho polychlorinated biphenyls (PCBs) changed the lipid content of pregnant Long Evans rats. Chemosphere. 2002 Mar;46(9-10):1501-4
- 242. Chao C, Youssef J, Rezaiekhaleigh M, Birnbaum LS, Badr M. Senescence-associated decline in hepatic peroxisomal enzyme activities corresponds with diminished levels of retinoid X receptor alpha, but not peroxisome proliferator-activated receptor alpha. Mech Ageing Dev. 2002 Sep;123(11):1469-76
- 243. Birnbaum LS, Fenton SE. Cancer and developmental exposure to endocrine disruptors. Environ Health Perspect. 2003 Apr;111(4):389-94.
- 244. Hamm JT, Chen CY, Birnbaum LS. A mixture of dioxins, furans, and non-ortho PCBs based upon consensus toxic equivalency factors produces dioxin-like reproductive effects. Toxicol Sci. 2003 Jul;74(1):182-91
- 245. Youssef JA, Birnbaum LS, Swift LL, Morrow JD, Badr MZ. Age-independent, gray matterlocalized, brain-enhanced oxidative stress in male fischer 344 rats: brain levels of F(2)isoprostanes and F(4)-neuroprostanes. Free Radic Biol Med. 2003 Jun 15;34(12):1631-5
- 246. Birnbaum LS, Staskal DF, Diliberto JJ. Health effects of polybrominated dibenzo-p-dioxins (PBDDs) and dibenzofurans (PBDFs). Environ Int. 2003 Sep;29(6):855-60.

- 247. Rice C, Birnbaum LS, Cogliano J, Mahaffey K, Needham L, Rogan WJ, vom Saal FS. Exposure assessment for endocrine disruptors: some considerations in the design of studies. Environ Health Perspect. 2003 Oct;111(13):1683-90
- 248. Birnbaum LS, Staskal DF. Brominated flame retardants: cause for concern? Environ Health Perspect. 2004 Jan;112(1):9-17.
- 249. Badr MZ, Birnbaum LS. Enhanced potential for oxidative stress in livers of senescent rats by the peroxisome proliferator-activated receptor alpha agonist perfluorooctanoic acid. Mech Ageing Dev. 2004 Jan;125(1):69-75
- 250. Smialowicz RJ, Burgin DE, Williams WC, Diliberto JJ, Setzer RW, Birnbaum LS. CYP1A2 is not required for 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced immunosuppression. Toxicology. 2004 Apr 1;197(1):15-22
- 251. Emond C, Birnbaum LS, DeVito MJ. Physiologically based pharmacokinetic model for developmental exposures to TCDD in the rat. Toxicol Sci. 2004 Jul;80(1):115-33
- 252. Staskal DF, Diliberto JJ, DeVito MJ, Birnbaum LS. Toxicokinetics of BDE 47 in female mice: effect of dose, route of exposure, and time. Toxicol Sci. 2005 Feb;83(2):215-23
- 253. Staskal DF, Diliberto JJ, Devito MJ, Birnbaum LS. Inhibition of human and rat CYP1A2 by TCDD and dioxin-like chemicals. Toxicol Sci. 2005 Apr;84(2):225-31
- 254. Schwetz BA, Lehman-McKeeman L, Birnbaum LS. Toxicological research involving humans: ethical and regulatory considerations. Toxicol Sci. 2005 May;85(1):419-21
- 255. Van Larebeke NA, Birnbaum LS, Boogaerts MA, Bracke M, Davis DL, Demarini DM, Hooper K, Huff J, Kleinjans JC, Legator MS, Schoeters G, Vähäkangas K. Unrecognized or potential risk factors for childhood cancer. Int J Occup Environ Health. 2005 Apr-Jun;11(2):199-201
- 256. Kodavanti PR, Ward TR, Ludewig G, Robertson LW, Birnbaum LS. Polybrominated diphenyl ether (PBDE) effects in rat neuronal cultures: 14C-PBDE accumulation, biological effects, and structure-activity relationships. Toxicol Sci. 2005 Nov;88(1):181-92
- 257. Haws LC, Su SH, Harris M, Devito MJ, Walker NJ, Farland WH, Finley B, Birnbaum LS. Development of a refined database of mammalian relative potency estimates for dioxin-like compounds. Toxicol Sci. 2006 Jan;89(1):4-30
- 258. Windal I, Denison MS, Birnbaum LS, Van Wouwe N, Baeyens W, Goeyens L. Chemically activated luciferase gene expression (CALUX) cell bioassay analysis for the estimation of dioxin-like activity: critical parameters of the CALUX procedure that impact assay results. Environ Sci Technol. 2005 Oct 1;39(19):7357-64
- Staskal DF, Diliberto JJ, Birnbaum LS. Impact of repeated exposure on the toxicokinetics of DE 47 in mice. Toxicol Sci. 2006 Feb;89(2):380-5
- 260. Emond C, Michalek JE, Birnbaum LS, DeVito MJ. Comparison of the use of a physiologically based pharmacokinetic model and a classical pharmacokinetic model for dioxin exposure assessments. Environ Health Perspect. 2005 Dec;113(12):1666-8
- Staskal DF, Diliberto JJ, Birnbaum LS. Disposition of BDE 47 in developing mice. Toxicol Sci. 2006 Apr;90(2):309-16
- 262. Van den Berg M, Birnbaum LS, Denison M, De Vito M, Farland W, Feeley M, Fiedler H, Hakansson H, Hanberg A, Haws L, Rose M, Safe S, Schrenk D, Tohyama C, Tritscher A, Tuomisto J, Tysklind M, Walker N, Peterson RE. The 2005 World Health Organization reevaluation of human and Mammalian toxic equivalency factors for dioxins and dioxin-like compounds. Toxicol Sci. 2006 Oct;93(2):223-41

- 263. Staskal DF, Hakk H, Bauer D, Diliberto JJ, Birnbaum LS. Toxicokinetics of polybrominated diphenyl ether congeners 47, 99, 100, and 153 in mice. Toxicol Sci. 2006 Nov;94(1):28-37
- 264. Emond C, Birnbaum LS, DeVito MJ. Use of a physiologically based pharmacokinetic model for rats to study the influence of body fat mass and induction of CYP1A2 on the pharmacokinetics of TCDD. Environ Health Perspect. 2006 Sep;114(9):1394-400
- 265. Birnbaum LS, Cohen Hubal EA. Polybrominated diphenyl ethers: a case study for using biomonitoring data to address risk assessment questions. Environ Health Perspect. 2006 Nov;114(11):1770-5
- 266. Richter CA, Birnbaum LS, Farabollini F, Newbold RR, Rubin BS, Talsness CE, Vandenbergh JG, Walser-Kuntz DR, vom Saal FS. In vivo effects of bisphenol A in laboratory rodent studies. Reprod Toxicol. 2007 Aug-Sep;24(2):199-224
- 267. vom Saal FS, Akingbemi BT, Belcher SM, Birnbaum LS, Crain DA, Eriksen M, Farabollini F, Guillette LJ Jr, Hauser R, Heindel JJ, Ho SM, Hunt PA, Iguchi T, Jobling S, Kanno J, Keri RA, Knudsen KE, Laufer H, LeBlanc GA, Marcus M, McLachlan JA, Myers JP, Nadal A, Newbold RR, Olea N, Prins GS, Richter CA, Rubin BS, Sonnenschein C, Soto AM, Talsness CE, Vandenbergh JG, Vandenberg LN, Walser-Kuntz DR, Watson CS, Welshons WV, Wetherill Y, Zoeller RT. Chapel Hill bisphenol A expert panel consensus statement: integration of mechanisms, effects in animals and potential to impact human health at current levels of exposure. Reprod Toxicol. 2007 Aug-Sep;24(2):131-8
- 268. Dye JA, Venier M, Zhu L, Ward CR, Hites RA, Birnbaum LS. Elevated PBDE levels in pet cats: sentinels for humans? Environ Sci Technol. 2007 Sep 15;41(18):6350-6
- 269. Richardson VM, Staskal DF, Ross DG, Diliberto JJ, DeVito MJ, Birnbaum LS. Possible mechanisms of thyroid hormone disruption in mice by BDE 47, a major polybrominated diphenyl ether congener. Toxicol Appl Pharmacol. 2008 Feb 1;226(3):244-50
- 270. Smialowicz RJ, DeVito MJ, Williams WC, Birnbaum LS. Relative potency based on hepatic enzyme induction predicts immunosuppressive effects of a mixture of PCDDS/PCDFS and PCBS. Toxicol Appl Pharmacol. 2008 Mar 15;227(3):477-84
- 271. Birnbaum LS. The effect of environmental chemicals on human health. Fertil Steril. 2008 Feb;89(2 Suppl):e31
- 272. Weintraub M, Birnbaum LS. Catfish consumption as a contributor to elevated PCB levels in a non-Hispanic black subpopulation. Environ Res. 2008 Jul;107(3):412-7
- 273. Martin R, O'Shea J, Birnbaum LS, Luebke R. Community corner. Striking the balance in multiple sclerosis. Nat Med. 2008 May;14(5):491
- 274. Huwe JK, Hakk H, Smith DJ, Diliberto JJ, Richardson V, Stapleton HM, Birnbaum LS. Comparative absorption and bioaccumulation of polybrominated diphenyl ethers following ingestion via dust and oil in male rats. Environ Sci Technol. 2008 Apr 1;42(7):2694-700
- 275. Jeong YC, Walker NJ, Burgin DE, Kissling G, Gupta M, Kupper L, Birnbaum LS, Swenberg JA. Accumulation of M1dG DNA adducts after chronic exposure to PCBs, but not from acute exposure to polychlorinated aromatic hydrocarbons. Free Radic Biol Med. 2008 Sep 1;45(5):585-91
- 276. Staskal DF, Scott LL, Haws LC, Luksemburg WJ, Birnbaum LS, Urban JD, Williams ES, Paustenbach DJ, Harris MA. Assessment of polybrominated diphenyl ether exposures and health risks associated with consumption of southern Mississippi catfish. Environ Sci Technol. 2008 Sep 1;42(17):6755-61

- 277. Huwe JK, Hakk H, Birnbaum LS. Tissue distribution of polybrominated diphenyl ethers in male rats and implications for biomonitoring. Environ Sci Technol. 2008 Sep 15;42(18):7018-24
- 278. Woodruff TJ, Zeise L, Axelrad DA, Guyton KZ, Janssen S, Miller M, Miller GG, Schwartz JM, Alexeeff G, Anderson H, Birnbaum L, Bois F, Cogliano VJ, Crofton K, Euling SY, Foster PM, Germolec DR, Gray E, Hattis DB, Kyle AD, Luebke RW, Luster MI, Portier C, Rice DC, Solomon G, Vandenberg J, Zoeller RT. Meeting report: moving upstream evaluating adverse upstream end points for improved risk assessment and decision-making. Environ Health Perspect. 2008 Nov:116(11):1168-75. Epub 2008 Jul 10.
- 279. Humblet O, Birnbaum L, Rimm E, Mittleman MA, Hauser R. Dioxins and cardiovascular disease mortality. Enrivon Health Perspect. 2008 Nov:116(11):1443-8. Epub 2008 Jul 22.
- 280. La Merrill M, Baston DS, Denison MS, Birnbaum LS, Pomp D, Threadgill DW. Mouse breast cancer model-dependent changes in metabolic syndrome-associated phenotypes caused by maternal dioxin exposure and dietary fat. Am J Physiol Endocrinol Metab. 2009 Jan; 296(1):E203-10
- 281. Szabo DT, Richardson VM, Ross DG, Diliberto JJ, Kodavanti PR, Birnbaum LS. Effects of perinatal PBDE exposure on hepatic phase I, phase II, phase III, and deiodinase 1 gene expression involved in thyroid hormone metabolism in male rat pups. Toxicol Sci. 2009 Jan;107(1):27-39
- 282. Scott LL, Staskal DF, Williams ES, Luksemburg WJ, Urban JD, Nguyen LM, Haws LC, Birnbaum LS, Paustenbach DJ, Harris MA. Levels of polychlorinated dibenzo-p-dioxins, dibenzofurans, and biphenyls in southern Mississippi catfish and estimation of potential health risks. Chemosphere. 2009 Feb;74(7):1002-10
- 283. Birnbaum LS. NIEHS supports partnerships in environmental public health. Prog Community Health Partnersh. 2009 Fall;3(3):195-6
- 284. Birnbaum LS. Leading the world's premier environmental health organization: a message from Linda Birnbaum. Environ Health Perspect. 2009 Apr;117(4):A138
- 285. Schecter A, Needham L, Pavuk M, Machalek J, Colacino J, Ryan J, Päpke O, Birnbaum LS. Agent Orange exposure, Vietnam war veterans, and the risk of prostate cancer. Cancer. 2009 Jul:115(14):3369-71.
- 286. La Merrill M, Kuruvilla BS, Pomp D, Birnbaum LS, Threadgill DW. Dietary fat alters body composition, mammary development, and cytochrome p450 induction after maternal TCDD exposure in DBA/2J mice with low-responsive aryl hydrocarbon receptors. Environ Health Perspect. 2009 Sep;117(9):1414-9
- 287. White SS, Birnbaum LS. An overview of the effects of dioxins and dioxin-like compounds on vertebrates, as documented in human and ecological epidemiology. J Environ Sci Health C Environ Carcinog Ecotoxicol Rev. 2009 Oct;27(4):197-211
- 288. Birnbaum LS, Zenick H, Branche CM. Environmental justice: a continuing commitment to an evolving concept. Am J Public Health. 2009 Nov;99 Suppl 3:S487-9. Erratum in: Am J Public Health. 2010 Feb;100(2):199
- 289. Hakk H, Diliberto JJ, Birnbaum LS. The effect of dose on 2,3,7,8-TCDD tissue distribution, metabolism and elimination in CYP1A2 (-/-) knockout and C57BL/6N parental strains of mice. Toxicol Appl Pharmacol. 2009 Nov 15;241(1):119-26
- 290. Birnbaum LS. Applying research to public health questions: timing and the environmentally relevant dose. Environ Health Perspect. 2009 Nov;117(11):A478

- 291. Glass R, Rosenthal J, Jessup CM, Birnbaum L, Portier C. Tackling the research challenges of health and climate change. Environ Health Perspect. 2009 Dec: 117(12):A534-5.
- 292. Hines RN, Sargent D, Autrup H, Birnbaum LS, Brent RL, Doerrer NG, Cohen Hubal EA, Juberg DR, Laurent C, Luebke R, Olejniczak K, Portier CJ, Slikker W. Approaches for assessing risks to sensitive populations: lessons learned from evaluating risks in the pediatric population. Toxicol Sci. 2010 Jan;113(1):4-26
- 293. Emond C, Raymer JH, Studabaker WB, Garner CE, Birnbaum LS. A physiologically based pharmacokinetic model for developmental exposure to BDE-47 in rats. Toxicol Appl Pharmacol. 2010 Feb 1;242(3):290-8
- 294. Lakind JS, Birnbaum LS. Out of the frying pan and out of the fire: the indispensable role of exposure science in avoiding risks from replacement chemicals. J Expo Sci Environ Epidemiol. 2010 Mar;20(2):115-6
- 295. Birnbaum LS. TSCA reform under way in Congress. Environ Health Perspect. 2010 Mar;118(3):A 106
- 296. Birnbaum LS, Stokes WS. Safety testing: moving toward alternative methods. Environ Health Perspect. 2010 Jan;118(1):A12-3
- 297. Birnbaum LS. Applying research to public health questions: biologically relevant exposures. Environ Health Perspect. 2010 Apr;118(4):A152
- 298. Schecter A, Colacino J, Haffner D, Patel K, Opel M, Päpke O, Birnbaum LS. Perfluorinated compounds, polychlorinated biphenyls, and organochlorine pesticide contatmination in composite food samples from Dallas, Texas, USA. Environ Health Perspect. 2010 Jun: 118(6):796-802. Epub 2010 Feb 10.
- 299. Kodavanti PR, Coburn CG, Moser VC, MacPhail RC, Fenton SE, Stoker TE, Rayner JL, Kannan K, Birnbaum LS. Developmental exposure to a commercial PBDE mixture, DE-71: neurobehavioral, hormonal, and reproductive effects. Toxicol Sci. 2010 Jul;116(1):297-312
- 300. La Merrill M, Harper R, Birnbaum LS, Cardiff RD, Threadgill DW. Maternal dioxin exposure combined with a diet high in fat increases mammary cancer incidence in mice. Environ Health Perspect. 2010 May;118(5):596-601
- 301. Schecter A, Haffner D, colacino J, Patel K, Päpke O, Opel M, Birnbaum L. Polybrominated diphenyl ethers (PBDEs) and hexabromocyclodecane (HBCD) in composite U.S. food samples. 2010 Mar;118(3):357-62
- 302. Szabo DT, Diliberto JJ, Hakk H, Huwe JK, Birnbaum LS. Toxicokinetics of the flame retardant hexabromocyclododecane gamma: effect of dose, timing, route, repeated exposure, and metabolism. Toxicol Sci. 2010 Oct;117(2):282-93
- 303. Humblet O, Williams PL, Korrick SA, Sergeyev O, Emond C, Birnbaum LS, Burns JS, Altshul L, Patterson DG, Turner WE, Lee MM, Revich B, Hauser R. Predictors of serum dioxin, furan, and PCB concentrations among women from Chapaevsk, Russia. Environ Sci Technol. 2010 Jul 15;44(14):5633-40
- 304. Birnbaum LS, Schroeder JC, Tilson HA. A repeat call for the banning of asbestos. Environ Health Perspect. 2010 Jul;118(7):A280-1
- 305. Birnbaum LS, Jung P. Evolution in environmental health: incorporating the infectious disease paradigm. Environ Health Perspect. 2010 Aug;118(8):a327-8
- 306. Birnbaum LS, Staskal-Wikoff DS. 5th International PCB Workshop--summary and implications. Environ Int. 2010 Nov;36(8):814-8

- 307. Birnbaum LS, Bergman A. Brominated and chlorinated flame retardants: the San Antonio Statement. Environ Health Perspect. 2010 Dec;118(12):A514-5. Erratum in: Environ Health Perspect. 2011 Jan;119(1):A11
- 308. La Merrill M, Birnbaum LS. Childhood obesity and environmental chemicals. Mt Sinai J Med. 2011 Jan-Feb;78(1):22-48. doi: 10.1002/msj.20229
- 309. Shaw SD, Blum A, Weber R, Kannan K, Rich D, Lucas D, Koshland CP, Dobraca D, Hanson S, Birnbaum LS. Halogenated flame retardants: do the fire safety benefits justify the risks? Rev Environ Health. 2010 Oct-Dec;25(4):261-305
- 310. Bookman EB, McAllister K, Gillanders E, Wanke K, Balshaw D, Rutter J, Reedy J, Shaughnessy D, Agurs-Collins T, Paltoo D, Atienza A, Bierut L, Kraft P, Fallin MD, Perera F, Turkheimer E, Boardman J, Marazita ML, Rappaport SM, Boerwinkle E, Suomi SJ, Caporaso NE, Hertz-Picciotto I, Jacobson KC, Lowe WL, Goldman LR, Duggal P, Gunnar MR, Manolio TA, Green ED, Olster DH, Birnbaum LS; for the NIH G × E Interplay Workshop participants. Gene-environment interplay in common complex diseases: forging an integrative model-recommendations from an NIH workshop. Genet Epidemiol. 2011 Feb 9. doi: 10.1002/gepi.20571 [Epub ahead of print]
- 311. Birnbaum LS. SOT at 50: A proud legacy, a vibrant future. Environ Health Perspect. 2011 Mar;119(3):a110-1
- 312. Szabo DT, Diliberto JJ, Hakk H, Huwe JK, Birnbaum LS. Toxicokinetics of the flame retardant hexabromocyclododecane alpha: effect of dose, timing, route, repeated exposure, and metabolism. Toxicol Sci. 2011 Jun;121(2):234-44
- 313. Bucher JR, Thayer K, Birnbaum LS. The Office of Health Assessment and Translation: a problem-solving resource for the National Toxicology Program. Environ Health Perspect. 2011 May;119(5):A196-7
- 314. Birnbaum LS, Jung P. From endocrine disruptors to nanomaterials: advancing our understanding of environmental health to protect public health. Health Aff (Millwood). 2011 May;30(5):814-22
- 315. Humblet O, Sergeyev O, Altshul L, Korrick SA, Williams PL, Emond C, Birnbaum LS, Burns JS, Lee MM, Revich B, Shelepchikov A, Feshin D, Hauser R. Temporal trends in serum concentrations of polychlorinated dioxins, furans, and PCBs among adult women living in Chapaevsk, Russia: a longitudinal study from 2000 to 2009. Environ Health. 2011 Jun 22;10:62
- 316. Szabo DT, Diliberto JJ, Huwe JK, Birnbaum LS. Differences in tissue distribution of HBCD alpha and gamma between adult and developing mice. Toxicol Sci. 2011 Sep;123(1):256-63. Epub 2011 Jun 24.
- 317. Vinikoor LC, Larson TC, Bateson TF, Birnbaum LS. Exposure to asbestos-containing vermiculite ore and respiratory symptoms among individuals who were children while the mine was active in Libby, Montana. Environ Health Perspect. 2011 Jul:118(7):1033-28. Epub 2010 Mar 12.
- 318. Humblet O, Williams PL, Korrick SA, Sergeyev O, Emond C, Birnbaum LS, Burns JS, Altshul L, Patterson DG Jr, Turner WE, Lee MM, Revich B, Hauser R. Dioxin and Polychlorinated Biphenyl Concentrations in Mother's Serum and the Timing of Pubertal Onset in Sons. Epidemiology. 2011 Nov;22(6):827-835.
- 319. Satoh M, Chan EKL, Ho LA, Rose KM, Pakrs CG, Cohn RD, Jusko TA, Walker NJ, Germolec DR, Whitt IZ, Crockett Pw, Pauley BA, Chan JYF, Ross SJ, Birnbaum LS, Zeldin DC, Miller FW. Prevalence and sociodemographic correlates of antinuclear antibodies in the United States. Arthritis Rheum. July 2012; 64(7):2319-2327.

- 320. Schecter A, Malik-Bass N, Calafat AM, Kato K, Colacin JA, Gent TL, Hynan LS, Harris TR, Malla S, Birnbaum LS. Polyfluoroalkyl compounds in Texas children from birth through 12 years of age. Environ Health Perspect. 2012 April;120(4):590-2.
- 321. Emond C, Wikoff D, Birnbaum LS. Proposed mechanistic description of dose-dependent BDE-47 urinary elimination in adult mice using a physiologically based pharmacokinetic model. Toxicol Appl Pharmacol (2011). [Submitted]
- 322. Reid BC, Ghazarian AA, DeMarin DM, Sapkota A, Jack D, Lan W, Winn D, Birnbaum LS. Research opportunities for cancer associated with indoor air pollution from solid-fuel combustion. Environ Health Perspect (2012). [Epub July 30, 2012]
- 323. Birnbaum LS, Jung P, Newton SA. Environmental health science for regulatory decisionmaking. Duke Environ Law Pol Forum (2011). [Submitted]
- 324. Schecter A, Szabo DT, Miller J, Gent TL, Malik-Bass N, Petersen M, Paepke O, Colacino JA, Hynan LS, Harris R, Malla S, Birnbaum LS. Hexabromocyclododecane (HBCD) stereoisomers in U.S. food from Dallas, Texas. Environ Health Perspect (2012) [Epub May 18, 2012]
- 325. Birnbaum LS. [Editorial] Environmental Chemicals: Evaluating low-dose effects. Environ Health Perspect. 2012 Apr:120(4):A143-4.
- 326. La Merrill M, Emond C, Kim MJ, Antignac J-P, Le Bizec B, Clément K, Birnbaum L, Barouki R. Toxicology function of adipose tissue: focus on persistent organic pollutants. Diabetes. (2012) [Submitted]

- 327. Bergman A, Rydén A, Law RJ, de Boer J, Covaci A, Alaee M, Birnbaum L, Petreas M, Rose M, Sakai S, Van den Eede N, van der Veen I. A novel abbreviation standard for organobromine, organochlorine, and organophosphorus flame retardants and some characteristics of the chemicals. Environ Intl. 49 (2012): 57-82.
- 328. Humblet O, Korrick SA, Williams PG, Sergeyev O, Emond C, Birnbaum LS, Burns JS, Altshul L, Patterson DG Jr., Turner WE, Lee MM, Revich B, Hauser R. Genetic modification of the association between peripubertal dioxin exposure and pubertal onset in a cohort of Russian boys. Envirn Health Perspect (2012) [Accepted pending minor revisions].
- 329. Landrigan p, Lambertini L, Birnbaum LS. [Editorial] A research strategy to discover the environmental causes of autism and neurodevelopmental disabilities. Environ Health Perspect. 2012 Jul;120(7):a258-60 [Epub 2012 Apr 25]
- 330. Cote I, Anastas P, Birnbaum L, Clark B, Dix D, Edwards S, Preuss P. Advancing the next generation of health risk assessment. Environ Health Perspect. (2012) [Epub August 8, 2012]
- 331. Birnbaum LS, Bucher JR, Collman GW, Zeldin DC, Johnson AF, Schug TT, Heindell JJ. Consortium-based Science: NIEHS's multipronged, collaborative approach to assessing the health effects of Bisphenol-A. Environ Health Perspect [Epub 2012 Sep 25]
- 332. Birnbaum, LS. [Editorial]. Is supersize more than just too much food? Envion Health Perspect. 2012 Jun; 120(6);a223-4
- Birnbaum LS. [Editorial]. State of the science of endocrine disruptors. Environ Health Perspect. (2012) [Accepted]
- 334. Birnbaum LS. [Editorial]. The NIEHS strategic plan: a transparent and inclusive process. Environ Health Perspect 2012 Aug;120(8):a298.
- 335. Drew CH, Pettibone KG, O'Fallon LR, Collman GW, Birnbaum LS. [Editorial]. Measuring partnership activities: Partnerships in environmental public health evaluation metrics manua. Environ Health Perspect. 2012 Jul; 120(7): a261-2.
- 336. Van den Berg M, Denison MS, Birnbaum LS, DeVito M, Fiedler H, Falandysz J, Rose M, Schrank D, Safe S, Tohyama C, Tritscher A, Tysklind M, Peterson RE. Polybrominated dibenzop-dioxins (PBDDs), dibenzofurans (PBDFs) and biphenyls (PBBs) – Inclusion in the toxicity equivalency factor concept for dioxin-like compounds. Environ Health Perspect (2012)
- 337. Taylor KW, Novak RF, Anderson H, Birnbaum LS, Blystone C, DeVito M, Jacobs D, Köhrle J, Lee D-H, Rylander L, Rignell-Hydbom A, Tornero-Velex R, Turyk ME, Thayer KA, Lind L. Evaluation of the association between persistent organic pollutants (POPs) and diabetes in epidemiological studies. Environ Health Perspect (2012).
- 338. Balbus J, Barouki R, Birnbaum I, Etzel R, Gluckman P, Grandjkean P, Hancock C, Hanson M, Heindel J, Jensen G, Keeling A, Neira M, Rabadan-Diehl C, Ralston J, Tang KC. Back to the future: addressing the early life determinants of non-communicable diseases. Lancet (2012) [In Press]
- 339. Birnbaum LS, DeVito MJ. Invited Commentary: Neurodevelopmental findings in Vietnamese infants associated with perinatal dioxin exposure. Am J Epidemiol. (2012) [Submitted]

TECHNICAL REPORTS

- 1. Birnbaum LS. (Chemical Manager): Carcinogenesis bioassay of 1,1,1,2-tetrachloroethane, NTP TR237, Department of Health and Human Services, Research Triangle Park, NC (1982)
- 2. Birnbaum LS. (Chemical Manager): Carcinogenesis bioassay of 1,1,1,-trichloroethane

(methyl chloroform), NTP TR 262, Department of Health and Human Services, Research Triangle Park, NC. (1984)

BOOK REVIEWS

BR1. Birnbaum, LS. Mutation and the environment. Part C: Somatic and heritable mutation, adduction, and epidemiology, Mendelsohn, M.L. and Albertini, R.J., Eds., Wiley-Liss, Inc., New York, NY, p. 494-496 (1990)

BOOKS/BOOK CHAPTERS

- BC1. Decad GM, Birnbaum LS, and Matthews HB. Disposition of 2,3,7,8-tetrachlorodibenzofuran in guinea pigs, rats, and monkeys. In. Chlorinated Dioxins and Related Compounds: Impact on the Environment, Hutzinger O (ed.), Pergamon Press, Oxford and New York, 307-315 (1981)
- BC2. Birnbaum LS. Changes in the disposition of two hexachloro-biphenyls in senescent rats. In. 2nd Tokyo Symposium, Liver and Aging: Liver and Drugs, Kitani K (ed.). Elsevier Press, Amsterdam, 99-113 (1982)
- BC3. Matthews HB and Birnbaum LS. Factors affecting the disposition and persistence of halogenated furans and dioxins. In. Human and Environmental Risks of Chlorinated Dioxins and Related Compounds, Tucker RE, Young AL, and Gray AP (eds.), Plenum Publish. Corp., NY, 463-475 (1983)
- BC4. Sohal RS, Birnbaum LS, and Cutler RG. (eds.). Molecular Biology of Aging: Gene Stability and Gene Expression. Raven Press, New York, NY, 351 pages (1985)
- BC5. Birnbaum LS. Age related changes in drug disposition in cancer and aging. Zenser TVand Coe RM (eds.), Springer Publish. Corp., NY, 125-138 (1989)
- BC6 Goldstein JA, Lin FH, Stohs SJ, Graham M, Clarke G, Birnbaum L, and Lucier G. The effects of TCDD on receptors for epidermal growth factor, glucocorticoid, and estrogen receptors in Ah-responsive and –non responsive congenic mice and the effects of TCDD on estradiol metabolism in a liver tumor promotion model in female rats. In: Mouse Liver Carcinogenesis: Mechanisms & Species Comparisons, "Progress in Clinical and Biological Research, Volume 331" Stevenson DE, McClain RM, Popp JA, Slaga TJ, Ward JM, Pitot H (eds.), John Wiley & Sons Canada, 187-202 (1990)
- BC7. Gerrity TR, Henry CJ, Birnbaum L, DeRosa C, Dutton RJ, Miller F, and Rhomberg L. (eds.). Principles of Route-to-Route Extrapolation for Risk Assessment. Elsevier, New York, NY, 322 pages (1990)
- BC8. McMahon TF and Birnbaum LS. Age related changes in the disposition and metabolism of xenobiotics. In. Aging and Environmental Toxicology. Cooper RL, Goldman JM, Harbin TJ (eds.), The Johns Hopkins University Press, Baltimore, 7-30 (1991)
- BC9. Birnbaum LS. Changes in cytochrome P450 in senescence. In: Cytochrome P-450. Schenkman JN and Greim HM (eds.), Springer-Verlag, Berlin, Germany, 477-489 (1991)
- BC10. Birnbaum LS. Developmental toxicity of TCDD and related compounds: secies sensitivities and differences. Biological Basis for Risk Assessment of Dioxins; Banbury Report, 35:51-67 (1991)
- BC11. Banks YB and Birnbaum LS. Dermal absorption of TCDD: effect of age. In. Health Risk

Assessment: Dermal and Inhalation Exposure and Absorption of Toxicants. Knaak JAB, Mailbach HI (eds.) CRC Press, Boca Raton, 122-130 (1992)

- BC12. Henderson RF, Sabourin PJ, Medinsky MA, Birnbaum LS, and Lucier GL. Benzene dosimetry in experimental animals: relevance for risk assessment. In: Relevance of Animal Studies to the Evaluation of Human Cancer Risk, D'Amato R, Slaga TJ, Farland WH, and Henry C (eds.), Wiley-Liss, New York, NY, 93-105 (1992)
- BC13. Birnbaum LS. Basis of altered sensitivity to environmental chemicals. In. Principles for Evaluating the Effects of Chemicals on the Aged Population. World Health Organization, Geneva, Section 3 (1993)
- BC14. Andersen ME, Mills JJ, Fox TR, Goldsworthy TL, Conolly RB, and Birnbaum LS. Receptormediated toxicity and implications for risk assessment. In. Receptor-Mediated Biological Processes: Implications for Evaluating Carcinogenesis, "Progress in Clinical and Biological Research, Volume 387", Spitzer HL, Slaga TJ, Greenlee WF, McClain M (eds). Wiley-Liss, New York, NY, 295-310 (1994)
- BC15. Birnbaum LS. Evidence for the role of the Ah receptor in response to dioxin. In. Receptor-Mediated Biological Processes: Implications for Evaluating Carcinogenesis, "Progress in Clinical and Biological Research Volume 387", Spitzer HL, Slaga TJ, Greenlee WF, and McClain M. (eds). Wiley-Liss, New York, NY, 1994 pp. 139-154. (1994)
- BC16. DeVito MJ and Birnbaum, LS. Toxicology of dioxins and related chemicals. In. Dioxins and Health. Schecter A (ed.) Plenum Press, New York, Chapter 5, pp.139-162. (1994)
- BC17. Birnbaum LS. Advances in estimating and predicting health effects from exposure to environmental toxicants. In: Hazardous Waste and Public Health: International Congress on the Health Effects of Hazardous Waste. Andrews JS, Jr., Frumkin H, Johnson BL, Mehlman MA, Xintaras C, and Bucsela JA, (eds.) Princeton Scientific Publishing, pp. 435-447 (1994)
- BC18. Birnbaum LS and Abbott BD. Effect of dioxin on growth factor and receptor expression in developing palate. In. Methods in developmental Toxicology and Biology, Klug S. and Thiel R. (eds), Blackwell Science, Malden, MA, pp. 51-63 (1996)
- BC19. Abbott BD and Birnbaum LS. Dioxin and teratogenesis. In. Molecular Biology in Toxicology, V. Signal Transduction in Toxicology. Puga A and Wallace KB (eds). Taylor and Frances, Chapter 25, pp. 439-447 (1996)
- BC20. Birnbaum LS. Human health risk assessment. In. Environmental Science and Pollution Research International, Hutzinger, O. (ed). ECOMED Pub., Germany, Vol. 3, pp. 125-126 (1996)
- BC21. Birnbaum LS. Developmental effects of dioxins. In. Reproductive and Developmental Toxicology. Korach, KS (ed.), Marcel Dekker, Inc., pp. 87-112 (1998)
- BC22. Feeley M, DeVito MJ, and Birnbaum LS. Chapter 9: Toxicity equivalence factors (TEFx) for dioxin and related compounds. In: Health Assessment of 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) and Related compounds (1999). Available online at http://www.epa.gov/ncea/pdfs/dioxin/part2/drich9.pdf
- BC23. Fairbrother A., Ankely GT, Birnbaum LS, Bradbury SP, Francis B, Gray LE, Hinton D, Johnson LL, Peterson RE, and Van Der Krakk G. Chapter 5: Reproductive and developmental toxicology of contaminants in oviparous animals. In: Reproductive and Developmental Effects of Contaminants in Oviparous Vertebrates. DiGiulioRT and Tillitt DT (eds.). SETAC Press, Pellston Conference Book (1999)

- BC24. Birnbaum LS, Fiedler H, Hutzinger O, Louw L, Needham LL, Patterson Jr DG, and Vetter W. (eds.) Halogenated Environmental Organic Pollutants - Dioxin >98 (Special Issue). Chemosphere, Vol. 40. Nos. 9-11, May/June (2000)
- BC25. Nau H, Staats de Yanes G, Birnbaum LS, Eisenbrand G, Hapke HJ, Kreienbrock L, and Taylor SL. WHO Consultation on Current Issues in Risk Assessment of Potentially Toxic Substances in Food of Animal Origin, WHO Collaborating Centre for Research and Training in Veterinary Public Health, Hannover, Germany, December 6-9 (1998)
- BC26. Youssef JA, Birnbaum LS, Roberts LJ, Swift LL, Morrow JD, and Badr M. Brain Oxidative stress, senescenece and death isoprostanes and neuroprostanes: novel markers and new theories, In. Antioxidants and Free Radicals in Health and Disease, Prominent Press, Scottsdale, Arizona, Chapter 13, pp. 261-275 (2001)
- BC27. White SS, Fenton SE, Birnbaum LS. Adverse health outsomes caused by dioxin-activated AHR in humans. In The AH Receptor in Biology and Technology. John Wiley and Sons, UK. Chapter 22, pp. 307-316 (2011).
- BC28. Martinez JM, DeVito MJ, Birnbaum LS, and Walker NJ. Toxicology of dioxin and dioxin-like compounds. In: Dioxins and Health, Second Edition, Schecter & Gasiewicz (eds..), John Wiley & Sons, Inc., Chapter 4, (2003)
- BC29. Birnbaum LS and Farland WH. Health risk characterization of dioxin and related compounds. In: Dioxins and Health, Second Edition, Schecter & Gasiewicz (eds..), John Wiley & Sons, Inc., Chapter 5, (2003)
- BC30. Staskal DF and Birnbaum LS. Brominated flame retardants. In. Maxcy-Rosenau-Last Public Health and Preventive Medicine, 15th edition, Wallace RB (ed.), McGraw-Hill, Washington , DC, (2007)
- BC31. Birnbaum LS. PCBs. Chapter 1. Overview of third biannual international PCB workshop, In. PCBs: Human and Environmental Disposition and Toxicology, Hansen LG and Robertson LW (eds.), University of Illinois at Urbana-Champaign, Urbana, IL, pp. 1-6 (2008)
- BC32. Schecter AJ, Colacino JA, and Birnbaum LS. Dioxins: Health Effects, In. Encyclopedia of Environmental Health, Nriagu J (ed.), Elsevier, Amsterdam, pp. 93-100 (2011)
- BC33 Birnbaum LS, DeVito MJ. Preface: Toxicology Overview. In. Computational Toxicology: Methods and Applications for Risk Assessment, Fowler (ed.), Elsevier, Amsterdam

ABSTRACTS

- 1. Birnbaum LS and Kaplan S. Localization and enrichment of ribosomal RNA cistrons in Escherichia coli. Am. Soc. Microbiol. Abstracts, 1971:163 (1971)
- 2. Birnbaum LS and Kaplan S. In vitro transcription of ribosomal RNA genes in Escherichia coli. Am. Soc. Microbiol. Abstracts, 1972:161 (1972)
- 3. Baird MB, Massie HR, and Birnbaum LS. Decreased rate of hepatic metabolism of benzo(a)pyrene in senescent rats. Proc. Am. Assoc. Cancer Res., 17:212 (1976)
- 4. Baird MB, Birnbaum LS, and Massie HR. Age-related changes in rats hepatic mixed function oxidase activity reflect alterations in distribution of components or interaction of components with the lipid matrix. Gerontological Society Abstracts, 1976:35 (1976)
- 5. Birnbaum LS, Baird MB, and Massie HR. Age-related changes in hepatic microsomal mixed function oxidase induction. Gerontological Society Abstracts, 1976:35 (1976)

- 6. Birnbaum LS and Baird, MB. Altered metabolism of carcinogens by senescent rodents. Age, 1(2):71 (1978)
- 7. Birnbaum LS and Baird MB. Senescent alterations in hepatic epoxide metabolism in rodents. Fed. Proc., 37(3):888 (1978)
- 8. Baird MB and Birnbaum LS. Vitamin A inhibits mutagenicity by 2-Fluoreneamine in <u>Salmonella typhimurium</u>. Fed. Proc., 38(3):701 (1979)
- 9. Birnbaum LS. and Baird MB. Senescent changes in mouse heptic aryl hydrocarbon hydroxylase. Fed. Proc., 38(3):658 (1979)
- 10. Zenser TV, Armbrecht HJ, Birnbaum LS, Mattammal MB, and Davis BB. Characterization of renal cytochrome P₄₅₀ systems. Fed. Proc., 38(3):658 (1979)
- 11. Zenser TV, Mattammal MB, Armbrech HJ, Birnbaum LS, and Davis BB. Mechanisms of renal drug metabolism. Am. Fed. Clin. Res. Clinical Research, 27(2):A239 (1979)
- 12. Birnbaum LS. Enhanced metabolism of 7-ethoxycoumarin in senescent rodents. Age, 2(4):125 (1979)
- 13. Birnbaum LS, Decad GM, and Matthews HB. Disposition of tetrachlorodibenzofuran in male rats. Fed. Proc., 39(3):999 (1980)
- 14. Armbrecht HJ, Birnbaum LS, Zenser TV, and Davis BB. Changes in hepatic microsomal membrane fluidity with age. Fed. Proc., 39(6):2099 (1980)
- 15. Robertson LGC and Birnbaum LS. Changes in mutagen activation with senescence in rat tissues. Age, 3(4):107 (1980)
- 16. Decad GM., Birnbaum LS, and Matthews HB. Disposition of 2,3,7,8-tetrachlorodibenzofuran in mice. The Toxicologist, 1:65 (1981)
- 17. Dieter MP and Birnbaum LS. Intermediary metabolism in lymphoid components of aging F344 rats. Fed. Proc., 41(5):1673 (1982)
- 18. Birnbaum LS and Darcey DJ. Disposition of 1,2,3,4,6,7- hexabromonaphthalene in the rat. J. Am. College Toxicol., 1(3):128 (1982)
- 19. Birnbaum LS and Matthews HB. Disposition of 4,4'-thio-bis-(6-ter-butyl-m-cresol) in rats. Toxicologist, 3:89 (1983)
- 20. Birnbaum LS. Changes in the distribution and excretion of two hexachlorobiphenyls in senescent rats. Environ. Health Perspect., 52:280-281 (1983)
- 21. Borghoff S and Birnbaum LS. Age-related changes in glucuronidation and deglucuronidation in hepatic and extrahepatic tissues of rats. Age 6(4):140 (1983)
- 22. Borghoff S and Birnbaum LS. Changes in glucuronidation and deglucuronidation in hepatic and extrahepatic tissues of aging rats. The Toxicologist, 4:99 (1984)
- 23. Birnbaum LS and Johnson L. Disposition of benzo(f)quinoline in rats. The Toxicologist, 4:98 (1984)
- 24. Deskind R, Grumbein S, Kurtz P, Peters A, and Birnbaum LS. Prechronic toxicity evaluation of O-benzyl-p-chlorophenol: comparison between F344 rats and B6C3Fl mice. The Toxicologist, 4:176 (1984)
- 25. Dutcher JS, Medinsky MA, Bond JA., Chung YS., Snipes MB, Henderson RF, and Birnbaum LS. Effect of vapor concentration on the disposition of inhaled 2,3-dichloropropene in Fischer-344 rats. The Toxicologist, 4:4 (1984)
- 26. Borghoff S and Birnbaum LS. Changes in metabolism and excretion of allyl isothiocyanate in senescent rats. Age, 7(4):139 (1984)
- 27. Birnbaum LS, Johnson L, and Eastin W. Age-related changes in glucose absorption. Age 7(4):

140 (1984)

- 28. Lamb JC, Harris MW, Weber H, McKinney JD, and Birnbaum LS. Potentiation of 2,3,7,8tetrachlorodibenzo- (p)dioxin (TCDD) induced cleft palate (CP) by triiodothyronine (T3) in C57BL/6N (B6) mice. Biology of Reproduction, 30 (1): 268 (1984)
- 29. Muni IA, Mansur CA, and Birnbaum LS. 14-day dose-feed toxicity study of 4,4'-thiobis-(6tert-butyl-meta-cresol) in rats and mice. Abstracts of papers of the Am. Chem. Society. 188:53-MEDI (1984)
- 30. Medinsky MA, Dutcher JS, Bond JA, Henderson RF, Mauderly JC, Snipes MB, Cheng YS, Mewhinney JA, and Birnbaum LS. Uptake and excretion of ¹⁴C-methyl bromide as influenced by exposure concentration. The Pharmacologist, 26:238 (1984)
- 31. Bond JA, Medinsky MA, Dutcher JS, Henderson RF, Mewhinney JA, Cheng YS, and Birnbaum LS. Disposition and metabolism of inhaled 2,3,-dichloropropene in Fischer-344 rats. The Pharmacologist, 26: 235 (1984)
- 32. Birnbaum LS, Harris MW, McKinney JD, and Lamb JC. Toxic interaction of TCDD with thyroxine: enhanced incidence of cleft palate in mice. The Pharmacologist, 26:232 (1984)
- 33. Birnbaum LS and Matthews HB. Species differences in the toxicity of tetrachlorodibenzofuran (TCDF): role of disposition. Society of Toxicology Meeting, Atlanta, Georgia. Fundam. Appl. Pharmacol. (1984)
- 34. Birnbaum LS, Johnson L, and Eastin W. Age-related changes in glucose absorption. Age, 7:139 (1984)
- 35. Borghoff SJ and Birnbuam LS. Changes in metabolism and excretion of allyl isothiocyanate in senescent rats. Age, 7:140 (1984)
- 36. Kao LR and Birnbaum LS. Disposition of O-benzyl-p- chlorophenol in rats. The Toxicologist, 5:239 (1985)
- 37. Borghoff SJ and Birnbaum LS. Age-related changes in the metabolism and excretion of allyl isothiocyanate. The Toxicologist, 5:239 (1985)
- 38. Miller CP, Harris MW, and Birnbaum LS. Teratogenicity of hexabrominated naphthalene, a toxic contaminant of polybrominated biphenyls, in C57B1/6N mice. The Toxicologist, 5:122 (1985)
- 39. Birnbaum LS, Harris MW, Miller CP, Pratt RM, and Lamb JC. Teratogenicity of TCDD in mice: enhancement by hydrocortisone. The Toxicologist, 5: 201 (1985)
- 40. Eastin WC and Birnbaum LS. Age-related changes in intestinal transport. The Toxicologist, 5:160 (1985)
- 41. Bond JA, Dutcher JS, Medinsky MA, Henderson RF, Birnbaum LS. Metabolism and disposition of ¹⁴C-methyl bromide in Fischer-344 rats after inhalation. The Toxicologist, 5: 73, (1985)
- 42. Dutcher JS, Bond JA, Henderson RF, and Birnbaum LS. Effect of concentration on the disposition of inhaled C-methyl bromide in Fischer-344 rats after inhalation. The Toxicologist, 5:73 (1985)
- 43. Lobaugh B, Drezner MK, Birnbaum LS, Schuette SA, and Havlir DV. The role of decreased renal 25-hydroxy-vitamin D-l-hydroxylase (l-OHase) activity in gastrointestinal (Gl) malabsorption of calcium (Ca) in the aging rat: a reappraisal. 6th International Congress on vitamin D, Mareno, Italy, March (1985)
- 44. Birnbaum LS. Age-related changes in the disposition of toxic substances. Symposium at 38th Annual Meeting of Society of Gerontology, New Orleans, Nov (1985)

- 45. Agarwal DK, Birnbaum LS, and Kluwe WM. The influence of age on biological effects of Di-2-ethylhexylphthalate (DEHP) in male rats. The Pharmacologist 27: 252 (1985)
- 46. Gordon EB, Mansur CA, Muni IA, Mullenix P, Smith KN, and Birnbaum LS. Safety evaluation of 4,4'-thiobis-(6-t-butyl-m-cresol) in rats and mice. II. subchronic test. 12th Symposium on Environmental Pollutants and Toxicology. Kyoto, Japan, Oct. 7-8 (1985)
- Hebert CD and Birnbaum LS. Age-related changes in TCDD Absorption. The Toxicologist, 6:310 (1986)
- 48. Birnbaum LS and Couture LA. Disposition of octachlorodibenzo-p-dioxin (OCDD) in Rats. The Toxicologist, 6:310 (1986)
- 49. Borghoff SJ and Birnbaum LS. Alterations in glucuronidation with age in vivo and in vitro using 4,4'-thiobis (6-t-butyl-m-cresol) as module compound. The Toxicologist, 6:147 (1986)
- 50. Dahl AR, Bond JA, Henderson RF, and Birnbaum LS. Studies on the fate of inhaled isoprene (2-methyl-1,3-butadiene) in rats may predict its toxicity. The Toxicologist, 6:57 (1986)
- 51. Bond JA, Dahl AR, Henderson RF, and Birnbaum LS. Species differences in the disposition and metabolism of inhaled butadiene. The Toxicologist, 6:56 (1986)
- 52. Mewhinney JA, Ayres PH, Bechtold WE, Dutcher JS, Cheng YS, Bond JA, Medinsky MA, Henderson RF, and Birnbaum LS. The fate of inhaled azodicarbonamine in rats. The Toxicologist, 6:56 (1986)
- Sabourin PJ, Chen, BT, Henderson RF, Lucier G, and Birnbaum LS. Effect of dose on absorption and excretion of ¹⁴C-benzene administered orally or by inhalation. The Toxicologist, 6:163 (1986)
- 54. Mansur CA, Muni IA, and Birnbaum LS. Prechronic dose feed toxicity studies of 4,4'-thiobis-(6-t-butyl-m-cresol) in rats and mice. The Toxicologist, 6:300 (1986)
- 55. Chang MJW, Hejtmancik MR, Peters AC, and Birnbaum LS. Effects of o-benzyl-pchlorophenol (BCP) on porphyrin excretion in F344 rats. The Toxicologist, 6:313 (1986)
- 56. Tomaszewski K, Harrington F, Greenwell A, Rahn C, Moore J, Birnbaum LS, and Melnick R. Interactive effects of Di(2-ethylhexyl)phthalate (DEHP) and 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) on lipid metabolism in F344 rats. The Toxicologist, 6:44 (1986)
- 57. Abbott BD, Morgan D, Birnbaum LS, and Pratt RM. Morphological alterations in fetal mouse kidneys exposed to TCDD *in utero*. Teratology, 33:87C, (1986)
- 58. Abbott BD, Birnbaum LS, and Pratt RM. TCDD-induced hyperplasia of the fetal ureteric epithelium produces hydronephrosis. The Pharmacologist, 28:179 (1986)
- 59. Brewster DW and Birnbaum LS. Disposition and excretion of 2,3,4,7,8pentachlorodibenzofuran in the rat. The Pharmacologist, 28:179 (1986)
- 60. Birnbaum LS, Harris MW, and Morrissey RE. Teratogenicity of polychlorinated dibenzofurans (PCDFs) in mice. The Pharmacologist, 28:179 (1986); Environ. Health Perspect. 75: 147-147
- 61. Birnbaum LS, Harris MW, and Morrissey RE. Additive teratogenic effects of polychlorinated dibenzofurans (PCDFS). The Toxicologist, 7:159 (1987)
- 62. Ryan RP, Nelson KG, Lucier GW, Birnbaum LS, and Sunahara GI. 2,3,4,7,8-Pentachlorodibenzofuran and 1,2,3,4,7,8-hexachlorodibenzo-furan decrease glucocorticoid receptor binding in mouse liver and placental cytosol. The Toxicologist, 7:125 (1987)
- 63. Brewster DW and Birnbaum LS. Toxicity and disposition of 2,3,4,7,8pentachlorodibenzofuran (PCDF) in the rhesus monkey. The Toxicologist, 7:160 (1987)
- 64. Brewster DW and Birnbaum LS. 2,3,4,7,8-pentachlorodibenzofuran (PCDF): toxicokinetics and metabolism in the rat. Envir. Health Perspect. 75:147-148 (1987)

- 65. Couture LA. and Birnbaum LS. Evaluation of subchronic exposure to octachlorodibenzodioxin (OCDD). The Toxicologist, 7:161 (1987)
- 66. Diliberto JJ, Usha G, and Birnbaum LS. Citral: Model for terpene disposition in rats. The Toxicologist, 7:237 (1987)
- 67. Usha G, Diliberto JJ, and Birnbaum LS. Distribution and excretion of 3,7-dimethyl-2,6octadienal (citral) in rats. The Toxicologist, 7:120 (1987)
- 68. Borghoff SJ, Stefanski S, and Birnbaum LS. Alterations in glucuronidation and toxicity with age using 4,4'-thiobis(6-t-butyl-m-cresol) (TBBC) as a model compound. The Toxicologist, 7:119 (1987)
- 69. Abbott BD, Birnbaum LS, and Pratt RM. TCDD produces hydronephrosis in fetal mice by inducing hyperplasia of the ureteric epithelium. The Toxicologist, 7:124 (1987)
- 70. Abbott BD, Birnbaum LS, and Pratt RM. TCDD effects the basal lamina and extracellular matrix of the fetal mouse kidney. The Toxicologist, 7:124 (1987)
- 71. Medinsky MA, Bechtold WE, Birnbaum LS, Chico DM, Henderson RF, and Gerlach RL. Uptake of vinylidene fluoride (VDF) in rats simulated by a physiological model. The Toxicologist, 7:32 (1987)
- 72. Bond JA, Sabourin PJ, Dahl AR, Birnbaum LS, and Henderson RF. Disposition and metabolism of inhaled l-chloro-2-propanol in rats. The Toxicologist, 7:30 (1987)
- 73. Sabourin PJ, Bechtold WE, Birnbaum LS, Lucier G, and Henderson RF. Water-soluble benzene metabolites in F344/N rats and B6C3F mice during and following ³H-benzene inhalation. The Toxicologist, 7:232 (1987)
- 74. Borghoff SJ, Birnbaum LS. Glucuronidation changes with age measured both in vivo and in vitro using 4,4'-thiobis(6-tert-butyl-meta-cresol) as a model-compound. Environ. Health Perspect. 75:147(1987)
- 75. Sun JD, Dahl AR, Bond JA, Henderson RF, and Birnbaum LS. Characterization of ¹⁴C-Butadiene adduct formation to hemoglobin in mice and rats. The Toxicologist, 8:215 (1988)
- 76. Sabourin PJ, Birnbaum LS, Lucier G, and Henderson RF. Metabolism of ³H-benzene in F344/N rats and B6C3F mice: species and dose effect. The Toxicologist, 8:70 (1988)
- 77. Medinsky MA, Sabourin PJ, Henderson RF, Lucier G, Birnbaum LS. Insight into the interspecies differences in benzene toxicity provided by a physiological model. The Toxicologist, 8:156 (1988)
- 78. Couture LA, Harris MW, and Birnbaum LS. Teratogenicity of 2,3,4,7,8pentachlorodibenzofuran (4-PeCDF) in F344 rats. The Toxicologist, 8:98 (1988)
- 79. Birnbaum LS, Harris MW, and Morrissey RE. Selective enhancement of teratogenicity in mice by TCDD and vitamin A (RA). The Toxicologist, 8:90 (1988)
- 80. Diliberto JJ, Usha G, Burka LT, Birnbaum LS. Biotransformation of citral in rats. The Toxicologist, 8:208 (1988)
- 81. Harris MW and Birnbaum LS. Teratologic evaluation of perfluorodecanoic acid (PFDA) in C57BL/6N mice. The Toxicologist, 8:99 (1988)
- 82. Brewster DW, Harris MW, and Birnbaum LS. Toxicity of perfluorodecanoic acid (PFDA) is unlike that of TCDD. The Toxicologist, 8:99 (1988)
- 83. Banks-Case, YB, Brewster DW, and Birnbaum, L.S. Dermal absorption of polychlorinated dibenzofurans (PCDFs) and TCDD. The Toxicologist, 8:124 (1988)
- 84. Hejtmancik M, Ryan M, Peters AC, Eastin WC, and Birnbaum, LS. Dermal initiation/ promotion study of o-benzyl-p-chlorophenol in Swiss CD-l mice. The Toxicologist, 8:161

(1988)

- 85. Hebert CD and Birnbaum LS. Response of human squamous cell carcinoma cells to transforming growth factor Beta (TGF-β). FASEB J., 2(5):A1009 (1988)
- 86. Lin FS, Stohs S, Birnbaum, LS, Lucier GW, and Goldstein JA. Decreases in hepatic glucocorticoid (GCR) and epidermal growth factor (EGF) receptor binding in mouse liver after treatment with 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). FASEB J., 2(4):A375 (1988)
- 87. Abbott BD and Birnbaum LS. TCDD and retinoic acid both alter epithelial EGF receptor expression during palatogenesis. Teratology, 37(5):443 (1988)
- Abbott BD and Birnbaum LS. Mechanism of TCDD-induced ureteric epithelial hyperplasia. J. Cell Biol. 107:696a (1988)
- 89. Hebert CD, and Birnbaum LS. Effects of transforming growth factor-β on growth and differentiation, and presence of specific TGF-β receptors in human squamous carcinoma cells. J. Cell. Biochem., S13B: 127 (1989)
- 90. Abbott BD, Diliberto JJ, and Birnbaum LS. TCDD alters embryonic palatal cell differentiation in vitro. Toxicologist, 9:33 (1989)
- 91. Banks YB, Brewster DW, and Birnbaum LS. Age-related changes in dermal absorption of TCDD and 2,3,4,7,8-pentachlorodibenzofuran (4PeCDF). Toxicologist, 9:118 (1989)
- 92. Couture LA, Harris MW, and Birnbaum LS. Characterization of TCDD-induced hydronephrosis relative to cleft palate in C57BL/6N mice. Toxicologist, 9: 117 (1989)
- 93. Diliberto JJ, Srinivas P, Burka LT, and Birnbaum LS. *In vivo* metabolism of Cis and Trans 3,7dimethyl-2,6-octadienal (Citral) in rats. Toxicologist, 9:87 (1989)
- 94. Hebert CD, Harris MW, Elwell MR, and Birnbaum LS. Comparative toxicity of chlorinated dibenzodioxins and dibenzofurans. Toxicologist, 9:117 (1989)
- 95. McMahon TF, Diliberto JJ, and Birnbaum LS. Age related changes in disposition of benzyl acetate (BA): a model compound for glycine conjugation. Toxicologist, 9:88 (1989)
- 96. Sabourin PJ, Sun JD, Birnbaum LS, Lucier G, and Henderson RF. Effect of repeated benzene inhalation exposures on subsequent metabolism of benzene. Toxicologist, 9:282 (1989); Exper. Pathol. 37(-4): 155-157
- 97. Medinsky MA, Singh G, Bechtold WE, Bond JA, Sabourin PJ, and Birnbaum LS. Disposition of three glycol administered in drinking water to male F344/N rats. Toxicologist, 9:85 (1989)
- 98. Sun JD, Dahl AR, Bond JA, Birnbaum LS, and Henderson RF. Metabolism of inhaled butadiene in monkeys. Toxicologist, 9:284 (1989)
- 99. Harris MW, Stocking LM, Morrissey RE, Clark AM, and Birnbaum LS. TCDD and Retinoic Acid (RA) interact synergistically in Cleft Palate (CP) induction in mice. Toxicologist, 9:116 (1989)
- 100. Henderson RF, Sun JD, Dahl AR, Sabourin PJ, Bond JA, Lucier G, and Birnbaum LS. Hemoglobin adducts reflect exposure but not toxicity in rodents treated with butadiene, isoprene, or benzene. Toxicologist, 9:281, (1989)
- 101. Hejtmancik M, Ryan M, Peters A, and Birnbaum LS. Chronic toxicity studies of o-benzyl-pchlorophenol in F344 rats and B6C3Fl mice. Toxicologist, 9:211 (1989)
- 102. Stohs SJ, Abbott BD, Lin FS, and Birnbaum LS. Biochemical effects of TCDD in skin and liver of HRS/J mice. Toxicologist, 9:117 (1989)
- 103. Lin FH, Stohs S, Birnbaum LS, Clark G, Lucier G, and Goldstein JA. Role of the Ah locus in the regulation of the effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on epidermal growth factor (EGFR), glucocorticoid (GCR), and estrogen (ER) receptors in mouse liver.

Toxicologist, 9:116 (1989)

- 104. Abbott BD, and Birnbaum LS. TCDD affects the medial epithelium of cultured rat palatal shelves. Teratology, 39:439 (1989)
- 105. Clark GC, Lin FH, Birnbaum LS, Goldstein JA, and Lucier G. Contribution of the Ah locus in the regulation of the effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in hepatic epidermal growth factor receptor (EFGR) expression and tyrosine kinase activity. Proc. 80th Ann. Meeting Am. Assoc. Cancer Res., 30:12 (1989)
- 106. Medinsky MA, Sabourin PJ, Lucier G, Birnbaum LS, and Henderson RF. A toxicokinetic model for simulation of benzene metabolism. Exper. Pathol. 37(1-4):150-154 (1989)
- 107. McMahon TF, Diliberto JD, and Birnbaum LS. Age related changes in metabolism and disposition of salicylic acid (SAL) in male Fischer 344 rats. AGE (1989)
- 108. Abbott BD and Birnbaum LS. Effects of retinoic acid on TGF α and TGF β in embryonic palatal cells varies with developmental stage. J. Cell Biol., 109:245a (1989)
- 109. Birnbaum LS. Environmental chemicals, toxicity and aging. 15th Symposium on Environmental Pollutants and Toxicology, Sendai, Japan. November 9-10 (1989)
- 110. Hebert D., Cao Q-L, and Birnbaum LS. Chemically induced cell proliferation: implications for risk assessment. Austin, TX, Nov 29-Dec 2 (1989)
- 111. Lin FH, Clark G, Stohs S, Birnbaum LS, Lucier G, and Goldstein JA. The Ah locus mediates the effects of 2,3,7,8- tetrachlorodibenzo-p-dioxin (TCDD) on epidermal growth factor receptor (EGFR) binding through a mechanism which does not involve EGFR in RNA. Toxicologist, 10:31 (1990)
- 112. Diliberto JJ, Kedderis LB, and Birnbaum LS. Absorption of 2,3,7,8-tetrabromodibenzodioxin (TBDD) in male rats. Toxicologist, 10:54 (1990)
- 113. McMahon TF and Birnbaum LS. Age-related changes in biotransformation and toxicity of potassium cyanide (KCN) in male C57BL/6N mice. Toxicologist, 10:326 (1990)
- 114. Birnbaum LS, McMahon TF, and Diliberto JJ. Age-related changes in metabolism and disposition of salicylic acid (SAL) in male Fischer 344 rats. Toxicologist, 10:238 (1990)
- 115. Harris MW, Allen JD, Haskins EA, Morrissey RM, and Birnbaum LS. Developmental toxicity of brominated dibenzodioxin and furans in mice. Toxicologist, 10:313, 1990.
- 116. Kedderis LB, Diliberto JJ, and Birnbaum LS. Disposition of intravenous 2,3,7,8tetrabromodibenzodioxin (TBDD) in rats. Toxicologist, 10:310 (1990)
- 117. Stefanski SA, McMahon TF, Wilson RE, Blair PC, Clark AM and Birnbaum LS. Enzymuria as an indicator of toxicity after administration of salicylic acid (SAL), 2,3-dihydroxybenzoic acid (2,3-DiOH) and 2,5-dihydroxybenzoic acid. Toxicologist, 10:268 (1990)
- 118. Banks YB and Birnbaum LS. Finite dermal absorption after low dose TCDD exposure. Toxicologist, 10:309 (1990)
- 119. Abbott BD and Birnbaum LS. Interspecies sensitivity to TCDD examined using embryonic palatal organ culture. Toxicologist, 10:314 (1990)
- 120. Monteiro-Riviere NA, Banks YB and Birnbaum LS. Laser doppler measurements of cutaneous blood flow in aging mice and rats. Toxicologist, 10:151 (1990)
- 121. Jackson JA, Banks YB, and Birnbaum LS. Maximum dermal absorption of TCDD occurs in weanling rats. Toxicologist, 10:309 (1990)
- 122. Freeman GB, Trejo R, Hejtmancik M, Peters A, Kurtz P, and Birnbaum L. Neurobehavioral evaluation of exposure to 4,4'-thiobis-(6-t-butyl-m-cresol) in Fischer 344 rats. Toxicologist, 10:304 (1990)

- 123. Couture LA, Harris MW, Clark AM, and Birnbaum LS. Persistence of hydronephrosis in mice following in utero and/or lactational exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Toxicologist, 10:313 (1990)
- 124. Hebert CD, and Birnbaum LS. Role of transforming growth factor-β in TCDD changes in growth of epithelial cells. Toxicologist, 10:312 (1990)
- 125. Bechtold WE, Lucier G, Birnbaum LS, Yin S-N, Li G-L, and Henderson RF. Determination of muconic acid in the urine of workers occupationally exposed to benzene as a biological exposure index. Toxicologist, 10:280 (1990)
- 126. Henderson RF, Bond JA, Bechtold WE, Sun JD, Birnbaum LS, Dahl AR, and Medinsky MA. Disposition of inhaled isoprene in B6C3Fl mice. Toxicologist, 10:216 (1990)
- 127. Sabourin PJ, Medinsky MA, Birnbaum LS, Thurmond F, and Henderson RF. Dermal absorption and disposition of methoxy- (ME), ethoxy- (EE), and butoxy[U-¹⁴C] ethanol (BE). Toxicologist, 10:236 (1990)
- 128. Abbott BD and Birnbaum LS. TCDD alters the expression of growth factors in the embryonic mouse palate. Teratologist, 41:535 (1990)
- 129. Birnbaum LS. Metabolism of xenobiotics in aging & carcinogenesis. International Carcinogenesis Meetings, Hamburg, West Germany, August 16-22 (1990)
- 130. Diliberto JJ, Kedderis LB, and Birnbaum LS. Acute oral exposure to 2,3,7,8tetrabromodibenzo-ρ-dioxin (TBDD). The International Conference on Organohalogen Compounds, September, 1990, Bayreuth, Germany (1990)
- 131. Abbott BD and Birnbaum LS. Interspecies sensitivity to TCDD examined with embryonic palatal organ culture. The International Conference on Organohalogen Compounds, September 10-14, 1990, Bayreuth, Germany (1990)
- 132. Abbott BD and Birnbaum LS. TGF- β 1 & EGF expression increases in palatal epithelia exposed to hydrocortisone (HC) and HC + TCDD. J. Cell Biol (1990)
- 133. Fisher HL, Sumler MR, Shrivastava SP, Edwards BE, Goodwin J, Birnbaum LS, and Hall LL. A comparison of dermal and oral absorption with four para substituted phenols. Route-to-route Extrapolation for Risk Assessment Conference, 3/19-21/90, Hilton Head Island, SC (1990)
- 134. Henderson RF, Sabourin PJ, Medinsky MA, Birnbaum LS, and Lucier GL. Benzene dosimetry in experimental animals: relevance for risk assessment. Relevance of Animal Studies Conference, December 5-9, 1990, Austin, TX (1990)
- 135. Shyr LJ, Sabourin PJ, Medinsky MA, Birnbaum LS, and Henderson RF. The development of a physiologically based pharmacokinetic model for 2-butoxyethanol metabolism rats following different routes of exposure. Toxicologist, 11:44 (1991)
- Medinsky MA, McMahon TF, and Birnbaum LS. Age-related changes in benzene metabolism in C57BL/6N mice described by a physiologically based pharmacokinetic model. Toxicologist, 11:661 (1991)
- 137. Buckley-Kedderis L, Diliberto JJ, and Birnbaum LS. Biliary excretion of 2,3,7,8tetrabromodibenzo-p-dioxin (TBDD) and 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) metabolites in rats. Toxicologist, 11:1041 (1991)
- 138. Diliberto JJ, Jackson JA, and Birnbaum LS. Acute pulmonary absorption of 2,3,7,8-tetrabromodibenzo-p-dioxin (TBDD) in rats. Toxicologist, 11:1045 (1991)
- 139. Jackson JA, Diliberto JJ, Kedderis LB, and Birnbaum LS. Dermal absorption and disposition of 2,3,7,8-tetrabromodibenzo-p-dioxin (TBDD) in rats. Toxicologist, 11:1040 (1991)
- 140. Badr MZ and Birnbaum LS. Selective induction of peroxisomal enzyme activities by

perfluorooctanoic acid (PFOA) in aged rats. Toxicologist, 11:684 (1991)

- 141. McMahon, TF, and Birnbaum LS. Age-related changes in disposition and metabolism in benzene in male C57BL/CN mice. Toxicologist, 11:278 (1991)
- 142. Banks YB, and Birnbaum LS. Kinetics of 2,3,7,8-Tetrachlorodibenzofuran (TCDF) after low dose dermal exposure. Toxicologist, 11:1039 (1991)
- 143. Diliberto JJ, Jackson JA, and Birnbaum LS. Pulmonary exposure assessment of dioxins. Society of Occupational and Environmental Health Annual Conference, March 25-27, 1991, Crystal City, VA (1991)
- 144. Abbott BD and Birnbaum LS. TCDD and hydrocortisone alter expression of TGF-β1 and EGF mRNA and peptide in the embryonic palate. 11th International Symposium on Chlorinated Dioxins and Related Compounds, Dioxin >91, September 23-27, 1991, Research Triangle Park, NC (1991)
- 145. Pegram RA, Diliberto JJ, Leavens TL, Gao P, and Birnbaum LS. 2,3,7,8-tetrachlorodibenzo-pdioxin (TCDD) distribution and cytochrome P450IaI induction in young and senescent C67BL/6N mice. 11th International Symposium on Chlorinated Dioxins and Related Compounds, Dioxin >91, September 23-27, 1991, Research Triangle Park, NC (1991)
- 146. Abbott BD, Diliberto JJ, and Birnbaum LS. Mechanisms of TCDD-induction of cleft palate: Insights from in vivo and in vitro approaches. 11th International Symposium on Chlorinated Dioxins and Related Compounds, Dioxin >91, September 23-27, 1991, Research Triangle Park, NC (1991)
- 147. McKinley MK, Diliberto JJ, and Birnbaum LS. 2,3,7,8-tetraclorodibenzofuran (TCDF) pretreatment of male Fisher rats alters the hepatic metabolism of a subsequent dose. 11th International Symposium on Chlorinated Dioxins and Related Compounds, Dioxin >91, September 23-27, 1991, Research Triangle Park, NC (1991)
- 148. Buckley-Kedderis L, Diliberto JJ, Jackson JA, Linko P, Goldstein JA, and Birnbaum LS. Effects of dose and route of exposure on dioxin disposition. 11th International Symposium on Chlorinated Dioxins and Related Compounds, Dioxin >91, September 23-27, 1991, Research Triangle Park, NC (1991)
- 149. Jackson JA, Diliberto JJ, and Birnbaum LS. Estimation of octanol-water partition coefficients and correlation with dermal absorption for several polyhalogenated dibenzo-p-dioxins and dibenzofurans. 11th International Symposium on Chlorinated Dioxins and Related Compounds, Dioxin >91, September 23-27, 1991, Research Triangle Park, NC (1991)
- 150. Diliberto JJ, Jackson JA, and Birnbaum LS. Absorption of 2,3,7,8-tetrabromodibenzo-*p*-dioxin (TBDD) via intratracheal instillation in rats. 11th International Symposium on Chlorinated Dioxins and Related Compounds, Dioxin >91, September 23-27, 1991, Research Triangle Park, NC (1991)
- 151. Hughes MF, Edwards BD, Goodwin JH, Mitchell CT, Sumler MR, Fisher HL, Birnbaum LS, and Hall LL. Effect of age on the in vitro penetration of p-substituted phenols through mouse skin. Sixth Annual Meeting of American Association of Pharmaceutical Scientist, November 17-21, 1991, Washington, DC (1991)
- 152. Henderson RF, Sabourin PJ, Muggenburg BA, Couch RC, Birnbaum LS, and Lucier GW. Metabolism of benzene by nonhuman primates. Toxicologist, 12:810 (1992)
- 153. Buckley-Kedderis L, and Birnbaum L.S. Biliary excretion and hepatic disposition of TCDD in rats. Toxicologist, 12:213 (1992)

- 154. Diliberto JJ, Jackson JA, and Birnbaum LS. Disposition and absorption of intratracheal, oral, and intravenous ^{3H}TCDD in male Fischer rats. Toxicologist, 12:218 (1992)
- 155. Jackson JA, Diliberto JJ, and Birnbaum LS. Estimation of octanol-water partition coefficients and correlation with dermal absorption for several polyhalogenated dibenzo-p-dioxins and dibenzofurans. Toxicologist, 12:377 (1992)
- 156. Pegram RA, Diliberto JJ, Leavans TL, Gao P, and Birnbaum LS. Comparative induction of cytochrome P4501A1 by 2,3,7,8-tetrachlorodibenzo-p-dioxins (TCDD) and tissue distribution of TCDD in young and senescent C57BL/6N mice. Toxicologist, 12:212 (1992)
- 157. McKinley MK, Buckley-Kedderis L, and Birnbaum LS. 2,3,7,8-tetrachlorodibenzo dioxin (TCDD) pretreatment of male fischer rats alters the hepatic metabolism of 3,3'4,4'-tetrachlorobiphenyl (TCB). Toxicologist, 12:161 (1992)
- 158. Hughes MF, Fisher HL, Birnbaum LS. and Hall LL. In vitro dermal absorption of p-substituted phenols in mice: effect of age. Toxicologist, 12:365 (1992)
- 159. DeVito MJ, Diliberto JJ, and Birnbaum LS. Comparative ability of TCDD to induced hepatic and skin cytochrome P450 1A1 activity following 13 weeks of treatment. Organohalogan Compounds, 10:41-44 (1992)
- 160. Diliberto JJ, Jackson JA, and Birnbaum LS. Effects of exposure route on absorption, distribution and elimination of ^{3H}TCDD in rats. Organohalogen Compounds, 10:45-48 (1992)
- 161. Kedderis LB, Mills JJ, Anderson ME, and Birnbaum LS. A physiologically based pharmacokinetic model for 2,3,7,8-tetrabromodibenzo-p-dioxin (TBDD) in the rat. Organohalogen Compounds, 10:113-116 (1992)
- 162. Mills JJ, Kedderis L, Birnbaum LS, and Anderson ME. Toxicokinetics of 2,3,7,8-TCDD (dioxin) and related compounds. Organohalogen Compounds, 10:153-156 (1992)
- 163. Birnbaum LS. EPA's reassessment of dioxin risk: directed health research. Organohalogen Compounds, 10:287-290 (1992)
- 164. Abbott BD, Diliberto JJ, and Birnbaum LS. Glucocorticoid receptor involvement in embryonic mouse palatal response to TCDD and hydrocortisone. J. Cell Biol., 3:828 (1992); Mol Biol Cell 3: A143, suppl. S
- 165. Birnbaum LS. The mechanism of dioxin toxicity: relationship to risk assessment. July 3-6, 1992, Bologna, Italy (1992)
- 166. Birnbaum LS. Role of toxicokinetics in the design and interpretation of risk assessment studies. Fourth North American ISSX Meeting. November 2-6, 1992, Bar Harbour, FL (1992)
- 167. Birnbaum LS. Developmental effects: an overview. "Current views on the impact of dioxin and furans on human health and the Environment". Toxicology Forum Meeting, November 9-11, 1992, Berlin, Germany (1992)
- Anderson ME, Mills JJ, Birnbaum LS, and Conolly RB. Receptor-mediated toxicity and implications for risk assessment. Barton Creek Conference, December 8-11, 1992, Austin, TX (1992)
- 169. Birnbaum LS. Experimental evidence for the role of the Ah receptor in responses to dioxin. Barton Creek Conference, December 8-11, 1992, Austin, TX (1992)
- 170. Birnbaum LS. Mechanisms of dioxin toxicity: Implications for risk assessment. AAAS*93, February 11-16, 1993, Boston, MA (1993)
- 171. Luebke RW, Copeland CB, Andrews DL, Diliberto JJ, Akubue PI, and Birnbaum LS. Effects of TCDD exposure on resistance to <u>T</u>. <u>Spiralis</u> infection in mice. Toxicologist, 13:306 (1993)
- 172. Abbott BD, Diliberto JJ, and Birnbaum LS. TCDD alters expression of glucocorticoid receptor

in enbryonic mouse palate. Toxicologist, 13:316 (1993)

- 173. Ross DG, DeVito MJ, Diliberto JJ, and Birnbaum LS. Comparative ability of 1.2.3.7,8pentachlorodibenzo-p-dioxin to induce EROD activity in liver, lung and skin. Toxicologist, 13:697 (1993)
- 174. DeVito MJ, Diliberto JJ, MA X, Babish J, and Birnbaum LS. Comparative ability to induce CYP1A1 and 1A2 activity and protein tyrosine phosphorylation. Toxicologist, 13:698 (1993)
- 175. Connor K, Narasimhan TR, Fernandez P, Safe L, Birnbaum L, Menache M, and Safe S. Dosereponse induction of CYP1A1 gene expression by 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in the Fischer 344 rat. Toxicologist, 13:699 (1993)
- 176. Hébert D, DeVito M.J, and Birnbaum LS. Relative toxicity and enzyme-inducing potency of 2chlorinated axo(xy) benezene compounds and TCDD. Toxicologist, 13:704 (1993)
- 177. Diliberto JJ, Akubue PI, Jackson JA, Luebke RW, Copeland CB, and Birnbaum LS. Dosedependent tissue distribution of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in mice. Toxicologist, 13:712 (1993)
- 178. Andersen ME, Mills JJ, Birnbaum LS, and Conolly RB. Stochastic dose-response modeling of hepatic promotion by dioxin. Toxicologist, 13:716 (1993)
- 179. Birnbaum LS, and DeVito MJ. Comparative induction of EROD activity by TCDD and TCDF following 4 or 13 weeks of treatment. Toxicologist, 13:1038 (1993)
- 180. Jackson JA, Diliberto JJ, and Birnbaum LS. Dermal absorption and disposition of 3,4,3',4'tetrachlorobiphenyl (TCB) in male F344 rats. Toxicologist, 13:1414 (1993)
- 181. Birnbaum LS, Cook PM, Farland W, Preuss P, and Schaum JC. The U.S. EPA's scientific reassessment of the risks of exposure to dioxin. Organohalogen Compounds, 13:1-4 (1993)
- 182. Andersen ME, Birnbaum LS, Conolly RB, and Mills JJ. Tumor promotion, growth factors and dioxin risk assessments. Organohalogen Compounds, 13:31-34 (1993)
- 183. Diliberto JJ, Akubue PI, Luebke RW, and Birnbaum LS. Dose-and time-dependent tissue distribution and induction of CYP1A1 and CYP1A2 in female B6C3F1 mice following acute exposure to [³H]TCDD. Organohalogen Compounds, 13:233-236 (1993)
- Birnbaum LS, Ross DG, and DeVito MJ. Dose response relationships for EROD induction in liver, lung and skin for dioxin and dibenzofurans. Organohalogen Compounds, 13:237-240 (1993)
- 185. Abbott BD, Perdew, GH, Diliberto JJ, and Birnbaum LS. Ah receptor expression in embryonic palate exposed to TCDD. Organohalogen Compounds, 13:333-336 (1993)
- 186. Gray, LE, Ostby JS, Kelce W, Marshall R, Diliberto JJ, and Birnbaum LS. Perinatal TCDD exposure alters sex differentiation in both female and male LE hooded rats. Organohalogen Compounds, 13:337-340 (1993)
- 187. Abbott BD, Perdew GH, and Birnbaum LS. Ah receptor expression in embryonic C57BL/6N mouse from gestation day 10 to 16. Toxicologist, 14:1028 (1994)
- 188. Reed BM, Diliberto JJ, Pegram R, Moore T, Jackson JA, and Birnbaum LS. Effect of age and dose on TCDD disposition in mice. Toxicologist, 14:1046 (1994)
- Jackson JA, Diliberto JJ, and Birnbaum LS. Modulation of cytochrome P-450 isozymes in male F344 rats does not alter the biliary excretion of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Toxicologist, 14:1047 (1994)
- 190. Ross DG, DeVito MJ, and Birnbaum LS. Relative induction potency of polychlorinated biphenyls (PCBs) and TCDD in mouse liver, lung and skin. Toxicologist, 14:1065 (1994)
- 191. Gray LE, Ostby J, Marshall R, Kelce W, Monosson, E, Miller, D.B, and Birnbaum LS. 2,3,7,8-

TCDD alters sex differentiation in female and male syrian hamsters (H) and LE hooded rats (R). Toxicologist, 14:1502 (1994)

- 192. DeVito MJ, Beebe LE, and Birnbaum LS. Sex differences in induction of CYP1A1 and CYP1A2 Activity by TCDD in Fisher 344 Rats. Toxicologist, 14:1504 (1994)
- 193 Batra R, DeVito MJ, and Birnbaum LS. Role of Ah receptor in the induction of cytochrome P450 1A1 and 1A2 enzymes in response to TCDD exposure. Toxicologist, 14:1616 (1994)
- 194. Birnbaum LS. Animals as predictors of human response: dioxins and PCBs. Great Lakes Human Health Research Symposium, May 4-6, 1994, Detroit, MI (1994)
- 195. Diliberto JJ, DeVito MJ, Ross DG, Little K, and Birnbaum LS. Relationship of steady-state exposure and pharmacokinetics of [³H]2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in the female mouse. Organohalogen Compounds, 21:235-238 (1994)
- 196. Stahl BU, Vilukseia M, Diliberto JJ, Birnbaum LS, and Rozman KK. Subchronic (13 week) toxicity of a mixture of four chlorinated dibenzo-p-dioxins in Sprague-Dawley rats. Organohalogen Compounds, 21:341-344 (1994)
- 197. Batra R, Andersen ME and Birnbaum LS. Physiologically-based pharmacokinetic model for TCDD. Organohalogen Compounds, 21:399-403 (1994)
- 198. Diliberto JJ, DeVito MJ, Ross DG, Little KM, and Birnbaum LS. Subchronic pharmacokinetic study of [³H]2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in the mouse. International Society for the Study of Xenobiotics (ISSX), October 23-27, 1994, Raleigh, NC (1994)
- 199. Birnbaum, LS. Re-evaluation of dioxin. Proceedings of the 102nd Meeting of the Great Lakes Water Quality Board (1994)
- 200. Farland WH, Schaum J, Birnbaum LS, Winters D, and Goldman L. Status of dioxin-related activities at the United States Environmental Protection Agency (U.S. EPA). 15th International Symposium on Chlorinated Dioxins and Related Compounds, Dioxin >9, August 21-25, 1995, Edmonton, Alberta, Canada (1995)
- Birnbaum LS and Abbott BD. Effect of dioxin on growth factor and receptor expression in developing palate. Symposium - Methods in Developmental Toxicology/Biology, May 31-June 1, 1995, Berlin, Germany (1995)
- 202. Santostefano MJ, DeVito MJ, Diliberto JJ., Kopplin SE, and Birnbaum LS. Correlation of TCDD-induced CYP1A1 and CYP1A2 proteins with associated enzyme activities in multiple rat tissues. International Toxicologist, 7:72-P-16 (1995)
- 203. van Birgelen A, DeVito MJ, and Birnbaum LS. Tissue distribution of 2,3,7,8tetrachlorodiibenzo-p-dioxin and 2,2',4,4',5,5'-hexachlorobiphenyl after single dose coadministration in female B6C3F1 mice. International Toxicologist, 7:72-P-15 (1995)
- 204. Birnbaum LS. Developmental effects of dioxins and other endocrine disrupting chemicals. International Toxicologist, 7:72:79-S-5 (1995)
- 205. van Birgelen APJM, DeVito M.J, Ross DG, Richardson VM, and Birnbaum LS. Hepatic porphyrin accumulation following subchronic exposure of polychlorinated dibenzo-p-dioxins, dibenzofurans, or biphenyls in female B6C3F1 mice: use in risk assessment. International Toxicologist, 7:73-P-21 (1995)
- 206. Hurst C, DeVito MJ, Ross DG, Diliberto JJ, and Birnbaum LS. Additive interactions of mixtures containing polychlorinated dibenzo-p-dioxins, dibenzofurans and biphenyls. Toxicologist, 15:337 (1995)
- 207. Stahl BU, Viluksela M, Birnbaum LS, and Rozman KK. Subchronic toxicity of a mixture of

four chlorinated dibenzo-p-dioxins (CDDs) in Sprague-Dawley rats. Part II: Biochemical observations. Toxicologist, 15:358 (1995)

- 208. Viluksela M, Stahl BU, Birnbaum LS, Rozman KK. Subchronic toxicity of a mixture of four chlorinated dibenzo-p-dioxins (CDDs) in Sprague-Dawley rats. Part I: Study design and general observations. Toxicologist, 15:359 (1995)
- 209. Jackson JA, Diliberto JJ, DeVito MJ, Ross DG, Little KM, and Birnbaum LS. Elimination profiles in a subchronic study of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in mice. Toxicologist, 15:360 (1995)
- 210. Little KM, Diliberto JJ, DeVito MJ, Ross DG, and Birnbaum LS. Subcellular distribution of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in mice. Toxicologist, 15:362 (1995)
- 211. Ross DG, DeVito MJ, Diliberto JJ, and Birnbaum LS. Comparison of relative potency of tissue dose vs. administered dose of PCBs in the mouse. Toxicologist, 15:757 (1995)
- 212. DeVito MJ, Gasiewicz TA, Farland W, and Birnbaum LS. Comparisons of body burdens in humans and experimental animals exposed to dioxins. Toxicologist, 15:759 (1995)
- Diliberto JJ, DeVito MJ, Ross DG., Little KM, Jackson JA, and Birnbaum LS. Subchronic disposition of 2,3,7,8-tetrachloro-dibenzo-p-dioxin (TCDD) in mice. Toxicologist, 15:361 (1995)
- 214. Bull RJ and Birnbaum LS. Chlorination: essential process or cancer hazard? Introduction. Symposium: Water Chlorination: Essential Process or Cancer Hazard. Toxicologist, 15:1145 (1995)
- 215. Andersen ME, Eklund C, Mills JJ, and Birnbaum LS. A pharmacokinetic/ pharmacodynamic model for the regional induction of hepatic cytochrome P450 isoforms by TCDD. Toxicologist, 15:1455 (1995)
- 216. Batra R, DeVito MJ, Andersen ME, and Birnbaum LS. A physiologically-based pharmacokinetic (PB-PK) Model for TCDD in C57BL/6J mice. Toxicologist, 15:1456 (1995)
- 217. van Birgelen, APJM, DeVito MJ, Ross DG, Richardson VM, Birnbaum LS. Relative potencies derived from hepatic porphyrin accumulation following subchronic exposure of polychlorinated dibenzo-p-dioxins, dibenzofurans, or biphenyls in female B6C3F1 mice. Organohalogen Compounds, 25:1-6 (1995)
- 218. DeVito MJ, Ross DR, and Birnbaum LS. Disposition of PCDD/PCDF in mice. Organohalogen Compounds, 25:11-15 (1995)
- 219. van Birgelen APJM, DeVito MJ, and Birnbaum LS. Tissue distribution of 2,3,7,8tetrachlorodiibenzo-p-dioxin and 2,2',4,4',5,5'-hexachlorobiphenyl after single dose coadministration in female B6C3F1 mice. Organohalogen Compounds, 25:17-22 (1995)
- 220. Gray Jr LE, Ostby J, Wolf C, Miller DB, Kelce WR, Gordon CJ, and Birnbaum LS. Functional developmental toxicity of low doses of 2,3,7,8-tetrachlorodibenzo-p-dioxin and a dioxin-like PCB (169) in Long Evans rats and Syrian hamsters: reproductive, behavioral and thermoregulatory alterations. Organohalogen Compounds, 25:33-38 (1995)
- 221. Santostefano MJ, Little KM, DeVito MJ, Diliberto JJ, and Birnbaum LS. The role of CYP1A2 in localization of TCDD in subcellular fractions of rat and mouse tissues. Organohalogen Compounds, 25: 203-206 (1995)
- 222. Cummings A, Metcalf J, and Birnbaum LS. Effects of TCDD on the growth of endometriotic sites compared between rats and mice. Organohalaogen Compounds, 25:225-229 (1995)
- 223. Abbott BD, Diliberto JJ, and Birnbaum LS. Disposition of TCDD in pregnant C57BL/6N mice from 0.5 to 24 hours post-exposure. Organohalogen Compounds, 25:279-282 (1995)

- 224. Smialowicz RJ, DeVito MJ, Riddle MM, Williams WC, and Birnbaum LS. Opposite Effects of 2,2',4,4',5,5'-hexachlorobiphenyl and 2,3,7,8-tetrachlorodibenzo-p-dioxin on the splenic plaque-forming cell response to sheep red blood cells in female B6C3F1 mice. Organohalogen Compounds, 25:299-302 (1995)
- 225 Smialowicz RJ, Devito MJ, Riddle MM, Williams WC, and Birnbaum LS. Opposite effects of 2,2',4,4',5,5'-hexachlorobiphenyl (PCB153) and 2,3,7,8-TCDD on the antibody response to sheep red blood cells (SRBC) in mice. Toxicologist, 30:313 (1996); Fundam. Appl. Toxicol. 30(1):60-61 (1996)
- 226. Whisant N, Santostefano M, Richardson V, and Birnbaum L. Tissue distribution of [3H]2,3,7,8-tetrachlorodibeno-p-dioxin (TCDD) in female Sprague-Dawley rats after acute exposure: Subcellular TCDD levels in hepatic and pulmonary tissues. Toxicologist, 30:799 (1996)
- 227. DeVito MJ, Ross DG, and Birnbaum LS. Disposition of PCBs in B6C3F1 mice following 13 weeks of exposure. Toxicologist, 30:919 (1996)
- 228. van Birgelen APJM, Nix-Stevenson D, DeVito MJ, and Birnbaum LS. Synergistic hepatic porphyrin excretion after subchronic exposure to mixtures of PCDDs, PCDFs, and PCBs in mice. Toxicologist, 30:922 (1996)
- 229. Santostefano M, Whisnant N, Richardson V, Perdew G, Pollenz R, and Birnbaum L. Subcellular disposition of [³H]2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) in the liver and kidneys of female sprague-dawley rats after acute exposure: role of CYP1A2. Toxicologist, 30:927 (1996)
- 230. Hurst C, DeVito M, Abbott B, and Birnbaum L. 2,3,7,8-tetrachloro-dibenzo-*p*-dioxin (TCDD) in preganant rats: distribution to maternal and fetal tissues. Toxicologist, 30:1013 (1996)
- 231. van Birgelen APJM, DeVito MJ, and Birnbaum LS. Minimal interactive effects on induction of cytochrome P450 isozymes after co-administration of 2,3,7,8-tetrachlorodibenzo-p-dioxin and 2,2',4,4',5,5'-hexachlorobiphenyl in multiple tissues of female B6C3F1 mice. Faseb Journal 10(3):1028 (1996)
- 232. Birnbaum LS. Dioxin risk assessment issues. Society of Toxicology Pathologists Meeting, June 12, 1996, St. Louis, MO (1996)
- 233. Johnson KL, Cummings AM, and Birnbaum LS. Assessing the structure activity relationship of polyhalogenated aromatic hydrocarbons using endometriosis as an endpoint. Organohalogen Compounds 29, 268-271, 1996. Dioxin >96, Amsterdam, The Netherlands, August 12-16 (1996)
- 234. Hurst C, Abbott B, DeVito M, and Birnbaum L. Maternal and fetal disposition of TCDD in Long Evans rats. Organohalogen Compounds, 29:339-342 (1996)
- Santostefano MJ, Richardson VM, and Birnbaum LS. In vivo regulation of the hepatic cytosolic Ah receptor (AhR) protein by TCDD. Organohalogen Compounds, 29:430-433 (1996)
- 236. van Birgelen APJM, Diliberto JJ, DeVito MJ, and Birnbaum LS. Tissue CYP1A1 activity reflects tissue 1,2,7,8-tetrachlorodibenzo-*p*-dioxin concentration. Organohalogen Compounds, 29:439-442 (1996)

- 237. van Birgelen APJM, DeVito MJ, and Birnbaum LS. Toxic equivalency factors derived from cytochrome P450 induction in mice are predictive for cytochrome P450 induction after subchronic exposure to mixtures of PCDDs, PCDFs, and PCBs in female B6C3F1 mice and Sprague Dawley rats. Organohalogen Compounds, 29:251-256 (1996)
- 238. van Birgelen APJM, Nix-Stevenson D, DeVito MJ, Diliberto JJ, and Birnbaum LS. Synergism on porphyrin metabolism after subchronic exposure to mixtures of PCDDs, PCDFs, and PCBs in female B6C3F1 mice. Organohalogen Compounds, 29:300-305 (1996)
- 239. Wang X, Santostefano M, Evans M, Richardson V, Diliberto J, and Birnbaum L. Receptor incorporated physiologically-based pharmacokinetic model for TCDD distribution in rat. Organohalogen Compounds 29:389-393, 1996. Dioxin, >96, Amsterdam, The Netherlands, August 12-16 (1996)
- 240. Birnbaum LS and Farland WH. Health risk assessment for dioxin and related chemicals: the U.S. EPA Approch. Organohalogen Compounds, 30:279-281 (1996)
- 241. Birnbaum LS. Mechanisms of dioxin toxicity: people are animals. International Symposium of Dioxins and Furans, November 7-8, 1996, Heidelberg, Germany (1996)
- 242. Wang X, Santostefano MJ, Evans MV, and Birnbaum LS. Time-course of TCDD tissue distribution analyzed by a PBPK/PD model. SETAC `96, November 17-21, 1996, Washington, DC (1996)
- 243. van Birgelen APJM, Nix-Stevenson D, DeVito MJ, Diliberto JJ, and Birnbaum LS. Synergism on porphyrin metabolism after mixture exposusre to PCDD, PCDFs, and PCBs. SETAC `96, November 17-21, 1996, Washington, DC (1996)
- 244. Santostefano MJ, Richardson VM, and Birnbaum LS. In vivo regulation of the Ah receptor by TCDD. SETAC `96, November 17-21, 1996, Washington, DC (1996)
- 245. Santostefano MJ, Savas U, Jefcoate CR, and Birnbaum LS. Time-dependent regulation of CYP1A1, CYP1A2 and CYP1B1 protein expression by TCDD. ISSX `96, October 20-24, 1996, San Diego, CA (1996)
- 246. DeVito MJ and Birnbaum LS. The use of body burdens vs daily dose in comparisons of endo- and exodioxins and in assessing human health risks. Dioxin >96, Amsterdam, The Netherlands, August 11-16 (1996)
- 247. Jackson JA, Diliberto JJ, and Birnbaum LS. Biliary Elimination of 2,3,7,8tetrachlorodibenzo-p-dioxin (TCDD) involves sex-specific cytochrome P-450 metabolism and excretion of unchanged TCDD. Faseb Journal 10(3):1026 (1996)
- 248. Birnbaum LS. Effects of disinfection by products (DBPS). Abstracts Papers Amer. Chem. Soc. 211: 6-CHAS, Part 1 (1996)
- 249. Richardson VM, Santostefano MJ, Pollenz RS, Perdew GH, and Birnbaum LS. Multiple tissue expression of Ahr and Arnt protein in rats exposed to TCDD. Faseb J, 10(3): 1027 (1996)
- 250. Jackson JA, van Birgelen APJM, DeVito MJ, and Birnbaum LS. Reductions in hepatic retinoid levels after subchronic exposure to dioxin-like compounds in female mice and rats. SOT Meeting 1997, Cincinnati, OH, March 9-13 (1997)
- 251. Rozman KK, Viluksela M, Stahl BU, and Birnbaum, LS. Validation of the TEQ Concepts for Dioxins. Dioxin >97 Symposium, Indianapolis, IN August 25-29 (1997)
- 252. Wang X, Santostefano MJ, and Birnbaum LS. Extrapolation of a previous PBPK model for TCDD across doses, routes of exposure and genders in Sprague-Dawley Rats. Toxicologist, 36:159 (1997)
- 253. Richardson VM, Santostefano MJ, and Birnbaum LS. Dose-dependent effects of TCDD on Ah

receptor and ARNT expression in liver and adrenals of female Sprague-Dawley rats. Toxicologist, 36:647, 1997. SOT Meeting, Cincinnati, OH, March 9-11 (1997)

- 254. Menache MG, DeVito MJ, Graham RC, and Birnbaum, LS. An alternative approach for estimating relative potencies in the TEF methodology. Toxicologist, 36:858 (1997)
- 255. DeVito MJ, Jackson JA, van Birgelen, APJM, and Birnbaum LS. Reductions in hepatic retinoid levels after subchronic exposure todioxinlike compounds in female mice and rats. Toxicologist, 36:1086 (1997)
- 256. Santostefano MJ, Ross DG, Savas U, Jefcoate CR, and Birnbaum LS. Differential hepatic regulation of CYP1B1, CYP1A1 and CYP1A2 proteins by TCDD. Toxicologist, 36: 1097 (1997)
- 257. Van Birgelen APJM, Diliberto JJ, Smialowicz RJ, and Birnbaum LS. Toxic and biochemical responses in tissue reflect 2,3,7,8-TCDD concentration in corresponding tissue and 2,3,7,8-TCDD body burden. Toxicologist, 36:1098 (1997)
- 258. Birnbaum LS, DeVito MJ, and van Birgelen APJM. Relative potency factors derived from cytochrome P450 induction in mice predict cytochrome P450 induction in rats after exposure to a mixture of dioxin-like compounds. Toxicologist, 36:1099 (1997)
- 259. Pollenz RS, Santostefano M, and Birnbaum LS. The AH-receptor is rapidly depleted in the spleen, lung and thymus of rats following a single oral dose of TCDD. Toxicologist, 36:1231, 1997. SOT Meeting, Cincinnati, OH, March 9-13 (1997)
- Hurst CH, DeVito MJ, Abbott BD, and Birnbaum LS. Dose-response of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) distribution in pregnant long Evans rats. Toxicologist, 36:1307 (1997)
- 261. Smialowicz RJ, DeVito MJ, Riddle MM, Williams WC, and Birnbuam LS. Comparative immunotoxic potency of mixtures containing polychlorinated dibenzo-p-dioxins (PCDDs), dibenzofurans (PCDFs) and biphenyls (PCBs). Toxicologist, 36:1350, 1997. SOT meeting, Cincinnati, OH, March 9-11 (1997)
- 262. Birnbaum LS. Risk characterization of dioxins. Symposium on Current Topics in Pharmacology A97 Annual Congress, October 13-14, 1997, Seoul, Korea (1997)
- 263. Santostefano MJ, Wang X, DeVito MJ, Richardson V, Ross DG, and Birnbaum LS. Multiple tissue pharmacodynamic analysis of TCDD-induced biochemical responses. Organohalogen Compounds, 34:19-24 (1997)
- 264. Wang X, Santostefano MJ, DeVito MJ, and Birnbaum LS. Extrapolation of a previous PBPK model for TCDD across routes of exposure, gender, and from rats to mice. Organohalogen Compounds, 34:38-42 (1997)
- 265. DeVito MJ, Ross DG, van Birgelen APJM, and Birnbaum LS. The effects of mixtures of PCDDs, PCDFs, and PCBs on hepatic retinyl palmitate concentrations in mice. Organohalogen Compounds, 34:49-54 (1997)
- 266. van Birgelen APJM, DeVito MJ, Orzech D, Walker N, Birnbaum LS, Bucher J, and Lucier G. Design of 2-year bioassays with dioxin-like compounds in female Sprague Dawley rats. Organohalogen Compounds, 34:154-159 (1997)
- 267. Birnbaum LS. Beyond TEFs: Mixtures of Dioxins and Non-Dioxins. Organohalogen Compounds, 34:199-202 (1997)
- 268. van Birgelen APJM and Birnbaum LS. Synergistic effects of mixtures of dioxin-like and nondioxin-like compounds in rodents. Organohalogen Compounds, 34:203-208 (1997)
- 269. Ross DG, van Birgelen APJM, DeVito MJ, and Birnbaum LS. Relative potency factors derived

from CYP1A induction in mice are predictive for alterations in retinoid concentrations after subchronic exposure to mixtures of PCDDs, PCDFs, and PCBs in female Sprague Dawley rats. Organohalogen Compounds, 34:281-286, 1997. Dioxin >97, Indianapolis, IN, August 25-29 (1997)

- 270. van Birgelen APJM, Visser TJ, Kaptein E, Kodavanti PRS, Derr-Yellin EC, DeVito MJ, and Birnbaum LS. Synergists effects on thyroid hormone metabolism in female Sprague Dawley rats after subchronic exposure to mixtures of PCDDs, PCDFs, and PCBs. Organohalogen Compounds, 34:370-375 (1997)
- 271. Santostefano M, Birnbaum LS, and Diliberto JJ. CYP1A2 Knockout Mice: Decreased hepatic microsomal localization of TCDD. Organohalogen Compounds 34:380-385, 1997. Dioxin 97, Indianapolis, IN, August 25-29 (1997)
- 272. Diliberto JJ, Burgin D, and Birnbaum LS. CYP1A2: The Inducible Binding Protein for TCDD Sequestration. Organohalogen Compounds, 34:376-379 (1997)
- 273. Birnbaum LS. The U.S. EPA's Dioxin Reassessment, Seoul Dioxin Conference, Seoul, Korea, October 15 (1997)
- 274. Birnbaum LS. Cancer and noncancer risk assessment, ISSX Meeting, October 26-30, 1997, Hilton Head, SC (1998)
- 275. Hamm JT, Ross DG, Richardson VM, Diliberto JJ, and Birnbaum LS. MROD: An inappropriate marker for cytochrome P450 1A2 activity in the mouse. Toxicologist, 42:96 (1998)
- 276. Menache MG, Graham RC, DeVito MJ, and Birnbaum LS. Estimating the relative potency of a mixture of dioxin-like compounds. Toxicologist, 42:227 (1998)
- 277. Wang X, Santostefano MJ, DeVito MJ, and Birnbaum LS. Effect of exposure and species in previous PBPK model to TCDD. Toxicologist, 42:687 (1998)
- 278. Santostefano MJ, Wang X, DeVito MJ, Evans MV, Diliberto JJ, and Birnbaum LS. Development, validation and extrapolation of physiologically based pharmacokinetic and biologically based pharmacodynamic models of dioxin. Toxicologist, 42:697, 1998. SOT meeting, Seattle, WA, March 1-5 (1998)
- 279. Birnbaum LS, Visser TJ, Kaptein E, Kodavanti PRS, Derr-Yellin EC, Klasson-Wehler E, DeVito MJ, van Birgelen APJM. Involvement of multiple mechanisms in thyroid hormone metabolism by a mixture of dioxin-like compounds in female Sprague Dawley Rats. Toxicologist, 42:819 (1998)
- Richardson VM, Santostefano MJ, Blanton JL, Birnbam LS. Time-dependent expression of Ah receptor and ARNT proteins in multiple tissues of female Sprague-Dawley rats. Toxicologist, 42:1225 (1998)
- 281. Hurst CH, DeVito MJ, Birnbaum LS. Tissue disposition of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) in maternal and developing Long Evans rats following subchronic Exposures. Toxicologist, 42:1270, 1998. SOT, Seattle, WA, March 1-5 (1998)
- 282. Ross DG, van Birgelen APJM, DeVito MJ, Birnbaum LS. Relative potency factors are predictive for alterations in hepatic retinoid concentrations after subchronic exposure to mixtures of PCDDs, PCDFs, and PCBs. SOT meeting, Seattle, WA, March 1-5, Toxicologist 42:1886 (1998)
- 283. Diliberto JJ and Birnbaum LS. Effects of the deficient CYP1A2 gene on disposition of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD); comparison of transgenic CYP1A2 Knock-Out Mice to

the parental strains (C57B1/6N and 129/SV). Toxicologist, 42:1898 (1998)

- 284. DeVito MJ and Birnbaum LS. The effects of TCDD in a murine model of type II diabetes. Toxicologist, 42:1899 (1998)
- 285. Birnbaum LS. Health effects dioxins. Public Health and Managed Care, November 15-19, 1998, Washington, DC (1998)
- 286. Birnbaum LS. Sensitive non-carcinogenic effects of TCDD in animals. 18th Symposium on Halogenated Environmental Organic Pollutants, Stockholm, Sweden, August 17-21 (1998)
- 287. Diliberto JJ, DeVito MJ, Ross DG, and Birnbaum LS. Time-course and dose-response relationships of subchronic dosing with [³H] 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on dosimetry and CYP1A1 and CYP1A2 activities in mice. 18th Symposium on Halogenated Environmental Organic Pollutants, Stockholm, Sweden, August 17-21 (1998)
- 288. Hurst C, Abbott B, DeVito M, Ostby J, Gray E, and Birnbuam L. Acute administration of 2,3,7,8-tetracgkirdubebzi-p-dioxin (TCDD) in Long Evans rats: comparison of fetal tissue levels and adverse developmental effects. 18th Symposium on Halogenated Environmental Organic Pollutants, Stockholm, Sweden, August 17-21 (1998)
- 289. Blackwell L, Birnbaum L, and DeVito M. The effects of TCDD in a murine model of type II diabetes. 18th Symposium on Halogenated Environmental Organic Pollutants, Stockholm, Sweden, August 17-21 (1998)
- 290. Birnbaum LS. Risk characterization of dioxins. International Symposium on ARoles of the Aryl Hydrocarbon Receptor in Liver Tumor Promotion@. Blaubeuran, Germany, August 23-25 (1998)
- 291. Burgin DE, Diliberto JJ, Derr-Yellin EC, Birnbaum LS, and Kodavantai PRS. Differential effects of Aroclor 1254 mixtures with two lot numbers: Hepatic enzyme induction and circulating thyroid hormone levels. Toxicologist, 48:1309, 1999.and SOT, New Orleans, LA, March 14-18 (1999)
- 292. Richardson VM, Santostefano MJ, Walker NJ, Lucier GW, and Birnbaum LS. Examination of gene expression in centrilobular and periportal cells after TCDD exposure by quantitative RT-PCR. Toxicologist, 48:1033 (1999)
- 293. Diliberto JJ, DeVito MJ, Ross DG, and Birnbaum LS. Dose-response relationship of subchronic dosing with [³H]TCDD on dosimetry and CYP1A activities. Toxicologist, 48:1032, (1999)
- 294. Menache MG, Graham RC, DeVito M, and Birnbaum, LS. An empirical approach to predicting biological responses following exposures to mixtures. Toxicologist, 48:105 (1999). SOT, New Orleans, LA, March 14-18 (1999)
- 295. Kodavanti PRS, Kannan N, Yamashita N, Ward TR, Birnbaum LS, and Tilson HA. Differential effects of aroclor 1254 mixtures with two lot numbers: intracellular calcium buffering and protein kinase C translocation in rat brain. Toxicologist, 48:1308 (1999)
- 296. Hurst CH, DeVito MJ, Abbott BD, Ostby JS, Gray LE, and Birnbaum LS. Acute and subchronic administration of TCDD in Long Evans rats: comparison of fetal tissue levels and adverse developmental effects. Toxicologist, 48:102, 1999. SOT, New Orleans, LA, March 14-18 (1999)
- 297. Santostefano MJ, Blanton J, Richardson VM, Alcasey S, Lindros KO, and Birnbaum LS. Differences in localization of TCDD in centriolobular and periportal hepatocytes give insight into the mechanism of gene expression. Toxicologist, 48:1440, (1999)
- 298. Slezak BP, Hatch GE, DeVito M, Diliberto JJ, Slade R, Crissman K, and Birnbaum LS.

Oxidative stress in female B6C3F1 mouse liver and brain following acute and subchronic exposure to 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD). Toxicologist, 48:287 (1999)

- 299. Hamm JT, and Birnbaum LS. Altered cellular proliferation in the seminal vesicles of rats gestationally exposed to TCDD. Toxicologist, 48:100 (1999)
- 300. Ostby J, Price M, Huey O, Hurst C, Birnbaum LS, and Gray Jr LE. Developmental and reproductive effects of low-dose, steady-state maternal 2,3,7,8tetrachlorodibenzo-p-dioxin (TCDD) administration. Toxicologist, 48:691 (1999)
- 301. Youssef JA, Birnbaum LS, Simon SD, Roberts LJ, Swift LL, Morrow JS, and Badr MZ. What comes first aging or brain oxidative stress? 2nd International Conference Anti-Oxidants & Free Radicals in Health & Disease, Vancouver B.C., Canada, July 24-29 (1999)
- 302. Burgin DE, Kodavanti PR, Diliberto JJ, and Birnbaum LS. Differential toxicities of two lots of Aroclor 1254. Organohalogen Compounds, 42:301-304 (1999) Faseb Journal 13(40): A154, Part 1, Suppl. S (1999)
- 303. Chen CY, Hamm JT, Hass JR, and Birnbaum LS. Deposition of PCDD/Fs and Non-ortho PCBs in Long Evans Rats. Organohalogen Compounds, 42:151-154 (1999)
- 304. Diliberto JJ and Birnbaum LS. Role of CYP1A2 on toxicokinetic behavior of PHAHS in knockout (CYP!A2-/-) versus parental (CYP1A2+/+) strains of mice. Organohalogen Compounds, 42:165-168 (1999)
- 305. Hamm JT, Sparrow BR, Wolf D, and Birnbaum LS. 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (TCDD) alters epithelial development of the seminal vesicles. Organohalogen Compounds, 42: 321-324 (1999)
- Hamm JT, Chen C-Y, Hass JR., and Birnbaum LS. Do toxic equivalency factors predict adverse reproductive effects of a mixture of dioxin and dioxin-like compounds. Organohalogen Compounds, 42:253-257 (1999)
- 307. Hurst C, Abbott B, and Birnbaum LS. 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) disrupts early morphogenetic events that form the lower reproductive tract in female rat fetuses. Organohalogen Compounds, 42:273-276 (1999)
- 308. Santostefano MJ, Richardson VM, Walker NJ, Blanton J, Lindros KO, Lucier GW, Alcasey SK, and Birnbaum LS. TCDD localization in centrillobular and periportal hepatocytes. Organohalogen Compounds, 42:469-473, September 12-17 (1999)
- 309. Slezak B, Diliberto J, and Birnbaum L. The Role of CYP1A2 on oxidative stress following exposure to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in knockout (CYP1A2-/-) versus parental (CYP1A2+/+) strains of mice. Organohalogen Compounds, 42:485-488 (1999)
- Fenton SE, Hamm JT, Birnbaum LS, and Youngblood GL. Early adverse effects of prenatal exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in the rat mammary gland.
 19th International Symposium on Halogenated Environmental Organic Pollutants and POPs Dioxin `99, Venice, Italy, September 12-17 (1999)
- 311. Schecter AJ, Sheu SU, Birnbaum LS, DeVito MJ, Denison MS, and Päpke O. A comparison and discussion of two differing methods of measuring dioxin-like compounds: gas chromatography-mass spectrometry and the calux bioassy-implications of health studies. Organohalogen Compounds, 40:247-250 (1999)
- 312. DeVito MJ, Diliberto JJ, and Birnbaum LS. The comparative toxicokinetics of dioxin-like chemicals and the role of CYP1A2 in their disposition. Organohalogen Compounds 42:125-127 (1999)
- 313. Schecter A, Birnbaum LS, and Sheu SU. Do recent changes in TEF values have a major

impace on TEQ of biological samples? Organohalogen Compounds, 42: 371-375 (1999)

- 314. Birnbaum LS, Richardson VM, Alcasey SK, Blanton J, Lucier GW, Walker NJ, Lindros KO, and Santostefano MJ. Localization of TCDD and effects on gene expression in isolated hepatocytes. Faseb Journal 143(40: A154, Part 1, Suppl. S (1999)
- 315. Slezak BP, Crissman K, Slade R, Hatch GE, Devito M, Diliberto JJ, and Birnbaum LS. TCDD mediated oxidative stress in female B6C3F1 mouse liver and brain following acute and subchronic exposure. FASEB J 13 (4): A154-A154, Part 1 Suppl. S. (1999)
- 316. Birnbaum LS. Health effects of POPs. International Workshop of Persistent Organic Pollutants (POPs) in the Arctic: Human Health and Environmental Concerns, Rovaniemi, Finland, January 18-20 (2000)
- 317. Birnbaum LS. Health effects associated with low dose exposures to persistent organic pollutants. APHA Meeting, Boston, MA, November 12-16 (2000)
- 318. Birnbaum LS. Risk characterization of dioxin. Environmental Mutagen Society Meeting, New Orleans, LA, April 8-13, (2000)
- 319. Wang X, DeVito MJ, Dischoff, KB, and Birnbaum LS. Physiological pharmacokinetic model reduction applied to human risk assessment. Toxicologist, Vol. 54, No. 437 (2000)
- 320. Burgin DE, Diliberto JJ, Kodavanti PRS, and Birnbaum LS. Use of two Arcolor lots to evaluate TEQ and oxidative stress predictors. Toxicologist, Vol. 54, No. 853, 2000; SOT, Philadelphia, PA, March 19-23 (2000)
- 321. Youngblood GL, Hamm JT, Birnbaum LS, and Fenton SE. Gestational exposure of long evans rats to 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) leads to stunted mammary epithelial development in female offspring. Toxicologist, Vol. 54, No. 637a (2000)
- 322. Abbott BD, Birnbaum LS, and Hurst CH. TCDD changes growth factor and matrix protein expression in fetal rat vaginal tract. Toxicologist, Vol. 54, No. 1347 (2000)
- 323. Diliberto JJ, Abbott BD, and Birnbaum LS. Role of Ah receptor of hepatic sequestration and disposition of dioxinBstudies using the Ah receptor-knockout mice. Toxicologist, Vol. 54, No. 272 (2000)
- 324. Hurst CH, Abbott BD, and Birnbaum LS. Early morphogenetic events are altered in the formation of the lower reproductive tract in female rat fetuses gestationally exposed to 2,3,7,8,-tetrachlorodibenzo-*p*-dioxin (TCDD). Toxicologist, Vol. 54, No. 1348 (2000)
- 325. Hamm JT, and Birnbaum LS. Developmental reproductive effects of a mixture of dioxins, furans, and co-planar PCBS on Long Evans rats. Toxicologist, Vol. 54, No. 1723 (2000)
- 326. Birnbaum LS. Animals are people, and vice-versa! Dioxin 2000, Monterey, CA., August 13-17, 2000. Organohalogen Compounds, Vol. 49 (2000)
- 327. Chen C-Y, Hamm JT, Hass JR, and Birnbaum LS. Time-course transfer of PCDD/FS and nonortho PCBS to fetal and neonatal Long Evans rats., Dioxin 2000, Monterey, CA., August 13-17 (2000)
- 328. DeVito M, Farland W, and Birnbaum L. Margin of exposure estimates for TCDD for cancer and non-cancer effects in laboratory animals. Dioxin 2000, Monterey, CA., August 13-17 (2000)
- 329. Diliberto JJ, Abbott BD, and Birnbaum LS. Use of AHR Knockout (AHR-/-) mice to investigate the role of the AH receptor on disposition of TCDD. Dioxin 2000, Monterey, CA., August 13-17 (2000)
- 330. Farland W, Schaum J, Winters D, Rodan B, Tuxen L, DeVito M, and Birnbaum L. USEPA's risk characterization of dioxin and related compounds. Dioxin 2000, Monterey, CA., August

13-17 (2000)

- 331. Kodavanti PRS, Kannan N, Yamashita N, Derr-Yellin EC, Ward TR, Burgin DE, Tilson HA, and Birnbaum LS. Differential effects of two lots of Aroclor 1254R: congener analysis and neurochemical endpoints. Dioxin 2000, Monterey, CA., August 13-17 (2000)
- 332. Richardson VM, Santostefano, MJ, and Birnbaum LS. Time-dependent expression of AhR and Arnt mRNAs in multiple mouse tissues. Dioxin 2000, Monterey, CA., August 13-17, (2000)
- 333. Fenton SE, Hamm JT, Birnbaum LS, and Youngblood GL. Adverse effects of TCDD on mammary gland development in Long Evans rats: a two generational study. Dioxin 2000, Monterey, CA, August 13-17, 2000. Organohalogen Compounds Vol. 48 (2000)
- 334. Burgin DE, Diliberto JJ, and Birnbaum LS. Effects of two lots of Arolor 1254 on hepatic retinoid concentration in rats. Dioxin 2000, Monterey, CA., August 13-17 (2000)
- 335. Hamm JT, Diliberto JJ, McQuaid F, and Birnbaum LS. Postnatal disposition of 2,3,7,8,tetrachlorobidenzo-p- dioxin in the Long Evans rat following gestational exposure. Dioxin 2000, Monterey, CA, August 13-17 (2000)
- 336. Youssef JA, Ammann P, Ghanayem BL, Birnbaum LS, and Badr MZ. Discordant induction of peroxisome proliferator-activated receptor alpha mRNA and dependent genes by peroxisome proliferators in livers of senescent rats. Faseb Journal 15(4): A562, Part 1 (2000)
- 337. Fenton SE, Hamm JT, Birnbaum LS, and Youngblood GL. Gestational Exposure of Long Evans Rats to 2,3,7,8-Tetrachlorodibenzo-p-Dioxin (TCDD) leads to stunted mammary epithelial development in female offspring. Triangle Consortium for Reproductive Biology, Research Triangle Park, NC, January 29 (2000)
- 338. Birnbaum LS. Health effects of polybrominated dioxins and furans. 2nd International Workshop on Brominated Flame Retardants (BFR) 2000 Stockholm, Sweden, May 14-16 (2001)
- 339. Youssef JA., Ammann P, Ghanayem BL, Birnbaum LS, and Badr MZ. Mechanisms involved in the enhanced susceptibility of senescent rats to the hepatocarcinogenic effect of peroxisome proliferators: role of peroxisome proliferator-activated receptor alpha (PPAR) cell proliferation and oxidative stress. Miami 2001, Nature Biotechnology, Winter Symposia, February 2-7 (2001)
- 340. Richardson VM, Hamm JT, and Birnbaum LS. Time-dependent effects on gene expression in rat seminal vesicle developmentally altered by in utero exposure to TCDD. Presented at SOT, San Francisco, CA, March 25-29 (2001)
- 341. Burgin DE, Diliberto JJ, and Birnbaum LS. 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TDCC) mediated oxidative stress in female CYP1A-2 knockout (CYP1A2-/-) mice. Society of Toxicology March 25-29, 2001, San Francisco, CA (2001)
- 342. Birnbaum LS. Regulation of AHR expression during development, daily, and following ligand exposure. Abstract presented at: SOT, San Francisco, CA, March (2001)
- 343. Diliberto JJ, McQuaid F, Hamm JT, and Birnbaum LS. Postnatal disposition of TCDD in Long Evans rats following gestation exposure. Abstract presented at: SOT, San Francisco, CA, March 25-29, 2001; Toxicological Sciences, 2001, 60:290-291 (2001)
- 344. Sekizawa J, Suter II G, and Birnbaum LS. Case study information package, III: tributyltin and triphenyltin compounds. World Health Org. (WHO) Working Group (2001)
- 345. Staskal D, Birnbaum LS, and DeVito MJ. Inhibition of human and rat CYP1A2 by TCDD and dioxin-like chemicals. Presented at SOT Nashville, TN, March 17-21 (2002)
- 346. Diliberto J, DeVito MJ, and Birnbaum LS. Relationship of tissue dose of 2,3,7,8-

tetrachlorodibenzo-p-dioxin (TCDD) to reversible biological responses. Presented at SOT, Nashville, TN, March 17-21 (2002)

- 347. Burgin DE, Diliberto JJ, and Birnbaum LS. Comparing mixtures of dioxin-like and non dioxin-like PCBs to TCDD. Abstract presented at SOT, Nashville, TN, March 17-21, 2002. To be presented at Dioxin02, Barcelona, Spain, August 10 (2002)
- 348. Birnbaum LS, Slezak BP, Hamm JT, Hurst CH, and Reyna J. 2,3,7,8-Tetrachlorodibenzo-pdioxin, mediated oxidative stress in male rat pups following gestinational and lactational exposure. Biochemical and Biophysical Research Communications. (2002)
- 349. Farland WH, Birnbaum LS, and DeVito, MJ. The United States Environmental Protection Agency (U.S.EPA) Approach to Evaluating Dioxin Health Risks: Critical Issues. (2002)
- 350. Birnbaum LS. Overview of brominated flame retardants: cause for concern? To be presented at: American Public Health Association 130th Annual Meeting, Philadelphia, PA, November 9-13 (2002)
- 351. Diliberto JJ, DeVito MJ, and Birnbaum LS. Using tissue dose of 2,3,7,8-tetrachlorodibenzo-pdioxin (TCDD) as a predictive response for reversible biochemical changes. Dioxin 2002, Barcelona, Spain, August (2002)
- 352. Birnbaum LS and Fenton SE. Role of developmental exposure to endocrine disruptors in cancer. Dioxin 2002, Barcelona, Spain; August 9-18 (2002)
- 352. Staskal D, DeVito MJ, and Birnbaum LS. Dioxin and dioxin-like chemicals inhibit CYP1 activity. Presented at: 22nd Inter. Symp. on Halogenated Environmental Organic Pollutants and POPs, Barcelona, Spain, August 11-16 (2002)
- 353. Emond C, DeVito MJ, and Birnbaum LS. Physiologically based pharmacokinetic modeling as a tool for predicting dose response relationships for TCDD during development. Presented at: 22nd Inter. Symp. On Halogenated Environmental Organic Pollutants and POPs, Barcelona, Spain, August 11-16 (2002)
- 354. Smialowicz RJ, Burgin DE, Williams WC, Diliberto JJ, and Birnbaum LS. CYP1A2 does not play a critical role in 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced immunosuppression. SOT March (2003)
- 355. Birnbaum LS. Agent Orange in Vietnam and human effects: what should we look for? What might we expect? Dioxin 2003, Boston, MA (2003)
- 356. Schecter A., Pavuk M, Päpke O, Ryan J, Birnbaum LS, and Rosen R. Cogener specific measurement of polychlorinated biphenyl ethers in 47 individual milk samples from nursing mothers in the U.S.A. Dioxin 2003, Boston, MA. (2003)
- 357. Emond C, Birnbaum LS, and DeVito MJ. Utilization of a PBPK model to predict the distribution of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) in humans during critical windows of development. Dioxin 2003, Boston, MA (2003). Toxicol Sci 172:874, Suppl. S (2003)
- 358. Emond C, Birnbaum LS, and DeVito MJ. Utilization of physiologically based pharmacokinetic model (PBPK) to study the influence of body fat mass and induction of CYP1A2 on the pharmacokinetics of TCDD. Dioxin 2003, Boston, MA (2003).
- 359. Emond C, Birnbaum LS, and DeVito MJ. Application of a hysiologically based pharmacokinetic (PBPK) model to aid in understanding relative potency factors for dioxin-like chemicals. Dioxin 2003, Boston, MA. (2003)
- 360. Farland WH and Birnbaum LS. The need for continued research on dioxin and related

compounds. Dioxin 2003, Boston, MA. (2003)

- 361. Emond C, Birnbaum L, and DeVito MJ. Utilization of a PBPK model to predict the distribution of 2, 3, 7, 8-tetrachlorodibenzo-p-dioxin (TCDD) in humans during critical windows of development. National Research Council, US EPA, Research Triangle Park, NC (2003).
- 362. Emond C, Birnbaum L, and DeVito MJ. Utilization of physiologically based pharmacokinetic model (PBPK) to study the influence of body fat mass and induction of CYP1A2 on the pharmacokinetics of TCDD. National Research Council, Natl Academy of Sci, Washington, DC, (2003)
- 363. Emond C, Birnbaum LS, and Devito MJ. Application of a physiologically based pharmacokinetic (PBPK) model to aid in understanding relative potency factors for dioxin-like chemicals. National Research Council, National Academy of Science, Washington, DC, (2003)
- 364. Birnbaum LS. BFRs: Toxicology and risk. Dioxin 2003, Boston, MA (2003)
- 365. DeVito MJ, Diliberto JJ, Ross DG, Emond C, Richardson VM, and Birnbaum LS. Influence of type II diabetes and obesity on the disposition and elimination of TCDD in mice. Toxicol. Sci. 72:1767, Suppl. S. (2003)
- 366. Godin SJ, Richardson VM, Diliberto JJ, Birnbaum LS, and DeVito MJ. Influence of diabetes, obesity and 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)exposure on the expression of hepatic CYP1A2 in a murine model of type II diabetes. Toxicol. Sci. 72:1766, Suppl. S. (2003)
- 367. Staskal ,; Ross DG, Birnbaum LS, and DeVito MJ. A comparison of the metabolism of methoxyresorufin, acetanilide and caffeine in rat and human CYP1A2 supersomes and their inhibition by 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Toxicol. Sci. 72:1765, Suppl. S. (2003)
- 368. Birnbaum LS. PBDE flame retardants: toxicology, health effects, and risk assessment. APHA 2004, Washington, DC (2004)
- 369. Schecter A, Paepke O, Ryan J, Olson J, Malisch R, Birnbaum L, and Pavuk M. PBDEs in U.S. nursing mothers milk, food, and electronics; levels and estimated intake by various routes. Society of Toxicology, Baltimore, MD (2004)
- 370. Birnbaum LS. Race and unequal exposure to polychlorinated compounds the role of diet. APHA 2004, Washington, DC (2004)
- 371. Staskal D, Diliberto J, DeVito M, and Birnbaum L. Toxicokinetics of BDE 47 in female mice: effects of dose, route of exposure, and Mdrl transporter. BFR 2004, Toronto, Canada (2004)
- 372. Birnbaum LS. What does biomonitoring really tell us? ICTX Satellite Meeting, Porvoo, Finland (2004)
- 373. Schecter A., Papke O, Staskal D, Tung KC, Rosen R, and Birnbaum L. PBDE Contamination of U.S. food and human milk, and PBDE, PCDD/F, PCB, and levels in U.S. human blood. BFR 2004, Toronto, Canada (2004)
- 374. Haws L, Harris M, Su S, Birnbaum LS, DeVito M, Farland W, Walker N, Conner K, Santamaria A, and Finley B. Development of a refined database of relative potency estimates to facilitate better characterization of variability and uncertainty in the current mammalian TEFs for PCDDs, PCDFs, and Dioxin-like PCBs. Dioxin 2004, Berlin, Germany (2004)
- 375. Haws L, Harris M, Su S, Walker N, Birnbaum LS, DeVito M, Farland W, Connor K, Santamaria A, and Finley B. A preliminary approach to characterizing variability and uncertainty in the mammalian PCDD/F and PCB, Berlin, Germany (2004)
- 376. Staskal D, Diliberto J, Devito M, and Brinbaum LS. Tissue distribution and elimination of

BDE 47 in mice following a single oral dose. Dioxin, Berlin, Germany (2004)

- 377. Diliberto J, Staats DA., Sirinek L, Becker J, Jude D, Curtis, Chouinard SC, Smith T, Clark, GC, Landy RB, and Birnbaum LS. Dioxins and endometriosis: cohort study of women in West Virginia. 24th International Symposium on Haloginated Environmental Organic Pollutants and POPs, Berlin, Germany (2004)
- 378. Kodavanti PRS, Ward T, Burka T, Ludewig G, Robertson L, and Birnbaum LS. Polybrominated Diphenyl Ether (PBDE) effects in rat neuronal cultures: ¹⁴C-PBDE accumulation, biological effect, and structure-activity relationships. 24th International Symposium on Halogenated Environmental Organic Pollutants and POPs. (Dioxin 2004) Berlin, Germany (2004)
- 379. Schecter A, Papke O, Ryan JJ, Rosen R, Tung KC, Pavuk M, Staskal D, Birnbaum L, Quynh HT, and Constable JD. PBDE in U.S. milk, blood and food, and temporal trends for PBDE, PCDDs, PCDFs and PCBs in U.S. blood. Dioxin 2004, Berlin, Germany (2004)
- 380. Birnbaum LS. What do we know about dioxins and health effects? APHA 132nd Annual Meeting, 2004, Washington, DC (2004)
- 381. Schoeters G and Birnbaum LS. Mode of action of dioxin-like versus non-dioxin-like PCBs. Dioxin, 2004, Berlin, Germany (2004)
- 382. Farland WH, Devito M, and Birnbaum LS. The use of TEFs in assessing mixtures of dioxins, furans and dioxin-like PCBs. SOT 2005, New Orleans, LA (2005)
- 383. Schecter A, Papke O, Tung K-C, Staskal D, and Birnbaum LS. Polybrominated diphenyl ethers (PBDEs) contamination of United States food. SOT 2005, New Orleans, LA (2005)
- 384. Birnbaum LS. Persistent contaminants new priorities. Mount Sinai Superfund Basic Research Program Conference, Bear Mountain, NY (2004)
- 385. Emond C, Michalek JE, Birnbaum LS, and DeVito MJ. Peak dioxin exposure may have been greater than previously estimated. Dioxin, 2004, Berlin, Germany (2004)
- 386. Birnbaum LS. The effect of environmental chemicals on human health. Environmental Workshops/Seminar Series, Tel Aviv and Haifa, Israel (2005)
- 387. Haws L, Harris M, Su S, Birnbaum LS, DeVito M, Farland W, Walker N, Conner K, Santamaria A, and Finley B. Development of a refined database of relative potency estimates to facilitate better characterization of variability and uncertainty in the current mammalian TEFs For PCDDs, PDCFs, and dioxin-line PCBs. Organohalogen Compounds, 66: 3426-3432 (2005)
- 388. Haws L, Harris M, Su S, Walker N, Birnbaum LS, DeVito M, Farland W, Conner K, Santamaria A, and Finley B. A preliminary approach to characterizing variability and uncertainty in the mammalian PCDD/F and PCB TEFs. Organohalogen Compounds, 66: 3439-3445 (2005)
- 389. Burgin DE, Diliberto JJ, and Birnbaum LS. Comparing environmentally relavant PCBs to TCDD in Cypla2 null and wildtype mice. SOT 2005, New Orleans, LA (2005)
- 390. Staskal DF, Diliberto J, DeVito MJ, and Birnbaum LS. Toxicokinetics and metabolism of PBDEs. SOT 2005, New Orleans, LA (2005)
- 391. Schecter AJ, Paepke O, Ryan J, Birnbaum LS, Staskal D, and Tung, KC. PBDEs in U.S. humans, food, and environmental samples. SOT 2005, New Orleans, LA (2005)
- 392. Farland WH, DeVito M, and Birnbaum LS. The use of TEFs in assessing mixtures of dioxins, furans and dioxin-like PCBs. SOT 2005, New Orleans, LA (2005)
- 393. Diliberto JJ, DeVito MJ, Ross DG, Richardson VM, and Birnbaum LS. Disposition of TCDD in two mouse models of obesity and type II diabetes. SOT 2005, New Orleans, LA (2005)

- 394. Evans MV, Tornero-Valez R, Devito MJ, Okino M, Geller A, Blancato J, and Birnbaum L. Development of a physiologically based pharmacokinetic (PBPK) model to compare differences in disposition of trichloroethylene (TCE), and metabolites in adult versus elderly rats. SOT 2005, New Orleans, LA (2005)
- 395. Bauer D, Staskal DF, Diliberto JJ, & Birnbaum, LS. Disposition of BDE 99 and BDE 153 in Female Mice. SOT 2005, New Orleans, LA (2005)
- 396. Staskal DF, Bauer D, and Birnbaum LS. Congener-dependent distribution and excretion: A comparison of BDEs 47, 99, 100, and 153 toxicokinetics. BFR 2005, Baltimore, MD (2005)
- 397. Fenton SE, Hamm JT, Birnbaum LS, Richardson VM, and Youngblood GL. Novel effects of dioxin on breast development, function, and susceptibility to cancer. The Forum on Endocrine Disrupting Chemicals. San Diego, CA (2005)
- 398. Birnbaum LS. Toxic equivalency approach for dioxins: An example of dose additivity. Modifiers of Chemical Toxicity, Poros, Greece (2005)
- 399. Birnbaum LS, and Damstra T. Summary of Dioxin '91 The 11th International Symposium on Chlorinated Dioxins and Related Compounds, Dioxin >91, September 23-27, 1991, Research Triangle Park, NC (2005)
- 400. Staskal DF, Diliberto JJ, and Birnbaum LS. Disposition profiles of BDE 47; Developmental and adult exposures. Dioxin 2005, Toronto, Ontario, Canada (2005)
- 401. Birnbaum LS and Denison MS. 25 years of dioxin technology. Dioxin 2005, Toronto, Ontario, Canada (2005)
- 402. Birnbaum LS. Proceedings of Dioxin 2005/ISPAC 20, Toronto, ON, August 2005. How poisoning episodes inform our understanding of population effects at background exposures. Dioxin 2005, Toronto, Ontario, Canada (2005)
- 403. Birnbaum LS. Dioxin '91 The 11th International Dioxin Symposium. Dioxin 2005, Toronto, Ontario, Canada (2005)
- 404. Birnbaum LS. Risk characterization of dioxins. Eurotox 2005, Krakow, Poland (2005) Toxicol Lett 158:S10, Suppl. 1 (2005)
- 405. Birnbaum LS. PBDEs: toxicology update. 2005 National Forum on Contaminants in Fish, Bethesda, MD (2005)
- 406. Birnbaum LS. Introduction to brominated flame retardants. Region 2 Science Day 2005, New York, NY (2005)
- 407. Okino MS, Chiu WA, Evans MV, Power FW, Lipscomb JC, Tornero-Velez. R, Dary CC, Blancato JN, Chen C, Birnbaum LS. Suitability of using in vitro and computationally estimated parameters in simplified pharmacokinetic models. North American ISSX Meeting, Maui, HI (2005)
- 408. Okino MS, Evans MS, Isukapalli S, Wang S, Georgopoulos PG, Karstadt M, Tornero-Velez R, DeVito MJ, Birnbaum LS, Blancato JN, and Geller AM. Evaluating risk in older adults using physiologically based pharmacokinetic models. EPA Science Forum 2005, Washington, DC (2005)
- 409. DeVito MJ, Evans MV, Okino MS, Sonawane BR, Thompson CM, Birnbaum LS, Yokley K, Corton C, Lee J, and Geller AM. Evaluation of altered sensitivity of older adults to environmental agents using physiologically based pharmacokinetic (PBPK) modeling. EPA Science Forum 2006, Washington, DC (2006)
- 410. Staskal DF, Diliberto JJ, and Birnbaum LS. Effect of age on tissue disposition of BDE 47

in mice. Society of Toxicology, 45th Annual Meeting & ToxExpo, 2006, San Diego, CA (2006)

- 411. Richardson VM, Staskal DF, and Birnbaum LS. Effects of BDE-47 on nuclear receptor regulated genes and implications for thyroid harmone disruption. Society of Toxicology, 45th Annual Meeting & ToxExpo, 2006, San Diego, CA (2006)
- Diliberto JJ, Staskal JK, and Birnbaum LS. Developmental age effects on tissue disposition of Bde 47 in Mice. Society of Toxicology, 45th Annual Meeting & ToxExpo, 2006, San Diego, CA (2006)
- 413. Birnbaum LS. Risk characterizations of dioxins. International Congress on Occupational Health (ICOH), Seveso Session, Milan, Italy (2006)
- 414. Birnbaum LS. Brominated flame retardants: What we know and what we don't. Brominated flame retardants Workshop 2006, Toronto, ON, Canada (2006)
- 415. Birnbaum LS. Health aspects of brominated flame retardants (BFRs) Brominated Flame Retardants Workshop, Toronto, ON, Canada (2006)
- 416. Birnbaum LS. Health effects of brominated flame retardants (BFRs). American Chemical Society 232nd National Meeting, San Francisco, CA (2006)
- 417. Diliberto JJ, Staskal DF, Hakk H, Bauer D, and Birnbaum LS. Role of protein binding in the urinary execretion of PBDEs in mice. 26th International Symposium on Halogenated Persistent Organic Pollutants, Oslo, Norway (2006)
- 418. Richardson V, Staskal D, Diliberto JJ, DeVito MJ, and Birnbaum LS. Effects of 2,2'4,4'-Tetrabromodiphenyl ether on nuclear receptor regulated genes? implications for thyroid hormone disruption. 26th International Symposium on Halogenated Persistent Organic Pollutants, Oslo, Norway (2006)
- 419. Ferriby LL, Williams ES, Luksemburg WJ, Paustenbach DJ, Birnbaum LS, Haws LC, and Harris MA. Comparing PCDDs, PCDFs, and dioxin-like PCBs in farm-raised and wild-caught Catfish from Southern Mississippi. Dioxin 2006, Oslo, Norway (2006)
- 420. Ferriby LL, Williams ES, Luksemburg WJ, Paustenbach DJ, Haws L, Birnbaum LS, and Harris MA. Comparing polychlorinated biphenyls in farm-raised and wild-caught catfish from Southern Mississippi. Dioxin 2006, Oslo, Norway (2006)
- 421. Staskal DF, Ferriby LL, Williams ES, Luksemburg WJ, Haws LC, Birnbaum LS, Paustenbach DF, and Harris, MA. Polybrominated dephenyl ethers in southern Mississippi catfish. Dioxin 2006, Oslo, Norway (2006)
- 422. Scott PK, Haws LC, Staskal DF, Birnbaum LS, Walker NJ, DeVito MJ, Harris MA, Farland WH, Finley BL, and Unice KM. An alternative method for establishing TEFs for dioxin-like compounds. Part 1. Evaluation of decision analysis methods for use I weighting relative potency data. Dioxin 2006, Oslo, Norway (2006)
- 423. Haws LC, DeVito MJ, Birnbaum LS, Walker NJ, Scott PK, Unice KM, Harris MA, Farland WH, Finley BL, and Staskal DF. An alternative method for establishing TEFs for dioxin-like compounds. Part 2. Development of an approach to quantitatively weight the underlying potency data. Dioxin 2006, Oslo, Norway (2006)
- 424. Staskal DF, Unice KM, Walker NJ, DeVito MJ, Birnbaum LS, Scott PK, Harris MA, Farland WH, Finley BL, and Haws LC. An alternative method for establishing TEFs for dioxin-like compounds. Part 3. development of weighted distributions of reps for PCB 126 and 2,3,r,7,8-PeCDF. Dioxin 2006, Oslo, Norway (2006)

- 425. Birnbaum LS. Health effects of polybrominated dibenzo-p-dioxins (PBDDs) and dibenzofurans (PBDFs). Journal Environment International. CSA/Aqualine (2006)
- 426. Birnbaum LS. Risk characterization of persistent neurotoxic contaminants. International conference on food contaminants and neurodevelopmental disorders. Valencia, Spain (2006)
- 427. Birnbaum LS. Current challenges on endocrine disruptors. Endocrine Disruptors (Weybridge + 10) Workshop, Helsinki, Finland (2006)
- 428. Birnbaum LS. Risk characterization of persistent neurotoxic contaminants. International Conference on Food Contaminants and Neurodevelopmental Disorders, Valencia, Spain (2006)
- 429. Emond C, Raymer JH, Garner E, Diliberto JJ, Staskal D, and Birnbaum LS. A physiologically based pharmacokinetic model for developmental exposure to PBDE-47 in rodents. Society Of Toxicology Annual Meeting, Charlotte, NC (2007)
- 430. Diliberto JJ, Staskal D, Hakk H, and Birnbaum LS. Differential urinary protein binding of PBDEs in mice. Society of Toxicology Annual Meeting, Charlotte, NC (2007)
- 431. Richardson V, Hakk H, Diliberto JJ, and Birnbaum LS. Effects on hepatic gene expression in male rats administered PBDEs in household dust. Society of Toxicology Annual Meeting, Charlotte, NC (2007)
- 432. Hakk H, Huwe JK, Diliberto JJ, Stapleton NM, and Birnbaum LS. Bioavailability of PBDEs in male rats from orally administered household dust. Society of Toxicology Annual Meeting, Charlotte, NC (2007)
- 433. Szabo DT, Diliberto JJ, Richardson V, Kokavanti PS, and Birnbaum LS. Perinatal exposure to DE-71 alters the expression of hepatic genes involved in thyroid hormone disruption in male rats. Society of Toxicology Annual Meeting, Charlotte, NC (2007)
- 434. Haws LC, Walker NJ, DeVito MJ, Birnbaum LS, Unice KM, Scott PK, Harris MA, Farland WH, Finley BL, and Staskal D. Development of weighted distributions of reps for dioxin-like compounds. Society of Toxicology Annual Meeting, Charlotte, NC (2007)
- 435. La Merrill MA, Birnbaum LS, and Threadgill DW. Assessing TCDD wasting syndrome in an in vivo obesity model. Society of Toxicology Annual Meeting, Charlotte, NC (2007)
- 436. Dye JA, Venier M, Ward CR, Hites RA, and Birnbaum LS. Pet cats in the U.S. have high polybrominated diphenyl ether (Pbde) serum levels. Society of Toxicology Annual Meeting, Charlotte, NC (2007)
- 437. Nguyen L, Staskal D, Ferriby LL, Williams ES, Haws LC, Birnbaum LS, Paustenbach DJ, and Harris MA. Dietary intake of PBDEs based on consumption of catfish in Southern Mississippi. Society of Toxicology Annual Meeting, Charlotte, NC (2007)
- 438. Venier M, Dye JA, Zhu L, Ward CR, Birbnaum LS, and Hites RA. Measurements of PBDEs in cat serum and cat food: is there a relationship with feline hyperthyroidism? International Brominated Flame Retardants Workshop, Amsterdam, The Netherlands (2007)
- 439. Huwe JK, Hakk H, Diliberto JJ, Stapleton M, and Birnbaum LS. Comparative oral bioavailability of PBDEs from dust and oil in male rats. Brominated Flame Retardants Workshop 2007, Amsterdam, The Netherlands, (2007)
- 440. Staskal DF, Scott LL, Williams ES, Luksemburg WJ, Haws LC, Birnbaum LS, Nguyen L, Paustenbach DJ, and Harris MA. Daily intake estimates of PBDEs associated with consumption of catfish in the U.S. Brominated Flame Retardants Workshop 2007, Amsterdam, The Netherlands (2007)
- 441. Dye JA, Venier M, Ward CR, Hites RA, and Birnbaum LS. Brominated-flame retardants (Bfrs) in cats possible linkage to feline hyperthyroidism? Annual Meeting of the American College

of Veterinary Internal Medicine, Seattle, WA (2007) J Vet Intern Med 21(3): 82 (2007)

- 442. Birnbaum LS. The effect of environmental chemicals on human health. University of California, San Francisco Collaboration on Health & the Environment Summit, San Francisco, CA (2007)
- 443. Birnbaum LS. Human health impacts of exposure to Pops. 2nd Network Conference on Persistent Organic Pollutants, Birmingham, UK (2007)
- 444. Birnbaum LS. Brominated flame retardants: what we know, and what we don't. Regional Laboratory Technical Group Conference, Chicago, IL (2007)
- 445. Emond C, Staskal D, and Birnbaum LS. Prediction of saturable elimination of 2,2',4,4'tetrabromophenyl ether (Bde-47) using a physiologically based pharmacokinetic model in mice. International Congress of Toxicology, Montreal, QC, Canada (2007)
- 446. Szabo DT, Dilliberto JJ, Richardson VM, Kodavanti PRS, and Birnbaum LS. Perinatal exposure to DE-71, a PBDE commercial mixture, alters the expression of genes involved in thyroid hormone homeostasis in male rates. International Congress of Toxicology, Montreal, QC, Canada (2007)
- 447. Dye JA, Venier M, Ward CR, Hites RA, and Birnbaum LS. Comparison of PBDEs in cat serum to levels in cat food evidence of deca debromination 27th International Symposium on Halogenated persistent organic pollutants – Dioxin 2007 Tokyo, Japan (2007)
- 448. Birnbaum LS. Health consequences of dioxin exposure. Dioxin 2007, Tokyo, Japan (2007)
- 449. Birnbaum LS. Health effects of brominated flame retardants (BFRs) Dioxin 2007, Tokyo, Japan (2007)
- 450. Birnbaum LS. Biologically-based rapid screening methods for dioxins in the Univted States. Dioxin 2007 Satellite Symposium, Niko, Japan (2007)
- 451. Birnbaum LS. A toxicological view of issues and approaches. Society for Risk Analysis Annual Meeting, San Antonio, TX (2007)
- 452. Richardson V, Hakk H, Huwe JK, Diliberto JJ, Stapleton HM, and Birnbaum LS. Bioavailability and biological response of PBDEs administered to rats in household dust. Dioxin 2007, Tokyo, Japan (2007)
- 453. Emond C, Staskal D, and Birnbaum LS. Mechanistic description of dose-dependent urinary elimination of PBDE-47 in adult mice using a physiological based pharmacokinetic model. Dioxin 2007, Tokyo, Japan (2007)
- 454. Birnbaum LS. Overview of exposure to dioxin-like compounds and PCBs on developmental, immunosuppressive, and hormone-related effects in mammals, including humans. (SETAC) Society of E vironmental toxicology and chemistry. Milwaukee, WI (2007)
- 455. Huwe JK, Hakk H, Diliberto JJ, Richardson VM, Stapleton HM, and Birnbaum LS. Symposium #127 – Are polybrominated diphenyl ethers from household dust bioavailable and
- biologically active? International Society of Exposure Analysis *ISEA). Durham, NC (2007)
- 456. Raymer JH, Studabaker HW, Michael LC, Murtha A, Emond C, and Birnbaum LS. Potential media for monitoring in utero exposure to 2,2',4,4'-tetrabromodiphenyl ether. International Society of Exposure Analysis *ISEA), Durham, NC (2007)
- 457. Birnbaum LS. Endocrine disruptors: lessons learned. NIEHS Endocrine Disruptors Meeting, Research Triangle Park, NC (2007)

- 458. Birnbaum LS. Overview of exposure to dioxin-like compounds and PCBs on developmental, immunosuppressive, and hormone-related in mammals, including humans. Society of Environmental Toxicology and Chemistry (SETAC) Annual Meeting, Milwaukee, WI (2007)
- 459. Staskal D, Birnbaum LS, Webster TF, Stapleton HM, Sweet LI, and Van Den Berg M. A case study on the risks and benefits of decabde, a major brominated flame retardant. Society of

Toxicology Annual meeting 2008. Seattle, WA (2008).

- 460. Emond C, Pelekis M, and Birnbaum LS. Physiologically based pharmacokinetic modeling as a tool for predicting lifetime exposure of PBDE in humans: From infants to elderly. International Dioxin 2008 Meeting, Birmingham, UK (2008)
- 461. Diliberto JJ, Becker J, Jude D, Sirinek L, Patterson DG, Turner W, Landy RB, Hughes T, Staats DA, and Birnbaum LS. Serum levels of dioxin-like compounds in women living in a highly industrialized area of West Virginia. International Dioxin 2008 Meeting, Birmingham,
- UK (2008)
- 462. Staskal D, Birnbaum LS. Screening-level assessment of risk associated with exposure to PBDEs in vehicles. ToxStrategies, Austin, TX and NCEA USEPA, International Dioxin 2008 Meeting, Birmingham, UK (2008)
- 463. Schecter A, Colacino J, Kurunthachalam K, Yun SH, Sjodin A, Needham L, Paepke O, Lohmann N, Birnbaum LS. Increasing levels of PBDEs in US food. International Dioxin 2008 Meeting, Birmingham, UK (2008)
- 464. Diliberto JJ, Becker J, Jude D, Sirinek L, Patterson DG, Turner W, Landy RB, Hughes T, Staats DA, and Birnbaum LS. International Dioxin 2008 Meeting, Birmingham, UK (2008)
- 465. Szabo D, Diliberto JJ, Huwe J, Birnbaum, LS. Toxicokinetics of the sterioisomer specific flame retardant hexabromocyclododecane (HBCD) gamma: effect of dose, time, and repeated exposure. Curriculum in toxicology UNC-CH; US EPA, ORD/NHEERL/ETC, ORD/NCEA, Research Triangle Park, NC; ARS/USDA, Fargo, ND (2008)
- 466. Szabo D, Diliberto JJ, Richardson V, Kodavanti PS, and Birnbaum LS. Effects on hepatic deiodenase 1 and thyroid harmone levels in perinatally exposed rats to a PBDE commercial mixture. Society of Toxicology Annual Meeting, Seattle, WA (2008).
- 467. LaMerrill MA, Birnbaum LS, Cardiff RD, and Threadgill D. Obesity and perinatal TCDD exposure increases mammary tumors in Fvb mice.. Society of Toxicology Annual Meeting, Seattle, WA (2008).
- 468. Haws LC, DeVito MJ, Walker NJ, Birnbaum LS, Unice KM, Harris MA, Tachovsky A, Farland WH, Finley BF, and Staskal D. Development of weighted distribution of reps for dioxin-like compounds: Implications for risk assessment. Society of Toxicology Annual Meeting, Seattle WA (2008).
- LaMerrill MA, Birnbaum LS, Cardiff RD, and Threadgill D. Obesity and perinatal TCDD exposure increases mammary tumor incidence in Fvb mice. Keystone Symposium, Taos, NM (2008)
- 470. Huwe JK, Hakk H, Stapleton HM, Birnbaum LS. Tissue distribution of polybrominated diphenyl ethers in rats following oral exposure and the relationship to body burdens.
 18th Annual International Society of Exposure Analysis Conference, Pasadena, CA (2008) Epidemiology 19(6): S76, Suppl. S (2008)
- 471. Kodavanti PS and Birnbaum LS. Overview of current Tefs as it relates to current PCB 2 exposures: What is needed? 5th PCB Workshop, Iowa City, IA (2008)

- 472. Emond C, Pelekis M, and Birnbaum LS. Populational physiologically based pharmacokinetic modeling as a tool for predicting lifetime exposure of PBDE in humans: from infants to elderly. Dioxin 2008, 28th Annual Symposium on Halogenated Persistent Organic Pollutants (POPs), Birmingham, England, UK (2008)
- 473. Szabo DT, Diliberto JJ, and Birnbaum LS. Hexabromocyclododecane gamma (hbcd-γ): tissue disposition and elimination kinetics in mice. Dioxin 2008, 28th Annual Symposium on Halogenated Persistent Organic Pollutants (POPs), Birmingham, England, UK (2008)
- 474. Diliberto JJ, Becker J, Jude D, Sirinek L, Patterson DG, Turner W, Landy RB, Hughes TJ, Staats DA, and Birnbaum LS. Cohort study of women in West Virginia: Serum levels of dioxin and dioxin-like compounds. 28th International Symposium on Halogenated Persistent Organic Pollutants, Birmingham, UK (2008)
- 475. Emond C, Pelekis M, and Birnbaum LS. Physiologically based pharmacokinetic modeling as a tool for predicting lifetime exposure of PBDE in humans: From infants to elderly. International Dioxin 2008 Meeting, Birmingham, UK (2008)
- 476. Szabo D, Diliberto JJ, and Birnbaum LS. Hexabromocyclododecane gamma (HBCD-y): tissue disposition and elimination kinetics in mice. International Dioxin 2008 Meeting, Birmingham, UK (2008)
- 477. Birnbaum LS. Toxicology and chemistry of dioxins. 122nd Annual Association of Analytical Communities Annual Meeting and Exposition, Dallas, TX (2008)
- 478. Birnbaum LS. Brominated flame retardants: What we know and what we don't know. Department of Occupational Medicine, Duke University, Durham, NC (2008)
- 479. Birnbaum LS. Human health impacts of exposure of POPs: unanswered questions. International Dioxin 2008 Meeting, Birmingham, UK (2008)
- 480. Dye JA, Venier M, Hites RA, and Birnbaum LS. The pet connection. Use of pets as sentinels to better integrate data on endocrine health effects of persistent environmental contaminants. Society of Environmental Toxicology and Chemistry Natational Meeting, Tampa, FL (2008)
- 481. Emond C, Pelekis M, and Birnbaum LS. Physilogically based pharmacokinetic modeling as a tool for producing lifetime exposure of PBDEs in humans: from infants to elderly. International Dioxin 2008 Meeting, Birmingham, UK (2008)
- 482. Diliberto JJ, Becker J, Jude D, Dirinek L, Patterson DG, Turner W. Landy RB, Hughes T, Staats DA, and Birnbaum LS. Serum levels of dioxin-like compounds in women living in a highly industrialized area of West Virginia. Baltimore, MD (2008)
- 483. Staskal D, Birnbaum LS. Screening-level assessment of risk associated with exposure to PBDEs in vehicles. ToxStrategies, Austin, TX and NCEA USEPA, Research Triangle Park, NC (2008)
- 484. Schecter A., Colacino J, Kurunthachalam K, Yun SH, Sjodin A, Needham L, Paepke O, Lohmann N, Birnbaum LS. Increasing levels of PBDEs in U.S. food. US EPA Research Triangle Park, NC (2008)
- 485. Emond C, Raymer JH, Garner CE, Studabaker WB, and Birnbaum LS. A physiologically based pharmacokinetic model for developmental exposure to PBDE-47 in rats. ORD, NCEA, US EPA, Research Triangle Park, NC, et al. (2008)
- 486. Szabo, DT, Richardson VM, Ross DG, Diliberto JJ, Kodavanti PRS, and Birnbaum, LS. Effects of perinantal PBDE exposure on hepatic phase I, phase II, phase III, and deiodinase 1 gene expression involved in thyroid hormone metabolism in male rat pups. US EPA, ORD, NHEERL, Research Triangle Park, NC (2008)

- 487. Schecter A., Colacino J, Kurunthachalam K, Yun SH, Paepke O, and Birnbaum LS. Results of a survey show increasing levels of PBDEs in US food. US EPA Research Triangle Park, NC (2008)
- 488. Birnbaum LS. Effects of brominated flame retardants: health and regulations. Brominated Flame Retardants Workshop, Ottawa, Canada (2009).
- 489. Szabo, DT, Diliberto JJ, Huwe J, and Birnbaum LS. Toxicokinetics of the sterioisomer specific flame retardant hexabromocyclododecane (Hbcd) gamma: effect of dose, time, repeated, intravenous, and developmental exposure. Brominated Flame Retardants Workshop, Ottawa, Canada (2009).
- 490. Schecter A., Colacino J, Kurunthachalam K, Yun SH, Harris TR, Paepke O, and Birnbaum LS. Trends in polybrominated diphenyl ether levels in breast milk, blood and food from the United States. Brominated Flame Retardants Workshop, Ottawa, Canada (2009).
- 491. Shields LE, Staskel D, Ray R, Birnbaum LS and Scheibe RR. Evaluation of risk trade-offs in passenger compartment fire retardant usage a case study. To be presented in Detroit on one of the Congress days, April 20-23, 2009
- 492. La Merrill M, Harper R, Birnbaum LS, Cardiff RD, and Threadgill DW. Maternal dioxin exposure combined with a diet high in fat increases mammary cancer. 5th Copenhagen workshop on endocrine disruptors (2009).
- 493. BirnbaumLS. Integrating toxicology and epidemiology for risk assessment toxicokinetics of the diastereomer specific flame retardant hexabromocyclododecane: effect of dose, time, and repeated exposure. Dioxin (2009)
- 494. Birnbaum LS, Jing C. Dioxin exposure study. Dioxin (2009)
- 495. Staskal D, Birnbaum LS, DenisonMS. The AhR and mechanisms of toxicity. Dioxin (2009)
- 496. Schecter A., Birbaum LS. Polybrominated diphenyl ethers, organochlorine pesticides, polychlorinated biphenyls and perfluorinated compounds in composite samples of United States food. Dioxin (2009)
- 497. Schecter A., Birbaum LS. POPs in food and feed (levels and trends). Dioxin (2009)
- 498. Birbaum LS. Old vs. new persistent organic pollutants (POPs) some exposure surprises. Intl. Society for Exposure Science Annual Meeting (2009)
- 499. Schecter A, Bass N, Calafat A, Kato K, Colacino J, Harris TR, Gent T, Malla S, Birnbaum LS. Polyfluoroalkyl compounds (PFCs) in Texas children from birth through 12 years of age. Society of Toxicology Annual Meeting (2012).
- 500. Wikoff DS, Devito MJ, Walker NJ, Hixon, Harris TR, Tachovsky, Birnbaum LS, Haws LC. Application of machine learning in the development of a weighting framework for evaluating estimates of relative potency for dioxin-like compounds. Society of Toxicology Annual Meeting (2012).
- 501. Birnbaum LS, Schecter A, Szabo DT, Colacino JA, Gent T, Bass N, Paepke O, Hynan LS, Harris TR, Malla S. Hexabromocyclododecane (HBCD) stereoisomers in U.S. food and adult daily dietary intake. Society of Toxicology Annual Meeting (2012).
- 502. Szabo DT, Shah R, Birnbaum LS. 'Omics and mixtures in developmental neurotoxicology risk assessment. Environmentally Triggered Neurodevelopmental Disorders Meeting (2011).
- 503. Blum A, Babrauskas V, Fuoco R, Birnbaum LS. Risk-benefit assessment of flame retardant chemicals. Society of Toxicology Annual Meeting (2012).
- 504. Szabo DT, Shah RR, Birnbaum LS. A transcriptomics approach using HBCD to prioritize chemicals and mixtures for developmental neurotoxicity risk assessment. Society of Toxicology

Annual Meeting (2012).

- 505. Frawley R, White K, Smith M, Walker N, Birnbaum LS, DeVito MJ, Germolec D. Immunological evaluation of the relative potency of a single oral administration of brominated and chlorinated dioxins and furans in female B6C3F1 mice. Society of Toxicology Annual Meeting (2012).
- 506. Emond C, DeVito MJ, Eskenazi B, Mocarelli P, Birnbaum LS. An assessment of dioxin exposure across multiple gestational and lactational stages using a PBPK model and new data points from Seveso. Society of Toxicology Annual Meeting (2012).
- 507. Birnbaum LS. Environmental health research activities at NIEHS: Current priorities and plans for the future. International Society of Environmental Epidemiology Annual Meeting (2012).
- 508. Birnbaum LS. How environmental chemicals target multiple endocrine pathways: Perspectives from the NIEHS Director. The Endocrine Society Annual Meeting (2012).
- 509. Birnbaum LS. Environmental stressors in the development of disease: Where do we go from here? PPTOX III (2012).
- 510. Scott L.L.F., Mortimer D, Birnbaum LS. Brominated flame retardants (BFRs) in food and food products and impact of dietary intake on body burden: Policy implications for regulating BFRs in the U.S. 32nd International Symposium on Halogenated Persisten Organic Pollutants (2012).
- 511. Sanders JM, Knudsen GA, Birnbaum LS. The disposition of betahexabromocyclododecane (HBCD) in mice. 32nd International Symposium on Halogenated Persisten Organic Pollutants (2012).
- 512. Schecter A, Szabo DT, Miller J, Petersen M, Paepke O, Colacina Ja, Hynan LS, Cheng D, Imran N, Hommel M, Birnbaum LS. Hexabromocyclododecane (HBCD) stereoisomers in U.S. food from Dallas, Texas. 32nd International Symposium on Halogenated Persisten Organic Pollutants (2012).
- 513. Birnbaum LS, Jung P. Environmental health research at NIEHS: Current priorities and plans for the future. 32nd International Symposium on Halogenated Persisten Organic Pollutants (2012).
- 514. Schecter A, Lorber M, Guo Y, Wu Q, Yun SH, Kannan K, Miller J, Hommel M, Imran N, Hynan LS, Cheng D, Colacino J, Birnbaum LS. Phthalates and dietary exposure from Albany, New York, U.S. food. 32nd International Symposium on Halogenated Persisten Organic Pollutants (2012).
- 515. Birnbaum LS. Endocrine disruptors: where do we go from here? 32nd International Symposium on Halogenated Persisten Organic Pollutants (2012).
- 516. Bergman A, Rydén A, Law RJ, de Boer J, Covaci A, Alaee M, Birnbaum L, Petreas M, Rose M, Sakai S, Van den Eede N, van der Veen I. A new standard of abbreviations for brominated, chlorinated and phosphorus containing flame retardants. 32nd International Symposium on Halogenated Persisten Organic Pollutants (2012).
- 517. Birnbaum LS. Low-dose and non-monotonic dose response curves for endocrine disruptors. Society of Toxicology Annual Meeting (2013)