

PRESOLICIATION FOR COMMERCIAL ITEMS

General Information

Document Type:	Presolicitation
Solicitation Number:	75N96022Q00028
Posted Date:	October 28, 2021
Original Response Date:	November 12, 2021
Current Response Date:	November 12, 2021
Product or Service Code:	J066
Set Aside:	None
NAICS Code:	811219

Contracting Office Address

NIH/NIEHS Office of Acquisitions
Keystone Building
530 Davis Drive
Room 1051
Durham, NC 27713

Description

This Presolicitation is for Intent to Sole Source for Service Maintenance for the ec800 Flow Cytometer from Sony Biotechnology Inc. for commercial items prepared in accordance with the format in Federal Acquisition Regulation (FAR) subpart 12.6, "Streamlined Procedures for Evaluation and Solicitation for Commercial Items," as supplemented with additional information included in this notice.

The National Institute of Environmental Health Sciences (NIEHS) intends to award a Purchase Order to Sony Biotechnology Inc., 1730 North First Street, San Jose, CA, 95112-4508, for Maintenance to the Sony Biotechnology Inc. ec800 Flow Cytometer instruments, which are installed at NIEHS, Research Triangle Park campus. The provided supplies and services are proprietary, and the services will be provided for the period of January 1, 2021 through December 31, 2021.

The associated North American Industrial Classification System (NAICS) code for this procurement is 811219, with a small business size standard of \$22.0 million dollars. NO SOLICITATION OR REQUEST FOR QUOTATION (RFQ) IS AVAILABLE. It has been determined that Sony Biotechnology Inc. is the only known responsible source capable of providing the required services for the ec800 Flow Cytometer instruments and no other services will satisfy the agency's requirement.

The purpose of this Purchase Order is for maintenance service to the Sony Biotechnology Inc. installed at NIEHS, RTP, NC.

NIH/NIEHS Office of Acquisitions
Keystone Building
530 Davis Drive
Room 1051
Morrisville, NC 27560

All interested companies shall provide quotations for the following:

Services

Place of Performance
NIH/National Institute of Environmental Health Sciences
111 T.W. Alexander Drive
Durham, NC 27709

General Instructions

If the Quoter believes that the requirements in these instructions contain an error, an ambiguity, omission, or are otherwise unsound, the Quoter shall immediately notify the Contracting Officer in writing with supporting rationale.

This Notice is not a solicitation or request for quotations. Notwithstanding, if any firm believes it is capable of meeting NIEHS' requirement, as stated herein, they may submit their corporate capabilities, which, if received by the response date of this announcement, may be considered. Responses to this posting must be in writing and shall be via e-mail to Brian Moyer at moyer@niehs.nih.gov and are due no later than November 12, 2021 at 4:00 EST. A determination by the Government not to compete this requirement based upon responses to this notice is solely with the discretion of the Government. Information received will be considered solely for the purpose of determining whether to conduct a competitive procurement in the future.