

Supplementary Information

***TAGster*: Efficient Selection of LD Tag SNP in Single or Multiple Populations**

---Algorithms implemented in *TAGster*

Consider a set S which contains M bi-allelic SNP markers a_1, a_2, \dots, a_M in K populations

$S = \bigcup_{i=1}^K S_i$ and S_i contains M_i SNP markers $s_{i1}, s_{i2}, \dots, s_{iM_i}$ in population i . First, we

estimated pairwise LD measure r^2 for each SNP pair within each population. Two

markers s_{im} and s_{in} are said to be in strong LD if the $r^2(s_{im}, s_{in})$ is greater than or equal

to a pre-specified threshold value r_0 . Both are considered tag SNP for each other, in that

s_{im} can be used as a surrogate for s_{in} , or vice versa.

Our aim is to find a tag SNP set, denoted by T , such that for

$\forall s_{im} \in S_i, i = 1, \dots, K, \exists a_j \in T$ that satisfies $r^2(a_j, s_{im}) \geq r_0$. In our presentation, we

introduce intermediate SNP sets, P and $Q_i, i = 1, \dots, K$. $P = \bigcup_{i=1}^K P_i$, where, P_i is called the

candidate set which contains all the SNPs in population i that are eligible to be chosen as

a tag SNP, Q_i contains SNPs in population i that are already tagged by at least one of tag

SNPs in T , i.e. $\forall s_{im} \in Q_i, i = 1, \dots, K, \exists a_j \in T$ that satisfies $r^2(a_j, s_{im}) \geq r_0$. We

implemented several algorithms in *TAGster* to select tag SNP set T .

Algorithm 1: A greedy algorithm for single or multiple populations

- (1) Set $T = \emptyset$, $P_i = S_i$ and $Q_i = \emptyset$, for any $i = 1, \dots, K$;

(2) For each SNP a_j in P , calculate

$$C_i(a_j) = \begin{cases} \sum_{m=1, s_{im} \in Q_i}^{M_i} 1(r^2(a_j, s_{im}) \geq r_0) & \text{if } a_j \in P_i \\ 0 & \text{if } a_j \notin P_i \end{cases}$$

(3) Find the SNP a_{\max} that has the highest $\sum_{i=1}^K C_i(a_j)$, and add a_{\max} to T . If

$a_{\max} \in P_i$, add any SNP s_{im} in P_i with $r^2(a_{\max}, s_{im}) \geq r_0$ to Q_i and then exclude a_{\max} from P_i ;

(4) Repeat Steps 2-3 until $Q_i = S_i$ for any $i = 1, \dots, K$;

Algorithm 2: An optimal solution for single population tag SNP

An exhaustive Search is performed within each population to find minimal number of population specific tag SNPs T_i for $i = 1, \dots, K$.

(1) Set $T_i = \emptyset$ and $P_i = S_i$, for $i = 1, \dots, K$;

(2) Within population i , partition SNPs in P_i into disjoint precinct P_{ij} , $j = 1, \dots, n$, so that $r^2(s_{im}, s_{in}) < r_0$ for any two SNPs s_{im} and s_{in} that belong to different precincts.

(3) Within a precinct P_{ij} ,

i. For any two SNPs s_{im} and s_{in} in precinct P_{ij} , if

$$\sum_{l, s_{il} \in P_{ij}} \text{abs}((1(r^2(s_{im}, s_{il}) \geq r_0) - 1(r^2(s_{in}, s_{il}) \geq r_0))) = 0, \text{ we exclude}$$

one with smaller $\sum_{l, r^2(s_{ih}, s_{il}) \geq r_0, h=m \text{ or } n} r^2(s_{ih}, s_{il})$ from precinct P_{ij} .

- ii. Conduct an exhaustive search to find a set of minimum number of tag SNPs for SNPs in precinct P_{ij} and add these tag SNPs into T_i ;
- (4) Repeat step (3) for each precinct.

Algorithm 3: Two-stage solution for multi-populations

- (1) Conduct Algorithm 2 within each population to select a set of population specific tag SNPs T_i for $i = 1, \dots, K$;

- (2) Set $T = \emptyset, P_i = S_i$ for $i = 1, \dots, K$;

- (3) For each SNP t_{ij} in T_i , find any SNP s_{im} ($s_{im} \in P_i$ and $s_{im} \notin T_i$) that satisfy

$$r^2(t_{ij}, s_{im}) \geq r_0, \text{ and then add them as well as } t_{ij} \text{ into LD bin } B_{ij} \text{ and exclude}$$

them from P_i ;

- (4) With each LD bin B_{ij} , set $T_{ij} = \emptyset$. Find any SNP s_{im} in B_{ij} that satisfy

$$r^2(s_{im}, s_{in}) \geq r_0 \text{ for any SNP } s_{in} \text{ in } B_{ij}, \text{ and then add } s_{im} \text{ to } T_{ij};$$

- (5) Set $P = \bigcup_{i=1}^K P_i, P_i = \bigcup_j T_{ij}$. For each SNP τ_l in $P, l = 1, \dots, |P|$, construct a one

dimensional array A_l with K elements, where

$$\begin{cases} A_{li} = j & \text{if } \tau_l \in T_{ij} \\ A_{li} = 0 & \text{if } \tau_l \notin P_i \end{cases}$$

- (6) Cluster SNPs in P so that any two SNPs τ_m and τ_n in a cluster satisfy

$$\sum_{i=1, A_{mi} \neq 0, A_{ni} \neq 0}^K abs(A_{mi} - A_{ni}) = 0;$$

(7) Set $\Psi = \emptyset$. Find one SNP τ_l in each cluster with maximum $\sum_{i=1}^K 1(A_{li} \neq 0)$ and add

it to Ψ .

(8) Cluster SNPs in Ψ so that any two SNPs τ_m and τ_n in a cluster satisfy

$$\sum_{i=1, A_{mi} \neq 0, A_{ni} \neq 0}^K 1(A_{mi} - A_{ni} = 0) > 0;$$

(9) For each cluster, set LD bin set $B = \emptyset$, record the LD bins in each population that

can be tagged by any SNP in the cluster to B , and then conduct an exhaustive

search to find a minimum set of tag SNPs in the cluster that can tag all LD bins in

B . Add this set of SNPs to T .