

Core Patient Data 01C: Medication and Exercise Record

Weight (kg): _____ Height (cm): _____ BSA in square meters (m2): _____

Medications	Administration Status	Current Dose	Current Frequency	Start Date	Stop Date	Reason for Discontinuation	Comments
Glucocorticoids ☐							
Oral Glucocorticoids ☐ Prednisone ☐ Methylprednisolone ☐ Prednisolone ☐ Other _____	☐ Current ☐ Ever ☐ Never ☐ Unknown	_____mg/day Or _____mg/kg/day	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	
Intravenous methylprednisolone Date last administered: ____/____/____	☐ Current ☐ Ever ☐ Never ☐ Unknown	_____mg/infusion Or _____mg/kg/infusion	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	
Topical agents ☐							
Topical Steroids	☐ Current ☐ Ever ☐ Never ☐ Unknown	NA	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	

Medications	Administration Status	Current Dose	Current Frequency	Start Date	Stop Date	Reason for Discontinuation	Comments
Topical agents							
Topical tacrolimus (Protopic) or pimecrolimus	☐ Current ☐ Ever ☐ Never ☐ Unknown	NA	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	
Topical ruxolitinib (OPZELURA)	☐ Current ☐ Ever ☐ Never ☐ Unknown	NA	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	
Non-biologic Disease Modifying Antirheumatic Drugs (DMARDs) ☐							
Azathioprine (Imuran)	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/day Or ____mg/kg/day	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	

Medications	Administration Status	Current Dose	Current Frequency	Start Date	Stop Date	Reason for Discontinuation	Comments
Non-biologic Disease Modifying Antirheumatic Drugs (DMARDs)							
Cyclophosphamide (Cytoxan) IV	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/infusion Dose per BSA: ____mg/m2/infusion	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	
Cyclophosphamide (Cytoxan) po	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/dosage Or ____mg/kg/dosage	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	
Cyclosporin A (Sandimmune or Neoral)	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/day Or ____mg/kg/day	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	

Medications	Administration Status	Current Dose	Current Frequency	Start Date	Stop Date	Reason for Discontinuation	Comments
Non-biologic Disease Modifying Antirheumatic Drugs (DMARDs)							
Hydroxychloroquine (Plaquenil)	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/day Or ____mg/kg/day	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify:			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other ____	
Leflunomide (ARAVA)	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/day Or ____mg/kg/day	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify:			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other ____	
Methotrexate Mode of Administration (check all that apply): Oral ☐ Subcutaneous ☐ IM ☐ IV ☐ Unknown ☐	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/week Or ____mg/kg/week	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify:			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other ____	
Mycophenolate mofetil (MMF)	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/day Or ____mg/kg/day	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify:			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other ____	

Medications	Administration Status	Current Dose	Current Frequency	Start Date	Stop Date	Reason for Discontinuation	Comments
Non-biologic Disease Modifying Antirheumatic Drugs (DMARDs)							
Tacrolimus (FK 506)	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/day Or ____mg/kg/day	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify:			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other ____	
Biologics or Targeted Disease Modifying Antirheumatic Drugs (DMARDs) ☐							
Abatacept (Orencia) ☐ IV ☐ SC	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/dosage Or ____mg/kg/dosage	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify:			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other ____	
Adalimumab (Humira)	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/dosage Or ____mg/kg/dosage	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify:			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other ____	
Etanercept (Enbrel, Benepali, Erelzi)	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/week Or ____mg/kg/week	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify:			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other ____	

Medications	Administration Status	Current Dose	Current Frequency	Start Date	Stop Date	Reason for Discontinuation	Comments
Biologics or Targeted Disease Modifying Antirheumatic Drugs (DMARDs)							
Immunoglobulin therapy ☐ IV ☐ SC Date last administered: __/__/__	☐ Current ☐ Ever ☐ Never ☐ Unknown	____gm/infusion Or ____gm/kg/infusion	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify:			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other ____	
Infliximab (REMICADE)	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/infusion Or ____mg/kg/infusion	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify:			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other ____	
Janus Kinase (JAK) Inhibitors: ☐ Tofacitinib, ☐ Baricitinib, ☐ Ruxolitinib, ☐ Other: _____	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/day Or ____mg/kg/day	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify:			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other ____	
Kineret (Anakinra)	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/day Or ____mg/kg/day	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify:			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other ____	

Medications	Administration Status	Current Dose	Current Frequency	Start Date	Stop Date	Reason for Discontinuation	Comments
Biologics or Targeted Disease Modifying Antirheumatic Drugs (DMARDs)							
Rituximab (anti-CD20) Date last administered: __/__/__	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/infusion Or Dose per BSA: ____mg/m2/infusion	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	
Over the counter (OTC) medications ☐							
Vitamin D	☐ Current ☐ Ever ☐ Never ☐ Unknown	____IU/dosage Or ____IU/kg/dosage	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	
Probiotics	☐ Current ☐ Ever ☐ Never ☐ Unknown	____CFU/dosage Or ____CFU/kg/dosage	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	

Medications	Administration Status	Current Dose	Current Frequency	Start Date	Stop Date	Reason for Discontinuation	Comments
Over the counter (OTC) medications							
Herbal or Nutritional Supplements: Specify: _____	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/dosage Or ____mg/kg/dosage	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	
Other medications ☐							
Other drugs, biologics, topicals, OTC therapies: Specify: _____	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/dosage Or ____mg/kg/dosage	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	
Other drugs, biologics, topicals, OTC therapies: Specify: _____	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/dosage Or ____mg/kg/dosage	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	

Medications	Administration Status	Current Dose	Current Frequency	Start Date	Stop Date	Reason for Discontinuation	Comments
Other medications							
Other drugs, biologics, topicals, OTC therapies: Specify: _____	☐ Current ☐ Ever ☐ Never ☐ Unknown	____mg/dosage Or ____mg/kg/dosage	☐ Daily ☐ Weekly ☐ Monthly ☐ Every Other Day ☐ Every 2 Weeks ☐ 2x Daily ☐ 2x Weekly ☐ 2xMonthly ☐ Other, specify: _____			☐ Tapering of Therapy ☐ Lack of efficacy ☐ Side effects ☐ Financial concerns ☐ Reproductive health ☐ Other _____	
Exercise (defined as any current physical activity or exercise therapy intended to improve an aspect of physical or psychological health) Yes ☐ No ☐ Unknown ☐							
Session Type:		Frequency					
I- Aerobic Training (increasing heart rate) ☐							
☐ Moderate cardio (aerobic): 'increase breathing, able to talk' (definition: 3 times per week, 30 minutes/session)		_____/weekly					
☐ vigorous cardio (aerobic): 'breathing fast, unable to talk' (definition: 3 times per week, 15-30 minutes/session)		_____/weekly					
II- Resistance training (working with larger muscle groups against a resistance of gym equipment, free weights or the body weight) ☐							
☐ Muscle strength training of 8-12 repetitions per set, resulting in moderate to high muscle exertion		_____/weekly					
☐ Muscle endurance training of >15 repetitions per set, resulting in moderate to high muscle exertion		_____/weekly					

Exercise (defined as any planned physical activity with the goal to improve any aspect of physical or psychological health)		
Session Type:	Frequency	
III- Miscellaneous exercise routines ☐		
☐ Range of motion exercises	_____ /weekly	
☐ Any exercise on lower intensity than described above (for example: cardio twice weekly/yoga/tai chi/stretching)	_____ /weekly	
Physical activity (defined as any activity increasing energy expenditure above resting levels) ☐		
☐ Physical Activity (as part of daily routine, i.e. walking to work, gardening, cleaning)	_____ /minutes weekly	